MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007

Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	CLASSIC OVAL YELLOW
Product code :	CC10105652
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007 Page 2 of 6 Print Date 12/2/2011

	2	I. FIRST AID MEASURES
Inhalation	01	ove to fresh air in case of accidental inhalation of fumes from verheating or combustion. When symptoms persist or in all cases of pubt seek medical advice.
Ingestion		o not induce vomiting without medical advice. When symptoms ersist or in all cases of doubt seek medical advice.
Eyes		nse immediately with plenty of water, also under the eyelids, for at ast 15 minutes. If eye irritation persists, seek medical attention.
Skin		ash off with soap and plenty of water. If skin irritation persists seel edical attention.
	5. I	TIRE-FIGHTING MEASURES
Flash point	: N	ot applicable
Flammable Limits		
Upper explosion limit	·N	ot applicable
Lower explosion limit		ot applicable
Autoignition temperature		ot applicable
Suitable extinguishing media		arbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	pr	allface self-contained breathing apparatus (SCBA) used in positive essure mode should be worn to prevent inhalation of airborne entaminants.
Unusual Fire/Explosion Hazards	: C	arbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen IOx), other hazardous materials, and smoke are all possible.
	6. ACC	IDENTAL RELEASE MEASURES
Personal precautions		ear appropriate personal protection during cleanup, such as appropriate personal protection during cleanup, such as
Environmental precautions		hould not be released into the environment. The product should not allowed to enter drains, water courses or the soil.
Methods for cleaning up	pl	ean up promptly by sweeping or vacuum. Package all material in astic, cardboard or metal containers for disposal. Refer to Section 13 this MSDS for proper disposal methods.
	7.	HANDLING AND STORAGE
Handling		ake measures to prevent the build up of electrostatic charge. Heat aly in areas with appropriate exhaust ventilation.
Storage	: K	eep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007 Page 3 of 6 Print Date 12/2/2011

		nd contamination. Keep in a c	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
8.	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	No personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields	3	
Hand protection	: P	Protective gloves		
Skin and body protection	n : L	long sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		Handle in accordance with good Vash hands before breaks and		afety practice
Engineering measures		Heat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)	Value	Exposure time	Exposure type	List:
Components		Exposure time	Exposure type	
Calcium carbonate	5 mg/m3	PEL: PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3 10 mg/m3	Time Weighted Average	Total dust.	OSHA Z1 MX OEL
	10 mg/m3	(TWA):		MA OLL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9. PHYSI	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solie	1		applicable
Appearance	: pelle		2	determined
Color	: YEL		5	established
~ .	: Very			applicable
Odour			m domostry i Not	ommissohla
Odour Melting point/range Boiling Point:		applicable pH		applicable applicable

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007

Page 4 of 6 Print Date 12/2/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the

PolyOne.

MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007 Page 5 of 6 Print Date 12/2/2011

		polymer matrix.
Additional advice	:	No data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	1 :	Not applicable
SARA Title III Section 302 I	Extrem	ely Hazardous Substance
Unless specific chemicals are	idanti	fied under this section, this product is Not Applicable under this regula

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET CLASSIC OVAL YELLOW

Version Number 1.0 Revision Date 10/29/2007 Page 6 of 6 Print Date 12/2/2011

SARA Title III Section 313 Tox	ic (Chemicals:	
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation	n
Canadian Regulations:			
National Pollutant Release	se Iı	nventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Not determined	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.