## MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007 Page 1 of 7 Print Date 12/2/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	DK. GREEN
Product code :	CC10105802
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Rutile, antimony chromium buff	68186-90-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007 Page 2 of 7 Print Date 12/2/2011

		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at east 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit		Not applicable		
Lower explosion limit	:	Not applicable Not applicable		
Autoignition temperature	•			
	•	Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/7

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007

\_\_\_\_

Page 3 of 7 Print Date 12/2/2011

8.1	EXPOSURE	CONTROLS / PERSONAL P	ROTECTION	
Respiratory protection	: N	o personal respiratory protective	e equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shields		
Hand protection	: <b>P</b> 1	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: Sa	afety shoes		
General Hygiene Considerations		andle in accordance with good i Vash hands before breaks and at		safety practice.
Engineering measures		eat only in areas with appropria		. Provide
	Value	Exposure time		List
Components	Value	Exposure time	Exposure type	List:
Exposure limit(s) Components Rutile, antimony chromium buff	Value 0.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type as Cr	List: ACGIH
Components Rutile, antimony	0.5 mg/m3	Time Weighted Average		
Components Rutile, antimony		Time Weighted Average (TWA): PEL: Time Weighted Average	as Cr	ACGIH
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL:	as Cr	ACGIH OSHA Z1
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average	as Cr as Cr as Sb	ACGIH OSHA Z1 MX OEL ACGIH
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average (TWA):PEL:Time Weighted Average	as Cr as Cr	ACGIH OSHA Z1 MX OEL
Components Rutile, antimony	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	as Cr as Cr as Sb as Sb	ACGIH OSHA Z1 MX OEL ACGIH OSHA Z1
Components Rutile, antimony chromium buff	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3	Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average (TWA):Time Weighted Average (TWA):	as Cr as Cr as Sb as Sb	ACGIH OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL
Components Rutile, antimony chromium buff	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average (TWA):PEL:Time Weighted Average (TWA):Time Weighted Average (TWA):Time Weighted Average (TWA):	as Cr as Cr as Sb as Sb as Sb as Sb	ACGIH OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL ACGIH

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odour Melting point/range
- : Solid
  : pellets
  : GREEN
  : Very faint
  : Not determined
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicableNot determinedNot establishedNot applicableNot applicable



## MATERIAL SAFETY DATA SHEET **DK. GREEN**

#### Version Number 1.0 Revision Date 11/05/2007

Page 4 of 7 Print Date 12/2/2011

Boiling Point: Water solubility		lot applicable nsoluble	рН	:	Not applicable
	1	0. STABILITY AND F	REACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxid decomposition, do no	00	open flame.	To avoid thermal
Incompatible Materials	:	Incompatible with stre	ong acids and oxi	idizing agen	ts.
Hazardous decomposition products	:	Carbon dioxide (CO2 (NOx), other hazardor		. ,.	U

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007 Page 5 of 7 Print Date 12/2/2011

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			

PolyOne.

## MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007 Page 6 of 7 Print Date 12/2/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
CHROMIUM III COMPOUNDSANTIMONY	68186-90-3	10.00 - 30.00
COMPOUNDS		

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	1.00 - 5.00	71
Phthalocyanine green	1328-53-6	10.00 - 30.00	71
Rutile, antimony chromium buff	68186-90-3	10.00 - 30.00	69
		10.00 - 30.00	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
147-14-8
1328-53-6
68186-90-3

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

:



## MATERIAL SAFETY DATA SHEET **DK. GREEN**

Version Number 1.0 Revision Date 11/05/2007 Page 7 of 7 Print Date 12/2/2011

Korea KECI

: Listed

: Not determined

Philippines PICCS

**16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.