MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0 Revision Date 11/05/2007

Page 1 of 8 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | WEATHERED GRAY |
| Product code | : | CC10105836 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|---|------------|----------|
| 1,6-Hexanediamine, | 70624-18-9 | 1 - 5 |
| N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, | | |
| polymer with 2,4,6-trichloro-1,3,5-triazine, | | |
| reaction products | | |
| Phenol, | 25973-55-1 | 5 - 10 |
| 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth | | |
| ylpropyl)- | | |
| Manganese | 7439-96-5 | 0.1 - 1 |
| Cobalt aluminate blue spinel (C.I. Pigment | 1345-16-0 | 1 - 5 |
| Blue 28) | | |
| Iron oxide | 1309-37-1 | 1 - 5 |
| Iron chromite brown spinel | 12737-27-8 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

Acute exposure

PolyOne.

MATERIAL SAFETY DATA SHEET **WEATHERED GRAY**

| sion Date 11/05/2007 | Print Date 12/2/2 |
|---|---|
| | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating |
| Ingestion Eyes | May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to |
| Skin | eyes. : Experience shows no unusual dermatitis hazard from routine handling |
| | - |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| Lower explosion limit Autoignition temperature | : Not applicable : Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne |
| Unusual Fire/Explosion | contaminants.Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Personal precautions | impervious groves, boots and coverans. |

PolyOne.

MATERIAL SAFETY DATA SHEET **WEATHERED GRAY**

| sion Number 1.0 ision Date 11/05/2007 | Page 3 Print Date 12/2/2 |
|--|---|
| Methods for cleaning up | be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |
| 8. EXF | POSURE CONTROLS / PERSONAL PROTECTION |
| Respiratory protection | : No personal respiratory protective equipment normally required. |
| Eye/Face Protection | : Safety glasses with side-shields |
| Hand protection | : Protective gloves |
| Skin and body protection | : Long sleeved clothing |
| Additional Protective Measures | : Safety shoes |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |
| Exposure limit(s) | |
| | |

PolyOne

MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0 Revision Date 11/05/2007 Page 4 of 8 Print Date 12/2/2011

| Components | Value | Exposure time | Exposure type | List: |
|---|---------------|-----------------------------------|----------------------|---------|
| Cobalt aluminate blue spinel (C.I. Pigment Blue 28) | 0.02 mg/m3 | Time Weighted Average (TWA): | as Co | ACGIH |
| Iron oxide | 5 mg/m3 | Time Weighted Average (TWA): | Respirable fraction. | ACGIH |
| | 10 mg/m3 | PEL: | Fume. | OSHA Z1 |
| | 5 mg/m3 | Time Weighted Average (TWA): | as Fe | MX OEL |
| | 10 mg/m3 | Short Term Exposure Limit (STEL): | as Fe | MX OEL |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | as Ti | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | as Ti | MX OEL |
| Manganese | 0.2 mg/m3 | Time Weighted Average (TWA): | as Mn | ACGIH |
| | 5 mg/m3 | Ceiling Limit Value: | Fume. as Mn | OSHA Z1 |
| | 1 mg/m3 | Time Weighted Average (TWA): | Fume. as Mn | MX OEL |
| | 0.2 mg/m3 | Time Weighted Average (TWA): | as Mn | MX OEL |
| | 3 mg/m3 | Short Term Exposure Limit (STEL): | Fume. as Mn | MX OEL |
| Iron chromite brown spinel | 0.5 mg/m3 | Time Weighted Average (TWA): | as Cr | ACGIH |
| | 0.5 mg/m3 | PEL: | as Cr | OSHA Z1 |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Solid
pellets
GREY
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicableNot determined

- : Not established
- : Not applicable
- : Not applicable
- : Not applicable
- Water solubility
 : Insoluble

 10. STABILITY AND REACTIVITY

 Stability
 : Stable.

 Hazardous Polymerization
 : Will not occur.

 Conditions to avoid
 : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

PolvOne

MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0 Revision Date 11/05/2007 Print Date 12/2/2011 Incompatible Materials : Incompatible with strong acids and oxidizing agents.

| Hazardous decomposition : products | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
|------------------------------------|--|
| F | (|

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|---|------------------|-------------------------------------|
| 70624-18-9 | 1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products | Irritant | Eyes, Skin, Respiratory system. |
| 25973-55-1 | Phenol, 2-(2H-benzotriazol-2-yl)-4 ,6-bis(1,1-dimethylpropyl) | Systemic effects | Kidney, Liver, reproductive system. |
| 1345-16-0 | Cobalt aluminate blue spinel (C.I. Pigment Blue 28) | Irritant | Eyes, Skin, Respiratory system. |
| | | sensitizer | Skin. |
| 1309-37-1 | Iron oxide | Systemic effects | Respiratory system. |
| 12737-27-8 | Iron chromite brown spinel | Irritant | Eyes, Skin, Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|------------|---|--------------------------|--------------------------------|------------|
| 70624-18-9 | 1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products | Oral LD50 Dermal LD50 | > 2,000 mg/kg > 3,000 mg/kg | rat rat |

Carcinogenicity

Γ

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-NO. Chemical Name OSHA IARC NT | CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------------------------------|---------|---------------|------|------|-----|
|------------------------------------|---------|---------------|------|------|-----|

PolvOne

MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0

Revision Date 11/05/2007

Page 6 of 8 Print Date 12/2/2011

| 1345-16-0 | Cobalt aluminate blue spinel (C.I. Pigment Blue 28) | no | 2B | no |
|------------|--|----|----|----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | : Not regulated for transportation. |
| U.S. DOT Classification | |

PolyOne.

MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0 Revision Date 11/05/2007 Page 7 of 8 Print Date 12/2/2011

| 10 | 5. REGULATOR | AY INFORMATI | ION | | | |
|---|--|--|--|--|---|-------|
| US Regulations: | | | | | | |
| OSHA Status : | Classified as ha | zardous based on | componen | ts. | | |
| TSCA Status : | All component Inventory. | s of this product a | re listed on | or exem | pt from the T | SCA |
| US. EPA CERCLA Hazardous Sub | stances (40 CFR | 302) | | | | |
| Not applicable | | | | | | |
| California Proposition : 65 | Not applicable | | | | | |
| | | | | | | |
| | | | | | | |
| SARA Title III Section 302 Extreme | - | | tis Not An | nliashla | under this re | aul |
| Unless specific chemicals are identi | - | | t is Not Ap | plicable | e under this re | egula |
| | fied under this se | | t is Not Ap | plicable | e under this re | egula |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C | fied under this se | ction, this produc | _ | - | | |
| Unless specific chemicals are identi | fied under this se | ction, this produc | t is Not Ap | plicable | e under this re | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi | fied under this se | ction, this produc | t is Not Ap No. | - | e under this re t % | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name | fied under this se Chemicals: fied under this se | ction, this produc | t is Not Ap No. 6-0 | plicable Weigh | e under this re t % 5.00 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS Canadian Regulations: National Pollutant Release In | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- | t is Not Ap No. 6-0 27-8 | plicable Weigh 1.00 - 1.00 - | e under this re t % 5.00 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS Canadian Regulations: National Pollutant Release In Chemical Name | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- CAS-No. | t is Not Ap No. 6-0 27-8 Weigh | plicable Weigh 1.00 - 1.00 - | e under this re t % 5.00 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS CHROMIUM III COMPOUNDS Canadian Regulations: National Pollutant Release In Chemical Name Cobalt aluminate blue spinel (C.I | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- | t is Not Ap No. 6-0 27-8 | plicable Weigh 1.00 - 1.00 - | e under this re t % 5.00 5.00 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS Canadian Regulations: National Pollutant Release In Chemical Name | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- CAS-No. | t is Not Ap No. 6-0 27-8 Weigh | plicable Weigh 1.00 - 1.00 - t % 5.00 | e under this re t % 5.00 5.00 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS CARADIA Regulations: National Pollutant Release In Chemical Name Cobalt aluminate blue spinel (C.I 28) | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- CAS-No. 1345-16-0 | t is Not Ap No. 6-0 27-8 Weigh 1.00 - 1 | plicable Weigh 1.00 - 1.00 - t % 5.00 | e under this re t % 5.00 5.00 NPRI ID# 70 | |
| Unless specific chemicals are identi SARA Title III Section 313 Toxic C Unless specific chemicals are identi Chemical Name COBALT COMPOUNDS CHROMIUM III COMPOUNDS Canadian Regulations: National Pollutant Release In Chemical Name Cobalt aluminate blue spinel (C.I 28) Manganese | fied under this se Chemicals: fied under this se | ction, this produc ction, this produc CAS-1 1345-1 12737- CAS-No. 1345-16-0 7439-96-5 | t is Not Ap No. 6-0 27-8 Weigh 1.00 - 1 0.10 - | plicable Weigh 1.00 - 1.00 - t % 5.00 | e under this re t % 5.00 5.00 NPRI ID# 70 147 | |

PolyOne

MATERIAL SAFETY DATA SHEET WEATHERED GRAY

Version Number 1.0 Revision Date 11/05/2007

_

Page 8 of 8 Print Date 12/2/2011

| CAS-No. 1309-37-1 12737-27-8 | | |
|------------------------------------|---|---|
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Listed |
| China IECS | : | Listed |
| Europe EINECS | : | Listed |
| Japan ENCS | : | Not determined |
| Korea KECI | : | Not determined |
| Philippines PICCS | : | Not determined |
| 16. OTHER INFORMATION | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.