MATERIAL SAFETY DATA SHEET TRANS AMBER

Version Number 1.1 Revision Date 11/29/2007

Page 1 of 5 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS AMBER
Product code	:	CC10105900
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET **TRANS AMBER**

ion Number 1.1 sion Date 11/29/2007	Print Date	Page 2 12/2/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all o doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When sympt persist or in all cases of doubt seek medical advice.	oms
Eyes	: Rinse immediately with plenty of water, also under the eyelids least 15 minutes. If eye irritation persists, seek medical attenti	
Skin	: Wash off with soap and plenty of water. If skin irritation persimedical attention.	ists see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in popressure mode should be worn to prevent inhalation of airborn	
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitro (NOx), other hazardous materials, and smoke are all possible. 	ogen
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product sho be allowed to enter drains, water courses or the soil.	uld no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all mater plastic, cardboard or metal containers for disposal. Refer to Se of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. only in areas with appropriate exhaust ventilation.	Heat
Storage	: Keep containers dry and tightly closed to avoid moisture absor and contamination. Keep in a dry, cool place.	rption

PolyOne

MATERIAL SAFETY DATA SHEET **TRANS AMBER**

Version Number 1.1 Revision Date 11/29/2007 Page 3 of 5 Print Date 12/2/2011

8. EXP	POSURE CONTROLS / PE	RSONAL PROTECTIO	N
Respiratory protection	: No personal respirat	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with s	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg preaks and at the end of wo	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		ntilation. Provide
	us components above regulat	• I	luct.
	. PHYSICAL AND CHEM	ICAL PROPERTIES	
9. Form	. PHYSICAL AND CHEM : Solid	ICAL PROPERTIES Evaporation rate	: Not applicable
9. Form Appearance	• PHYSICAL AND CHEM • Solid • pellets	ICAL PROPERTIES Evaporation rate Specific Gravity	: Not applicable : Not determined
9. Form Appearance Color	. PHYSICAL AND CHEM : Solid : pellets : BROWN	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	Not applicableNot determinedNot established
9. Form Appearance Color Odour	PHYSICAL AND CHEM Solid pellets BROWN Very faint	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable
9. Form Appearance Color Odour Melting point/range	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined 	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established Not applicable Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM Solid pellets BROWN Very faint	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable
9. Form Appearance Color Odour	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY AND	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY AND Stable. Will not occur. 	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not established Not applicable Not applicable Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY AND Stable. Will not occur. Keep away from oxi decomposition, do n 	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not established Not applicable Not applicable Not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **TRANS AMBER**

Version Number 1.1 Revision Date 11/29/2007 Page 4 of 5 Print Date 12/2/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

4/5

PolyOne

MATERIAL SAFETY DATA SHEET **TRANS AMBER**

Version Number 1.1 Revision Date 11/29/2007 Page 5 of 5 Print Date 12/2/2011

California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	tic Chemicals:
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.