## MATERIAL SAFETY DATA SHEET **PROCESS AID**

Version Number 1.0 Revision Date 11/09/2007 Page 1 of 5 Print Date 12/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PROCESS AID
Product code :	CC10105940
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### 3. HAZARDS IDENTIFICATION

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET **PROCESS AID**

sion Date 11/09/2007	Page 2 Print Date 12/2/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	<ul> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> </ul>
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PROCESS AID**

Version Number 1.0 Revision Date 11/09/2007 Page 3 of 5 Print Date 12/2/2011

0. 2.11	OSURE CONTROLS / PE	RSONAL PROTECTIO	ON
Respiratory protection	: No personal respirato	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		entilation. Provide
Exposure limit(s)			
There are no known hazardou	is components above regulate	ory thresholds in this pro-	duct.
	s components above regulate	•	duct.
9.	PHYSICAL AND CHEMI	ICAL PROPERTIES	
9. Form	PHYSICAL AND CHEMI : Solid	ICAL PROPERTIES Evaporation rate	: Not applicable
9.	PHYSICAL AND CHEMI : Solid : pellets	ICAL PROPERTIES Evaporation rate Specific Gravity	: Not applicable : Not determined
<b>9.</b> Form Appearance Color	PHYSICAL AND CHEMI : Solid : pellets : NO PIGMENT	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	<ul><li>Not applicable</li><li>Not determined</li><li>Not established</li></ul>
<b>9.</b> Form Appearance Color Odour	PHYSICAL AND CHEMI : Solid : pellets : NO PIGMENT : Very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>
<b>9.</b> Form Appearance Color Odour Melting point/range	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
<b>9.</b> Form Appearance Color Odour	PHYSICAL AND CHEMI : Solid : pellets : NO PIGMENT : Very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	<b>ICAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	<b>ICAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	<b>ICAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	<b>ICAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEMI</li> <li>Solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET **PROCESS AID**

Version Number 1.0 Revision Date 11/09/2007 Page 4 of 5 Print Date 12/2/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			

4/5

PolyOne

## MATERIAL SAFETY DATA SHEET **PROCESS AID**

Version Number 1.0 Revision Date 11/09/2007 Page 5 of 5 Print Date 12/2/2011

California Proposition 65	:	Not applicable				
SARA Title III Section 302 Extremely Hazardous Substance						
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313 Toxic Chemicals:						
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation				
Canadian Regulations:						
National Pollutant Release Inventory (NPRI)						
Not applicable						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.