MATERIAL SAFETY DATA SHEET **BLUE 820603**

Version Number 1.0 Revision Date 11/09/2007 Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE 820603
Product code	:	CC10105950
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE 820603**

Version Number 1.0 Revision Date 11/09/2007 Page 2 of 6 Print Date 12/2/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Element la Lineite		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	•	
	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE 820603**

Version Number 1.0 Revision Date 11/09/2007 Page 3 of 6 Print Date 12/2/2011

Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Item Weighted Average (TWA): ACGIH (TWA): Components Value Exposure time weighted Average as Ti MX OEL (TWA): 10 mg/m3 Time Weighted Average as Ti MX OEL (STEL): 0 p.PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity :: Not established Odour : Not established Odour : Not applicable water solubility : Not applicable water solubility Builing Point: : Not applicable end water solubility : Not applicable end water solubility Very faint Vapour pressure : Not applicable end ensity : Not applicable aph	8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTION	
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Meat only in areas with appropriate exhaust ventilation at machinery. Exposure limit(s) : Time Weighted Average as Ti MX OEL (TWA): 15 mg/m3 : PEL: Total dust. OSHA ZI (TWA): 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): MX OEL (STEL): PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity :: Not determined Color Appearance : pellets Specific Gravity :: Not applicable Boiling Point: :: Not applicable Boiling Point: :: Not applicable PH :: Not appl	Respiratory protection	: N	lo personal respiratory prot	ective equipment norr	nally required.
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. OSHA ZI 10 mg/m3 Time Weighted Average as Ti 10 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): OPHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour density : Not applicable Mething point/range : Not depremine	Eye/Face Protection	: S	afety glasses with side-shie	elds	
Additional Protective Measures :: Safety shoes General Hygiene Considerations :: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) :: Not applicable Components Value Exposure time Exposure type List: Total dust. OSHA ZI Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OEL 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): : as Ti MX OEL 20 mg/m3 Short Term Exposure Limit as Ti MX OEL Specific Gravity :: Not applicable Appearance : pellets Specific Gravity :: Not determined Odour :: Very faint Vapour pressure : Not applicable Odour :: Very faint Vapour density : Not applicable Built density :: Not applicable pH : Not applicable Water solubility<	Hand protection	: P	Protective gloves		
Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation at machinery. Exposure limit(s) : Io mg/m3 Titanium dioxide 10 mg/m3 I to mg/m3 : Tite Weighted Average 0 0 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour gressure : Not applicable Melting point/range	Skin and body protection	: L	long sleeved clothing		
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) 		: S	afety shoes		
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH (TWA): 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 0 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): 0 20 mg/m3 Short Term Exposure Limit as Ti MX OEL PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not applicable Melting point/range : Not deprlicable pH : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Not applicable pH					
Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA ZI 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL PHYSICAL AND CHEMICAL PROPERTIES Vot applicable Not applicable Appearance : pellets Specific Gravity : Not applicable Addur : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble : Not applicable	Engineering measures				ation. Provide
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIH 15 mg/m3 PEL: Total dust. OSHA Z1 10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Boiling Point: : Not applicable pH : Not applicable IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.	Exposure limit(s)				
Image: Constraint of the constraint	Components	Value	Exposure time	Exposure typ	e List:
10 mg/m3 Time Weighted Average (TWA): as Ti MX OEL 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OEL 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Boiling point/range : Not determined Vapour density : Not applicable Boiling Point: : : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Insoluble Iteration : Stable. Insoluble : Will not occur.	Titanium dioxide	10 mg/m3	•	e	ACGIH
Image: constraint of the constraint		15 mg/m3	PEL:	Total dust.	OSHA Z1
(STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not determined Odour : Very faint Vapour pressure : Not applicable Belting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Not applicable Hazardous Polymerization : Stable. :		10 mg/m3		e as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Will not occur.		20 mg/m3	-	nit as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Will not occur.					
Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. Hazardous Polymerization : Will not occur. : Will not occur.		9. PHYSI	CAL AND CHEMICAL F	PROPERTIES	
Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. Hazardous Polymerization : Will not occur. : Will not occur.	Form	: Solid	d Ev	aporation rate :	Not applicable
Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble				-	**
Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble IO. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.		: BLU			Not established
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					
Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					
10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					Not applicable
Stability: Stable.Hazardous Polymerization: Will not occur.	water solubility	. 11150			
Hazardous Polymerization : Will not occur.		10. 9	STABILITY AND REAC	TIVITY	
	Stability	: S	table.		
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal	Hazardous Polymerization	n : V	Vill not occur.		
					T 1 1 1

MATERIAL SAFETY DATA SHEET **BLUE 820603**

Version Number 1.0 Revision Date 11/09/2007

Page 4 of 6 Print Date 12/2/2011

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
	13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	ot readily biodegradable.	
Environmental Toxicity	hemicals are not readily available as they are bolymer matrix.	oound within the
Bioaccumulation Potential	hemicals are not readily available as they are bolymer matrix.	oound within the
Additional advice	o data available	
	DISPOSAL CONSIDERATIONS	
Product	ike most thermoplastic plastics the product car ossible recycling is preferred to disposal or inc	



MATERIAL SAFETY DATA SHEET **BLUE 820603**

sion Number 1.0 ision Date 11/09/2007	Page 5 o Print Date 12/2/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	i : Not applicable
SARA Title III Section 302 F	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 7	'oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
Canadian Regulations:	

PolyOne

MATERIAL SAFETY DATA SHEET **BLUE 820603**

Version Number 1.0Page 6 oRevision Date 11/09/2007Print Date 12/2/20						
National Pollutant Releas	se Inventory (NPRI)					
Chemical Name	• • •	CAS-No.	Weight %	NPRI ID#		
Phthalocyanine blue		147-14-8	1.00 - 5.00	71		
WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 147-14-8 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories:						
Australia AICS	: Listed					
China IECS	: Listed					
Europe EINECS	: Listed					
Japan ENCS	: Not determined					
Korea KECI	: Listed					
Philippines PICCS	: Not determined					
	16. OTHER IN	FORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.