MATERIAL SAFETY DATA SHEET **TRANS AMBER PET**

Version Number 1.1 Revision Date 11/29/2007

Page 1 of 5 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS AMBER PET
Product code	:	CC10106152
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANS AMBER PET**

sion Date 11/29/2007	Page Print Date 12/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists so medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Hear only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANS AMBER PET**

Version Number 1.1 Revision Date 11/29/2007 Page 3 of 5 Print Date 12/2/2011

0. EAI	POSURE CONTROLS / P	PERSONAL PROTECTION	ON	
Respiratory protection	: No personal respira	atory protective equipment	normally required.	
Eye/Face Protection	: Safety glasses with	side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		ce with good industrial hyge breaks and at the end of w		
Engineering measures		with appropriate exhaust vertilation at machinery.	entilation. Provide	
Exposure limit(s)				
There are no known hazardo	us components above regul	atory thresholds in this pro	duct.	
There are no known hazardon	us components above regul		duct.	
		MICAL PROPERTIES	duct. : Not applicable	
9 Form Appearance	 PHYSICAL AND CHEN : Solid : pellets 	MICAL PROPERTIES Evaporation rate Specific Gravity	: Not applicable : Not determined	
9 Form	 PHYSICAL AND CHEN : Solid : pellets : BROWN 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	Not applicableNot determinedNot established	
9 Form Appearance Color Odour	 PHYSICAL AND CHEN Solid pellets BROWN Very faint 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable 	
9 Form Appearance Color Odour Melting point/range	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	 Not applicable Not determined Not established Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined Not applicable 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established Not applicable 	
9 Form Appearance Color Odour Melting point/range	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined Not applicable 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined Not applicable Insoluble 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY AND	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEN Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 	
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid pellets BROWN Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. Keep away from or decomposition, do 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable applicable 	

11. TOXICOLOGICAL INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET **TRANS AMBER PET**

Version Number 1.1 Revision Date 11/29/2007 Page 4 of 5 Print Date 12/2/2011

There are no known hazardous components above regulatory thresholds in this product.

polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinci and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinc and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product.		12. ECOLOGICAL INFORMATION
polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste ma has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste ma has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinc and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the " <th>Persistence and degradability</th> <th>: Not readily biodegradable.</th>	Persistence and degradability	: Not readily biodegradable.
polymer matrix. Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste ma has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinc and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the '	Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. We possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wase classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mather in the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/province and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mather is ponsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/province and local regulations. Local regulations : Recycling is preferred when possible. The generator of waste mather responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/province and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the '	Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Product : Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste ma has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinci and disposal in accordance with applicable federal, state/provinci and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the formation.	Additional advice	: No data available
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mathes the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinc and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the formation.		13. DISPOSAL CONSIDERATIONS
has the responsibility for proper waste classification, transportati and disposal in accordance with applicable federal, state/provinc and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: . OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the formation.	Product	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the 7	Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the 7		14. TRANSPORT INFORMATION
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the 7	U.S. DOT Classification	: Not regulated for transportation.
15. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T		
US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the 7	IMO / IMDG (maritime)	: Refer to specific regulation.
OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T		15. REGULATORY INFORMATION
TSCA Status : All components of this product are listed on or exempt from the T	US Regulations:	
	OSHA Status	
US. EPA CERCLA Hazardous Substances (40 CFR 302)	TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
Not applicable		Inventory.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET TRANS AMBER PET

Version Number 1.1 Revision Date 11/29/2007 Page 5 of 5 Print Date 12/2/2011

California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic C	Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.