## MATERIAL SAFETY DATA SHEET **BROWN 4625C**

Version Number 1.0 Revision Date 12/03/2007 Page 1 of 6 Print Date 12/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone <b>Emergency telephone</b>	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN 4625C
Product code	:	CC10106577
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **BROWN 4625C**

Version Number 1.0 Revision Date 12/03/2007 Page 2 of 6 Print Date 12/2/2011

		4. FIRST AID MEASURES
Inhalation	C	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of loubt seek medical advice.
Ingestion		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes		Rinse immediately with plenty of water, also under the eyelids, for at east 15 minutes. If eye irritation persists, seek medical attention.
Skin		Vash off with soap and plenty of water. If skin irritation persists seek nedical attention.
	5.	FIRE-FIGHTING MEASURES
Flash point	: 1	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: N : N : C : F : F : C	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne ontaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen NOx), other hazardous materials, and smoke are all possible.
	6. ACC	CIDENTAL RELEASE MEASURES
Personal precautions		Vear appropriate personal protection during cleanup, such as mpervious gloves, boots and coveralls.
Environmental precautions		Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	p	Clean up promptly by sweeping or vacuum. Package all material in clastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7.	HANDLING AND STORAGE
Handling		Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	· ŀ	Keep containers dry and tightly closed to avoid moisture absorption

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET **BROWN 4625C**

Version Number 1.0 Revision Date 12/03/2007

\_

Page 3 of 6 Print Date 12/2/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.	
Eye/Face Protection	: S	Safety glasses with side-shields			
Hand protection	: P	Protective gloves			
Skin and body protection :		ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice.	
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
	10 mg/m3	PEL:	Fume.	OSHA Z1	
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL	
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL	
	9 PHYSI	CAL AND CHEMICAL PR	OPERTIES		
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES		
Form	9. PHYSIC : Solid			applicable	
Appearance	: Solic : pelle	l Evapo ts Speci	oration rate : Not fic Gravity : Not	determined	
Appearance Color	: Solic : pelle : BRC	l Evapo ts Speci WN Bulk	oration rate : Not fic Gravity : Not density : Not	determined established	
Appearance Color Odour	: Solic : pelle : BRC : Very	l Evapo ts Speci DWN Bulk o faint Vapo	oration rate : Not fic Gravity : Not density : Not ur pressure : Not	determined established applicable	
Appearance Color Odour Melting point/range	: Solid : pelle : BRC : Very : Not	l Evapo ts Speci WN Bulk faint Vapo determined Vapo	oration rate : Not fic Gravity : Not density : Not ar pressure : Not ar density : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: Solid : pelle : BRC : Very : Not : Not	l Evapo ts Speci WN Bulk faint Vapo determined Vapo applicable pH	oration rate : Not fic Gravity : Not density : Not ar pressure : Not ar density : Not	determined established applicable	
Appearance Color Odour Melting point/range	: Solid : pelle : BRC : Very : Not	l Evapo ts Speci WN Bulk faint Vapo determined Vapo applicable pH	oration rate : Not fic Gravity : Not density : Not ar pressure : Not ar density : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : BRC : Very : Not : Not : Insol	l Evapo ts Speci WN Bulk faint Vapo determined Vapo applicable pH	oration rate : Not fic Gravity : Not density : Not ur pressure : Not ur density : Not : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point:	: Solid : pelle : BRC : Very : Not : Not : Insol	l Evapo ts Specia DWN Bulk of faint Vapor determined Vapor applicable pH luble	oration rate : Not fic Gravity : Not density : Not ur pressure : Not ur density : Not : Not	determined established applicable applicable	
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Solid : pelle : BRC : Very : Not : Not : Insol <b>10. S</b> : S	l Evapo ts Speci WN Bulk faint Vapo determined Vapo applicable pH uble	oration rate : Not fic Gravity : Not density : Not ur pressure : Not ur density : Not : Not	determined established applicable applicable	

PolyOne.

# MATERIAL SAFETY DATA SHEET **BROWN 4625C**

ion Number 1.0 sion Date 12/03/2007				Page 4 Print Date 12/2/2	
		decompositio	on, do not overheat.		
Incompatible Materials	:	Incompatible	with strong acids and	oxidizing agents.	
Hazardous decomposition products	:			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11.	TOXICOLO	GICAL INFORMATI	ON	
health data for the individu	al comp	onents which c	omprise the mixture.	ure effects listed are based on exit	
CAS-No. 1309-37-1 Ir	on oxide	nical Name	Effect Systemic effects	Target Organ           Respiratory system.	
	1	2. ECOLOGI	CAL INFORMATIO	N	
Persistence and degradabil	ity :	Not readily b	iodegradable.		
Environmental Toxicity	:	Chemicals ar polymer mat		as they are bound within the	
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix. No data available			
Additional advice	:				
	1	3. DISPOSAL	CONSIDERATION	5	
Product	:	possible recy generator of classification	cling is preferred to dis waste material has the	e product can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packaging		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPO	RT INFORMATION		
U.S. DOT Classification	:	Not regulated	l for transportation.		
ICAO/IATA (air)		-	fic regulation.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **BROWN 4625C**

Version Number 1.0 Revision Date 12/03/2007 Page 5 of 6 Print Date 12/2/2011

IMO / IMDG (maritime) : Refer to specifi	c regulation.		
15. REGULATO	RY INFORMATI	ON	
US Regulations:			
OSHA Status : Classified as ha	zardous based on	components.	
TSCA Status : All component Inventory.	s of this product a	re listed on or exer	npt from the TSCA
US. EPA CERCLA Hazardous Substances (40 CFR	302)		
Not applicable			
California Proposition : Not applicable 65			
SARA Title III Section 302 Extremely Hazardous S	ubstance		
		t is Not Applicabl	e under this regula
SARA Title III Section 302 Extremely Hazardous St Unless specific chemicals are identified under this se SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this se Canadian Regulations: <u>National Pollutant Release Inventory (NPRI)</u> [Chemical Name	ection, this produc	t is Not Applicabl	e under this regula
Unless specific chemicals are identified under this se SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this se Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name Zinc ferrite brown spinel (C.I. Pigment Yellow	ection, this produc		-
Unless specific chemicals are identified under this set SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this set Canadian Regulations: <u>National Pollutant Release Inventory (NPRI)</u> Chemical Name Zinc ferrite brown spinel (C.I. Pigment Yellow 119) WHMIS Classification : Not controlled. DSL : All component	ection, this produc ection, this produc CAS-No. 68187-51-9	t is Not Applicabl Weight % 0.10 - 1.00	e under this regula
Unless specific chemicals are identified under this set SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this set Canadian Regulations: <u>National Pollutant Release Inventory (NPRI)</u> Chemical Name Zinc ferrite brown spinel (C.I. Pigment Yellow 119) WHMIS Classification : Not controlled. DSL : All component	ection, this produc ection, this produc CAS-No. 68187-51-9	t is Not Applicabl Weight % 0.10 - 1.00	e under this regula
Unless specific chemicals are identified under this set SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this set Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name Zinc ferrite brown spinel (C.I. Pigment Yellow 119) WHMIS Classification : Not controlled. DSL : All component Substances List	ection, this produc ection, this produc CAS-No. 68187-51-9	t is Not Applicabl Weight % 0.10 - 1.00	e under this regula
Unless specific chemicals are identified under this set SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this set Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name Zinc ferrite brown spinel (C.I. Pigment Yellow 119) WHMIS Classification : Not controlled. DSL : All component Substances List National Inventories:	ection, this produc ection, this produc CAS-No. 68187-51-9	t is Not Applicabl Weight % 0.10 - 1.00	e under this regula

*PolyOne* 

## MATERIAL SAFETY DATA SHEET **BROWN 4625C**

Version Number 1.0 Revision Date 12/03/2007 Page 6 of 6 Print Date 12/2/2011

Europe EINECS:ListedJapan ENCS:Not determinedKorea KECI:ListedPhilippines PICCS:Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.