MATERIAL SAFETY DATA SHEET NEW BLUE TINT

Version Number 1.0 Revision Date 12/05/2007 Page 1 of 6 Print Date 12/2/2011

I. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : Product Stewardship (770) 271-5902 Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : NEW BLUE TINT Product name : NEW BLUE TINT

•	
:	CC10106670
:	Mixture
:	Mixture
:	Industrial Applications
	: :

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW BLUE TINT**

Version Number 1.0 Revision Date 12/05/2007 Page 2 of 6 Print Date 12/2/2011

		4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW BLUE TINT**

Version Number 1.0 Revision Date 12/05/2007 Page 3 of 6 Print Date 12/2/2011

0,1	LAPUSUKE	CONTROLS / PERSONAL	A PROTECTION			
Respiratory protection	: N	o personal respiratory protect	otective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		afety practice		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average (TWA):		MX OEL		
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL		
	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES			
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		01200120			
Form	: Solic			applicable		
Appearance	: pelle			determined		
Color	: BLU		2	established		
Odour Malting point/range	: Very			applicable		
Melting point/range Boiling Point:		applicable pH		applicable applicable		
Water solubility	: Insol		. 1101	applicable		
	10. 5	STABILITY AND REACTI	VITY			
Stability	: S	table.				
Hazardous Polymerizatio	n : V	Vill not occur.				

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW BLUE TINT**

)7			Pri	Page 4 int Date 12/2/2
Conditions to avoid	:		n oxidizing agents do not overheat.	and open flame. T	o avoid thermal
Incompatible Materials : Incompatible			ith strong acids and	d oxidizing agents.	
				onoxide (CO), oxide and smoke are all	
	11.	TOXICOLOGIC	CAL INFORMAT	TION	
This mixture has not b health data for the indi				osure effects listed	are based on exi
<u>Toxicity Overview</u> This product contains	the following	components which	ch in their pure for	rm have the followi	ing characteristi
CAS-No.	Chen	nical Name	Effect	Targ	et Organ
557-05-1	Zinc steara	ite	Systemic effects		espiratory system
CAS-No. 557-05-1		nical Name	Route Oral LD50	Value > 10 gm/kg	Species rat
CAS-No. 557-05-1	Zinc steara	te	Oral LD50	> 10 gm/kg	rat
	Zinc steara	te	Oral LD50 L INFORMATIO	> 10 gm/kg	-
557-05-1	Zinc steara 12 dability :	tte 2. ECOLOGICA Not readily biod	Oral LD50 LINFORMATIC legradable. ot readily availabl	> 10 gm/kg	rat
557-05-1 Persistence and degrad	Zinc steara 12 dability : ty :	tte 2. ECOLOGICA Not readily biod Chemicals are n polymer matrix.	Oral LD50 LINFORMATIC legradable. ot readily availabl	> 10 gm/kg DN	rat
557-05-1 Persistence and degrad Environmental Toxicit	Zinc steara 12 dability : ty :	tte 2. ECOLOGICA Not readily bioc Chemicals are n polymer matrix. Chemicals are n	Oral LD50 LINFORMATIC legradable. tot readily availabl	> 10 gm/kg	rat
557-05-1 Persistence and degrac Environmental Toxicit Bioaccumulation Poter	Zinc steara 12 dability : ty : ntial :	tte 2. ECOLOGICA Not readily biod Chemicals are n polymer matrix. Chemicals are n polymer matrix. No data availab	Oral LD50 LINFORMATIC legradable. tot readily availabl	> 10 gm/kg DN e as they are bound e as they are bound	rat
557-05-1 Persistence and degrac Environmental Toxicit Bioaccumulation Poter	Zinc steara 12 dability : ty : ntial :	tte 2. ECOLOGICA Not readily biod Chemicals are n polymer matrix. Chemicals are n polymer matrix. No data availab 3. DISPOSAL Constitution Like most therm possible recycling generator of was classification, tr	Oral LD50 LINFORMATIC legradable. tot readily availabl tot readily availabl le ONSIDERATION noplastic plastics the ng is preferred to coste material has the ansportation and coste to a sterial has the	> 10 gm/kg DN e as they are bound e as they are bound	rat I within the I within the ecycled. Where tion. The proper waste nce with

PolyOne.

MATERIAL SAFETY DATA SHEET NEW BLUE TINT

Version Number 1.0 Revision Date 12/05/2007 Page 5 of 6 Print Date 12/2/2011

	1	4. TRANSPORT INFO	RMATIO	N		
U.S. DOT Classification	:	Not regulated for transp	portation.			
ICAO/IATA (air)	:	Refer to specific regula	tion.			
IMO / IMDG (maritime)	:	: Refer to specific regulation.				
	15	5. REGULATORY INF	ORMATIC	DN		
US Regulations:						
OSHA Status	:	Classified as hazardous	based on c	omponen	ts.	
TSCA Status	:	All components of this Inventory.	product are	e listed on	or exen	npt from the TSC
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR 302)				
Not applicable						
California Propositio 65	n :	Not applicable				
SARA Title III Section 302 I	Extrem	ely Hazardous Substance	;			
Unless specific chemicals are			nis product	is Not Ap	plicable	e under this regula
SARA Title III Section 313					nlicable	under this regul
SARA Title III Section 313	• identi	fied under this section the	his product	is Not An		
SARA Title III Section 313 Unless specific chemicals are Chemical Name	e identi	fied under this section, the	nis product CAS-N		Weigh	U
Unless specific chemicals are	e identi	fied under this section, the		0.		it %
Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations:			CAS-N	0.	Weigh	it %
Unless specific chemicals are Chemical Name ZINC COMPOUNDS			CAS-N 557-05-2	0.	Weigh 1.00 -	it %

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **NEW BLUE TINT**

Version Number 1.0 Page 6 of 6 Print Date 12/2/2011 Revision Date 12/05/2007 WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed Europe EINECS Listed : Japan ENCS Not determined : Korea KECI : Listed **Philippines PICCS** Listed : **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.