MATERIAL SAFETY DATA SHEET **TRANSL BLUE V4 PET**

Version Number 1.0 Revision Date 12/11/2007

Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSL BLUE V4 PET
Product code	:	CC10106960
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL BLUE V4 PET**

Version Number 1.0 Revision Date 12/11/2007 Page 2 of 6 Print Date 12/2/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL BLUE V4 PET**

Version Number 1.0 Revision Date 12/11/2007 Page 3 of 6 Print Date 12/2/2011

Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : General Hygiene General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. Os 15 mg/m3 PEL: Total dust. Os 10 mg/m3 Time Weighted Average as Ti M 20 mg/m3 Short Term Exposure Limit as Ti M Odour : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not appli Odour : Very faint Vapour pressure : Not appli Boiling Point: : Not applicable pH : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble : Not appli : Not appli	8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures General Hygiene Gonsiderations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : May mage measures Components Value Exposure time Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): 10 mg/m3 Time Weighted Average (TWA): M (TWA): 20 mg/m3 Short Term Exposure Limit (as Ti M (STEL): POPHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH Water solubility : Insoluble Insoluble	: No personal respiratory protective equipment normally required.					
Skin and body protection :: Long sleeved clothing Additional Protective :: Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : : Total dust. OS Itanium dioxide 10 mg/m3 Time Weighted Average as Ti M I0 mg/m3 Short Term Exposure Limit as Ti M . : Solid Evaporation rate : Not deter Corr : : Solid Evaporation rate : Not deter Color : : : Not deter Color : : : Not applicable Appearance : : : Not deter Color : : : Not deter Odour : : <td< td=""><td>: Safety glasses with side-shields</td><td></td></td<>	: Safety glasses with side-shields					
Additional Protective :: Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : : Keapson endition at machinery. Exposure limit(s) : : : Components Value Exposure time Exposure type Titanium dioxide 10 mg/m3 Time Weighted Average A 10 mg/m3 Time Weighted Average as Ti M (TWA): : : 0: 20 mg/m3 Short Term Exposure Limit as Ti M (STEL): : Not deter Solid Evaporation rate : Not deter Color : Bulk density : Not appli Odour : : Not applicable pH : Not appli Boiling Point:	: Protective gloves					
Measures General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. OS 15 mg/m3 PEL: Total dust. OS 10 mg/m3 Time Weighted Average (TWA): as Ti M 20 mg/m3 Short Term Exposure Limit (STEL): as Ti M Stability : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : Not appli Appearance : pellets Specific Gravity : Not appli Bo	: Long sleeved clothing					
Considerations practice. Wash hands before breaks and at the end of workda Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type Titanium dioxide 10 mg/m3 Time Weighted Average A (TWA): 0 15 mg/m3 PEL: Total dust. OS 10 mg/m3 Time Weighted Average 10 mg/m3 Time Weighted Average 20 mg/m3 Short Term Exposure Limit as Ti M (STEL): PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not appli Appearance : pellets Specific Gravity : Not appli Melting point/range : Not determined Vapour gressure : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble	: Safety shoes					
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type Titanium dioxide 10 mg/m3 Time Weighted Average A (TWA): 15 mg/m3 PEL: Total dust. OS 10 mg/m3 Time Weighted Average as Ti M (TWA): 10 mg/m3 Time Weighted Average as Ti M 20 mg/m3 Short Term Exposure Limit as Ti M (STEL): 0 Short CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble IO. STABILITY AND REACTIVITY Stability	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Components Value Exposure time Exposure type Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): A 15 mg/m3 PEL: Total dust. OS 10 mg/m3 Time Weighted Average (TWA): as Ti M 20 mg/m3 Short Term Exposure Limit (STEL): as Ti M PHYSICAL AND CHEMICAL PROPERTIES Not appli Appearance : pellets Specific Gravity : Not appli Odour : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Boiling Point: : Not applicable pH : Not appli Boiling Point: : Not applicable pH : Not appli Stability : Stable. Stability : Stable.						
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): A 15 mg/m3 PEL: Total dust. OS 10 mg/m3 Time Weighted Average (TWA): as Ti M 20 mg/m3 Short Term Exposure Limit (STEL): as Ti M 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Water solubility : Insoluble Insoluble Detection Stability : Stable.						
Image: Constraint of the constraint	Value Exposure time Exposure type List:					
IO mg/m3 Time Weighted Average (TWA): as Ti M 20 mg/m3 Short Term Exposure Limit (STEL): as Ti M 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Stability : Stable. Stable.		H				
Image: constraint of the system of the sy	15 mg/m3 PEL: Total dust. OSHA	Z1				
(STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability : Stability : Stable.		EL				
Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. : Stable.	•	EL				
Form : Solid Evaporation rate : Not appli Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. : Stable.						
Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. : Stable.	9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance : pellets Specific Gravity : Not deter Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability : Stable. : Stable. : Stable.	: Solid Evaporation rate : Not applicable	-				
Color : BLUE Bulk density : Not estab Odour : Very faint Vapour pressure : Not appli Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble : Not appli Stability : Stable. : Stable. : Stable.						
Melting point/range : Not determined Vapour density : Not appli Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble Insoluble Insoluble Stability Stability : Stable.		d				
Boiling Point: : Not applicable pH : Not appli Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable.						
Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable.	1 7 11					
10. STABILITY AND REACTIVITY Stability : Stable.		•				
Stability : Stable.	: Insoluble					
	10. STABILITY AND REACTIVITY					
	: Stable.					
Hazardous Polymerization : Will not occur.	Hazardous Polymerization : Will not occur.					
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid	: Keep away from oxidizing agents and open flame. To avoid them	nal				

MATERIAL SAFETY DATA SHEET **TRANSL BLUE V4 PET**

Version Number 1.0 Revision Date 12/11/2007 Page 4 of 6 Print Date 12/2/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
	13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	No data available	
	3. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The	ere

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL BLUE V4 PET**

Version Number 1.0 Revision Date 12/11/2007		Page 5 of 6 Print Date 12/2/2011
		generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 E	xtrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (Chemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
6		

PolyOne

MATERIAL SAFETY DATA SHEET TRANSL BLUE V4 PET

Version Number 1.0 Revision Date 12/11/2007 Page 6 of 6 Print Date 12/2/2011

National Pollutant Release Inventory (NPRI)		
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.