PolvOne

MATERIAL SAFETY DATA SHEET 299M BLUE PP

Version Number 1.0 Revision Date 01/07/2008

Page 1 of 6 Print Date 12/3/2011

| 1. POLYONE CORPORATI | | UCT AND COMPANY IDENTIFICATION |
|----------------------------------|---|--|
| 33587 Walker Road, Avoi | | OH 44012 |
| Telephone Emergency telephone | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure |
| Emergency telephone | • | or accident). |
| Product name | : | 299M BLUE PP |
| Product code | : | CC10107364 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| | | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

PolyOne.

MATERIAL SAFETY DATA SHEET **299M BLUE PP**

Version Number 1.0 Revision Date 01/07/2008 Page 2 of 6 Print Date 12/3/2011

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | Not applicable |
| Flammable Limits | | |
| Upper explosion limit | | Not applicable |
| Lower explosion limit | | Not applicable |
| Autoignition temperature | ÷ | Not applicable |
| Suitable extinguishing media | : | Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption |

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET 299M BLUE PP

Version Number 1.0 Revision Date 01/07/2008 Page 3 of 6 Print Date 12/3/2011

| 8.] | EXPOSURE | E CONTROLS/PERSON | AL PROTECTION | | | |
|-----------------------------------|--|--|-----------------------|------------------|--|--|
| Respiratory protection | : N | No personal respiratory protective equipment normally required. | | | | |
| Eye/Face Protection | : S | afety glasses with side-shi | elds | | | |
| Hand protection | : P | Protective gloves | | | | |
| Skin and body protection | : L | long sleeved clothing | | | | |
| Additional Protective Measures | : S | afety shoes | | | | |
| General Hygiene Considerations | | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | | | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure time | Exposure typ | be List: | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Averag (TWA): | ge | ACGIH | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | | |
| | 10 mg/m3 | Time Weighted Averag (TWA): | ge as Ti | MX OEL | | |
| | 20 mg/m3 | Short Term Exposure Li (STEL): | mit as Ti | MX OEL | | |
| | | | | | | |
| | 9. PHYSI | CAL AND CHEMICAL | PROPERTIES | | | |
| Form | : Solid | d Ev | vaporation rate : | Not applicable | | |
| Appearance | : pelle | | becific Gravity : | Not determined | | |
| Color | : BLU | JE Bi | alk density : | Not established | | |
| Odour | | | apour pressure : | Not applicable | | |
| Melting point/range | | | | Not applicable | | |
| Boiling Point: | | applicable pH | 1 : | Not applicable | | |
| Water solubility | : Inso | luble | | | | |
| | 10. 9 | STABILITY AND REAC | CTIVITY | | | |
| Stability | : S | table. | | | | |
| Hazardous Polymerization | n : V | Vill not occur. | | | | |
| Conditions to avoid | . 1 | Keep away from oxidizing | agants and onan flama | To avoid thermal | | |

PolyOne

MATERIAL SAFETY DATA SHEET 299M BLUE PP

| 99M BLUE PP | | | | | | | |
|--|---|--|-------------------------|---------------------|-------------------------------|--|--|
| ersion Number 1.0 evision Date 01/07/2008 | 3 | | | Print | Page 4 of 6 Date 12/3/2011 | | |
| | | decomposition | do not overheat | | | | |
| decomposition, do not overheat. | | | | | | | |
| Incompatible Materials | oxidizing agents. | | | | | | |
| Hazardous decompositi products | | | | | | | |
| | 11.7 | TOXICOLOGI | CAL INFORMATIO | DN | | | |
| health data for the indiv <u>Toxicity Overview</u> This product contains th | - | | - | have the following | characteristics: | | |
| CAS-No. | Chem | ical Name | Effect | Target | Organ | | |
| 13463-67-7 | Titanium d | | Systemic effects | Respiratory syst | | | |
| data: CAS-No. | Che | mical Name | OSHA | IARC | NTP | | |
| 13463-67-7 | Titanium d | ioxide | no | 2B | no | | |
| IARC Carcinogen Class 1 - The component is ca 2A - The component is 2B - The component is NTP Carcinogen Classi 1 - The component is ka 2 - The component is re- | arcinogenic t probably car possibly car fications: nown to be a | cinogenic to hur cinogenic to hun human carcinog | nans. gen. | | | | |
| | 12 | . ECOLOGICA | AL INFORMATION | I | | | |
| Persistence and degrada | ability : | Not readily bio | degradable. | | | | |
| Environmental Toxicity | : | Chemicals are polymer matrix | not readily available a | as they are bound w | vithin the | | |
| Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. | | | | | | | |

13. DISPOSAL CONSIDERATIONS

: No data available

Product

Additional advice

: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET **299M BLUE PP**

| sion Number 1.0 vision Date 01/07/2008 | Page 5 o Print Date 12/3/20 |
|---|--|
| | |
| | generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| | |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |
| | |
| California Proposition 65 | : Not applicable |
| SARA Title III Section 302 Ex | tremely Hazardous Substance |
| Unless specific chemicals are i | dentified under this section, this product is Not Applicable under this regulati |
| SARA Title III Section 313 To | xic Chemicals: |
| Unless specific chemicals are i | dentified under this section, this product is Not Applicable under this regulati |
| | |
| Canadian Regulations: | |

PolyOne.

MATERIAL SAFETY DATA SHEET **299M BLUE PP**

| Version Number 1.0 Revision Date 01/07/2008 | | | | F | Pag Print Date 12 | e 6 of 6 /3/2011 |
|--|-------|-----------------|---------------------|-------------------------|----------------------|---------------------|
| | | | | • | | 0,2011 |
| | | | | | | |
| National Pollutant Releas | se Ir | nventory (NPRI) | | XXX • 1 • 0/ | | |
| Chemical Name | | | CAS-No. 147-14-8 | Weight % 0.10 - 1.00 | NPRI ID# 71 | |
| Phthalocyanine blue | | | 14/-14-8 | 0.10 - 1.00 | /1 | |
| | | | | | | |
| | | | | | | |
| WHMIS Classification | : | D2A | | | | |
| DSL | | All component | s of this product | are on the Canadia | n Domostic | |
| DSL | • | | (DSL) or are ex | | II Domestic | |
| | | Substances Enst | | empti | | |
| National Inventories: | | | | | | |
| | | NT. (1. (| | | | |
| Australia AICS | : | Not determined | | | | |
| China IECS | : | Not determined | | | | |
| | | | | | | |
| Europe EINECS | : | Listed | | | | |
| Japan ENCS | | Not determined | | | | |
| Japan ENCS | • | Not determined | | | | |
| Korea KECI | : | Not determined | | | | |
| | | | | | | |
| Philippines PICCS | : | Not determined | | | | |
| | | 16 OTHER D | NFORMATION | J | | |
| | | IU. UTHEK I | WEATORNATIO | ٦ | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.