PolvOne

MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

Version Number 1.0 Revision Date 01/10/2008 Page 1 of 6 Print Date 12/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION						
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012						
Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).				
Product name	:	PP PINK 1777C				
Product code	:	CC10107603				
Chemical Name	:	Mixture				
CAS-No.	:	Mixture				
Product Use	:	Industrial Applications				

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	30 - 60	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

Version Number 1.0 Revision Date 01/10/2008 Page 2 of 6 Print Date 12/3/2011

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
ngestion : Do not induce vomiting without medical advice. When persist or in all cases of doubt seek medical advice.					
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature		Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

Version Number 1.0 Revision Date 01/10/2008 Page 3 of 6 Print Date 12/3/2011

8.1	EXPOSURE	CONTROLS/PERSONA	AL PROTECTION				
Respiratory protection	: No personal respiratory protective equipment normally required.						
Eye/Face Protection	: S	: Safety glasses with side-shields					
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		landle in accordance with gractice. Wash hands before					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	e List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	10 mg/m3	Time Weighted Average (TWA):	e as Ti	MX OEL			
	20 mg/m3	Short Term Exposure Lin (STEL):	nit as Ti	MX OEL			
	0 DIIVCI	CAL AND CHEMICAL F	PROPERTIES				
	9. PH 151	LAL AND CHEMICAL F	KOPEKTIES				
Form	: Solic	l Ev	aporation rate :	Not applicable			
Appearance	: pelle		cific Gravity :	Not determined			
Color Odour	: PINI : Voru		lk density : pour pressure :	Not established Not applicable			
Melting point/range			pour pressure :	Not applicable			
Boiling Point:		applicable pH		Not applicable			
Water solubility	: Insol						
	10. \$	STABILITY AND REAC	ΤΙVITY				
Stability	: S	table.					
Hazardous Polymerization	n : V	Vill not occur.					
	-	keep away from oxidizing a	. 1 01	TT : 1.4 1			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

rsion Number 1.0 evision Date 01/10/20	08			Print	Page 4 of 6 Date 12/3/2011	
		decomposition	, do not overheat.			
Incompatible Materia	ls :	Incompatible v	with strong acids and o	oxidizing agents.		
Hazardous decompos products	ition :	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11.	TOXICOLOGI	CAL INFORMATIO	ON		
Toxicity Overview This product contains CAS-No.		g components wh	hich in their pure form	have the following		
CAS No	Char	nical Nama	Effort	Torgot	Orgon	
13463-67-7	Titanium		Systemic effects	Respiratory system.		
This product contains data:		emical Name	-		ig euroniogementy	
CAS-No.				TIDO		
13463-67-7	Titanium dioxide		OSHA	IARC	NTP	
			OSHA no	IARC 2B	NTP no	
IARC Carcinogen Cla 1 - The component is 2A - The component is 2B - The component is NTP Carcinogen Class 1 - The component is 2 - The component is	carcinogenic is probably ca is possibly ca ssifications: known to be	lioxide to humans. arcinogenic to hu rcinogenic to hur a human carcinog	mans. nans. gen.			
 The component is The component is The component is The component is NTP Carcinogen Class The component is 	carcinogenic is probably ca is possibly ca ssifications: known to be reasonably a	to humans. arcinogenic to hu rcinogenic to hur a human carcino nticipated to be a	mans. nans. gen.	2B		
 The component is The component is The component is The component is NTP Carcinogen Class The component is 	carcinogenic is probably ca is possibly ca ssifications: known to be reasonably an 1	to humans. arcinogenic to hu rcinogenic to hur a human carcino nticipated to be a	no mans. nans. gen. human carcinogen. AL INFORMATION	2B		

Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix.

Additional advice : No data available

13. DISPOSAL CONSIDERATIONS

Product

: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The



MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

sion Number 1.0 ision Date 01/10/2008	Page 5 Print Date 12/3/2
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Propositior 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 T	oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula
Canadian Regulations:	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PP PINK 1777C**

Version Number 1.0 Revision Date 01/10/2008				F	Page 6 of 6 Print Date 12/3/2011
National Pollutant Releas	se Iı	nventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
WHMIS Classification DSL	:	D2A All components Substances List		are on the Canadia empt.	n Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Not determined			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER IN	FORMATION	I	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.