# MATERIAL SAFETY DATA SHEET **KARI SINNER BLUE PEARL**

Version Number 1.0 Revision Date 01/25/2008 Page 1 of 6 Print Date 12/3/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KARI SINNER BLUE PEARL
Product code	:	CC10107826
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

## MATERIAL SAFETY DATA SHEET KARI SINNER BLUE PEARL

Version Number 1.0 Revision Date 01/25/2008 Page 2 of 6 Print Date 12/3/2011

	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: Not applicable				
Flammable Limits					
Upper explosion limit	: Not applicable				
Lower explosion limit	: Not applicable				
Autoignition temperature	: Not relevant				
Suitable extinguishing media	Carbon dioxide blanket, Water spray, Dry powder, Foam.				
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.				
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption				

2/6

PolyOne.

## MATERIAL SAFETY DATA SHEET KARI SINNER BLUE PEARL

Version Number 1.0 Revision Date 01/25/2008 Page 3 of 6 Print Date 12/3/2011

8. ]	EXPOSURE	CONTROLS/PERSONAL F	PROTECTION				
Respiratory protection		To personal respiratory protectives usty conditions occur wear app					
Eye/Face Protection	: S	: Safety glasses					
Hand protection	: P	rotective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	: Safety shoes					
General Hygiene Considerations	tł	Vash hands and face before brea the product. Handle in accordant afety practice for diagnostics.					
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide			
Exposure limit(s)	V-l	Europeuro timo	European Anno	T :- 4			
Components	Value	Exposure time	Exposure type	List:			
	Value 3 mg/m3	Time Weighted Average	Exposure type Respirable fraction.	List: ACGIH			
Components		Time Weighted Average (TWA): Time Weighted Average					
Components	3 mg/m3	Time Weighted Average (TWA):		ACGIH			
Components Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:		ACGIH MX OEL			
Components Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Respirable fraction. Total dust. as Ti	ACGIH MX OEL ACGIH OSHA Z1 MX OEL			
Components Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Respirable fraction.	ACGIH MX OEL ACGIH OSHA Z1			
Components Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Respirable fraction. Total dust. as Ti as Ti	ACGIH MX OEL ACGIH OSHA Z1 MX OEL			
Components Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction. Total dust. as Ti as Ti PERTIES	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL			
Components Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction. Total dust. as Ti as Ti PPERTIES ration rate : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL			
Components Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction.         Total dust.         as Ti         as Ti         PERTIES         ration rate       : Not         c Gravity       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL			
Components Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : BLU	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction.         Total dust.         as Ti         as Ti         PPERTIES         ration rate       : Not         c Gravity       : Not         ensity       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL			
Components Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : BLU : Very	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapor Specifi         E       Bulk do faint	Respirable fraction.         Total dust.         as Ti         as Ti         PPERTIES         ration rate       : Not         c Gravity       : Not         ensity       : Not         r pressure       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined			
Components Mica Titanium dioxide Form Appearance Color Odour	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : BLU : Very : Grea	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapor ss         Specifi         E       Bulk de faint         V faint       Vapour pH	Respirable fraction.         Total dust.         as Ti         as Ti         PPERTIES         ration rate       : Not         c Gravity       : Not         ensity       : Not         r pressure       : Not         r density       : Not	ACGIH MX OEL ACGIH OSHA ZI MX OEL MX OEL MX OEL			

# MATERIAL SAFETY DATA SHEET **KARI SINNER BLUE PEARL**

Version Number 1.0 Revision Date 01/25/2008 Page 4 of 6 Print Date 12/3/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Not inherently biodegradable.
Additional advice	:	Chemicals are not readily available as they are bound within the

PolyOne.

## MATERIAL SAFETY DATA SHEET KARI SINNER BLUE PEARL

Version Number 1.0 Revision Date 01/25/2008 Page 5 of 6 Print Date 12/3/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula

PolyOne.

# MATERIAL SAFETY DATA SHEET **KARI SINNER BLUE PEARL**

Version Number 1.0 Revision Date 01/25/2008 Page 6 of 6 Print Date 12/3/2011

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			I) CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue			147-14-8	5.00 - 10.00	71
WHMIS Classification	n :	D2A			
WHMIS Ingredient Di	sclosu	ire List			
CAS-No. 12001-26-2 147-14-8					
DSL	:		nts of this product ist (DSL) or are ex	are on the Canadian are on the Canadian are on the Canadian are specific to the canadian are specific t	n Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determine	ed		
Korea KECI	:	Not determine	ed		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.