PolvOne

## MATERIAL SAFETY DATA SHEET **1655C TL. ORANGE M3014**

Version Number 1.0 Revision Date 01/24/2008 Page 1 of 7 Print Date 12/3/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	1655C TL. ORANGE M3014
Product code :	CC10107949
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-	6829-22-7	1 - 5
one		
Ethyl acrylate	140-88-5	0.1 - 1
Titanium dioxide	13463-67-7	1 - 5

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

# MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

Version Number 1.0 Revision Date 01/24/2008 Page 2 of 7 Print Date 12/3/2011

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

Version Number 1.0		Page 3 of 7
Revision Date 01/24/2008		Print Date 12/3/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
0 571	OGU	DE CONTROL COEDSONAL DROTECTION
8. EAF	20501	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
Ethyl acrylate	5 ppm	Time Weighted Average (TWA):		ACGIH
	15 ppm	Short Term Exposure Limit (STEL):		ACGIH
	25 ppm 100 mg/m3	PEL:		OSHA Z1
	5 ppm 20 mg/m3	Time Weighted Average (TWA):		MX OEL
	25 ppm 100 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

: Not applicable

## MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

: pellets

: ORANGE

: Very faint

Version Number 1.0 Revision Date 01/24/2008

Appearance

Color

Odour

Melting point/range Boiling Point: Water solubility	:	Not determined Not applicable Insoluble	Vapour density pH	:	Not applicable Not applicable
		10. STABILITY AND RE	EACTIVITY		
Stability		: Stable.			
Hazardous Polymerization		: Will not occur.			
Conditions to avoid		: Keep away from oxidized decomposition, do not o	00	me.	To avoid thermal
Incompatible Materials		: Incompatible with stron	g acids and oxidizing a	gen	ts.
Hazardous decomposition products		: Carbon dioxide (CO2), (NOx), other hazardous	, ,		Ũ

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
6829-22-7	14H- Benz[4,5]isoquino[2,1- a]perimidin-14-one	Irritant	Eyes.
140-88-5	Ethyl acrylate	Irritant	Eyes, Skin, Respiratory system.
		Systemic effects	Respiratory system, central nervous system (CNS), digestive system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
140-88-5	Ethyl acrylate	Oral LD50	370 mg/kg	rabbit
		Dermal LD50	2,997 mg/kg	mouse

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

Page 4 of 7 Print Date 12/3/2011

Not determined

Not established

: Not applicable

:

:

Specific Gravity

Vapour pressure

Bulk density

PolyOne.

# MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

Version Number 1.0 Revision Date 01/24/2008 Page 5 of 7 Print Date 12/3/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP
140-88-5	Ethyl acrylate	no	2B	no
13463-67-7	Titanium dioxide	no	2B	no
<ul><li>2A - The component is</li><li>2B - The component is</li><li>NTP Carcinogen Class</li><li>1 - The component is k</li></ul>	arcinogenic to humans. probably carcinogenic to possibly carcinogenic to h	humans. nogen.		
	12. ECOLOG	ICAL INFORMATION		
Persistence and degrad	ability : Not readily	biodegradable.		
Environmental Toxicit	y : Chemicals a polymer ma	are not readily available as trix.	s they are bound w	vithin the
Bioaccumulation Poter	tial : Chemicals a polymer ma	are not readily available as ttrix.	s they are bound w	vithin the
Additional advice	: No data ava	ilable		
	13. DISPOSA	L CONSIDERATIONS		
Product	possible rec generator of classificatio	hermoplastic plastics the p ycling is preferred to disp f waste material has the re n, transportation and disp ederal, state/provincial an	oosal or incineration esponsibility for proosal in accordance	on. The oper waste with
Contaminated packagin	material has transportation	s preferred when possible s the responsibility for pro- on and disposal in accorda- cial and local regulations.	oper waste classific ance with applicab	cation,
	14. TRANSPO	ORT INFORMATION		
U.S. DOT Classificatio	on : Not regulate	ed for transportation.		
ICAO/IATA (air)	: Refer to spe	cific regulation.		
IMO / IMDG (maritim	e) : Refer to spe	cific regulation.		
	15. REGULAT	TORY INFORMATION	[	

PolyOne.

# MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

ion Number 1.0 sion Date 01/24/2008				Page Print Date 12/3/
US Regulations:				
OSHA Status	: Classified as l	nazardous based o	n components.	
TSCA Status	: All component TSCA Invento		are listed on or ex-	empt from the
US. EPA CERCLA Hazardous	s Substances (40 CFI	R 302)		
Not applicable				
California Proposition 65	: Not applicable	e		
SARA Title III Section 302 Ex	stremely Hazardous	Substance		
Unless specific chemicals are i SARA Title III Section 313 To		section, this produ	ict is Not Applicab	le under this regu
-	oxic Chemicals:			
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations:	oxic Chemicals: identified under this	section, this produ		
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	oxic Chemicals: identified under this ease Inventory (NPRI	section, this produ	act is Not Applicab	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> 2-Propenoic acid, 2-methyl-	oxic Chemicals: identified under this ease Inventory (NPR)	section, this produ	act is Not Applicab	le under this regu
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	oxic Chemicals: identified under this ease Inventory (NPR)	section, this produ	act is Not Applicab	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> 2-Propenoic acid, 2-methyl-	oxic Chemicals: identified under this ease Inventory (NPR) , methyl ester	section, this produ () CAS-No. 80-62-6	act is Not Applicab	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> 2-Propenoic acid, 2-methyl- WHMIS Classification	oxic Chemicals: identified under this ease Inventory (NPR) , methyl ester n : D2A, F : DSL status ha	section, this produ () CAS-No. 80-62-6	Weight % 0.10 - 1.00	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name 2-Propenoic acid, 2-methyl- WHMIS Classification DSL	oxic Chemicals: identified under this ease Inventory (NPR) , methyl ester n : D2A, F : DSL status ha	section, this produ CAS-No. 80-62-6 as not been determ egulations.	Weight % 0.10 - 1.00	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name 2-Propenoic acid, 2-methyl- WHMIS Classification DSL National Inventories:	oxic Chemicals: identified under this ease Inventory (NPRI , methyl ester	section, this produ CAS-No. 80-62-6 as not been detern egulations.	Weight % 0.10 - 1.00	le under this regul
SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> 2-Propenoic acid, 2-methyl- WHMIS Classification DSL National Inventories: Australia AICS	oxic Chemicals: identified under this ease Inventory (NPR) ., methyl ester . D2A, F : D2A, F : DSL status harestricted by r : Not determine	section, this produ CAS-No. 80-62-6 as not been determ egulations. ed	Weight % 0.10 - 1.00	le under this regul

PolyOne

## MATERIAL SAFETY DATA SHEET 1655C TL. ORANGE M3014

Version Number 1.0 Revision Date 01/24/2008 Page 7 of 7 Print Date 12/3/2011

Korea KECI

: Not determined

Philippines PICCS

: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.