## MATERIAL SAFETY DATA SHEET ORANGE

Version Number 1.0 Revision Date 02/05/2008 Page 1 of 6 Print Date 12/3/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10108126
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Miscellaneous Zinc Compounds	0-05-5	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 02/05/2008 Page 2 of 6 Print Date 12/3/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET **ORANGE**

#### Version Number 1.0 Revision Date 02/05/2008

Page 3 of 6 Print Date 12/3/2011

8. EXI	POSURE CONTROLS/PE	RSONAL PROTECTION
Respiratory protection	: No personal respirate	ory protective equipment normally required.
Eye/Face Protection	: Safety glasses with s	ide-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothin	g
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		e with good industrial hygiene and safety Is before breaks and at the end of workday.
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL AND CHEM	ICAL PROPERTIES
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	ICAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         REACTIVITY         dizing agents and open flame. To avoid thermal
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxide decomposition, do not</li> </ul>	Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         REACTIVITY         dizing agents and open flame. To avoid thermal
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition products	<ul> <li>Solid</li> <li>pellets</li> <li>ORANGE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> <li>Incompatible with static</li> <li>Carbon dioxide (CO)</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable <b>REACTIVITY</b>



## MATERIAL SAFETY DATA SHEET **ORANGE**

Version Number 1.0 Revision Date 02/05/2008 Page 4 of 6 Print Date 12/3/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	Compounds	eous Zinc Systemic effects Eyes, Skin, Respiratory system.			
	12. ECOLOG	GICAL INFORMATION	N		
Persistence and degra	dability : Not readily	y biodegradable.			
Environmental Toxici	ty : Chemicals polymer m	•	as they are bound within the		
Bioaccumulation Pote	ential : Chemicals polymer m	•	as they are bound within the		
Additional advice	: No data av	vailable			
	13. DISPOSA	AL CONSIDERATIONS	5		
Product Contaminated packag	possible re generator o classificati applicable ing : Recycling material ha transportat	ecycling is preferred to dis of waste material has the r ion, transportation and dis federal, state/provincial a is preferred when possibl as the responsibility for pr tion and disposal in accord	nd local regulations. e. The generator of waste roper waste classification, dance with applicable federal,		
	-	incial and local regulation PORT INFORMATION			
U.S. DOT Classificati	on : Not regula	ated for transportation.			
ICAO/IATA (air)	: Refer to sp	pecific regulation.			
IMO / IMDG (maritir	ne) : Refer to sp	pecific regulation.			
	15. REGULA	TORY INFORMATIO	N		
US Regulations:					
OSHA Status	: Classified	as hazardous based on co	mponents.		

4/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **ORANGE**

sion Date 02/05/2008						Р	Page rint Date 12/3
TSCA Status	:	All component TSCA Inventor		product ar	e listed o	on or exe	mpt from the
US. EPA CERCLA Hazardous	Sub	stances (40 CFR	302)				
Not applicable							
California Proposition 65	:	Not applicable					
SARA Title III Section 302 Ext	trem	elv Hazardous Si	ibstance				
		-			• • • • •		1 .1 .
Jnless specific chemicals are id	dent	ified under this se	ction, thi	s product	is Not A	pplicable	e under this reg
	. ,	C1 · 1					
SARA Title III Section 313 Tox	x1C (	Chemicals:					
Unless specific chemicals are id	lent	ified under this se	ction, thi	s product	is Not A	pplicable	e under this reg
Chemical Name				CAS-N		Weigh	
ZINC COMPOUNDS				1314-13	-2	0.10 -	1.00
ZINC COMPOUNDS				0-05-5		5.00 -	10.00
Considen Degulations							
zanautan regulatiolis.							
-	ise I	nventory (NPRI)					
National Pollutant Relea	ise I	nventory (NPRI)	CAS-N	lo.	Weig	ht %	NPRI ID#
National Pollutant Relea Chemical Name Zinc oxide		nventory (NPRI)	CAS-N 1314-1		Weig 0.10		NPRI ID# 231
Chemical Name		nventory (NPRI)		3-2	0.10		
National Pollutant Relea Chemical Name Zinc oxide		nventory (NPRI)	1314-1	3-2	0.10	· 1.00	231
National Pollutant Relea Chemical Name Zinc oxide		nventory (NPRI)	1314-1	3-2	0.10	· 1.00	231
National Pollutant Relea Chemical Name Zinc oxide		nventory (NPRI)	1314-1	3-2	0.10	· 1.00	231
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour	nds	Not controlled. DSL status has	1314-1 0-05-5 not been	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL	nds	Not controlled.	1314-1 0-05-5 not been	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL National Inventories:	nds	Not controlled. DSL status has	1314-1 0-05-5 not been	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL	nds	Not controlled. DSL status has	1314-1 0-05-5 not been	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL National Inventories:	nds	Not controlled. DSL status has restricted by reg	1314-1 0-05-5 not been gulations.	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL National Inventories: Australia AICS	nds	Not controlled. DSL status has restricted by reg Not determined	1314-1 0-05-5 not been gulations.	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241
National Pollutant Relea Chemical Name Zinc oxide Miscellaneous Zinc Compour WHMIS Classification DSL National Inventories: Australia AICS China IECS	nds	Not controlled. DSL status has restricted by reg Not determined Not determined	1314-1 0-05-5 not been gulations.	3-2 determin	0.10 - 5.00 -	· 1.00 · 10.00	231 241

POLYONE CORPORATION
---------------------



## MATERIAL SAFETY DATA SHEET ORANGE

Version Number 1.0 Revision Date 02/05/2008 Page 6 of 6 Print Date 12/3/2011

Korea KECI

: Not determined

Philippines PICCS

: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.