PolvOne

MATERIAL SAFETY DATA SHEET NEW BLUE WHITE

Version Number 1.0 Revision Date 01/31/2008

Page 1 of 7 Print Date 12/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | NEW BLUE WHITE |
| Product code | : | CC10108185 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|---|------------|----------|
| Nickel antimony yellow rutile (C.I. Pigment | 8007-18-9 | 0.1 - 1 |
| Yellow 53) | | |
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|----------------------------|---|
| Acute exposure | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |

PolyOne.

MATERIAL SAFETY DATA SHEET **NEW BLUE WHITE**

Version Number 1.0 Revision Date 01/31/2008 Page 2 of 7 Print Date 12/3/2011

| Medical Conditions Aggravated by Exposure: | : None known. | | | |
|---|--|--|--|--|
| | 4. FIRST AID MEASURES | | | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. | | | |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. | | | |
| Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. | | | | |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. | | | |
| | 5. FIRE-FIGHTING MEASURES | | | |
| Flash point | : Not applicable | | | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. | | | |
| Special Fire Fighting Procedures Unusual Fire/Explosion | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen | | | |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. | | | |
| | 6. ACCIDENTAL RELEASE MEASURES | | | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | | | |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. | | | |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. | | | |
| | 7. HANDLING AND STORAGE | | | |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. | | | |

POLYONE CORPORATION

PolyOne

MATERIAL SAFETY DATA SHEET **NEW BLUE WHITE**

Version Number 1.0 Revision Date 01/31/2008 Page 3 of 7 Print Date 12/3/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Respiratory protection | : No p | ersonal respiratory protective equipment normally required. |
|-----------------------------------|---------|---|
| Eye/Face Protection | : Safet | y glasses with side-shields |
| Hand protection | : Prote | ctive gloves |
| Skin and body protection | : Long | sleeved clothing |
| Additional Protective Measures | : Safet | y shoes |
| General Hygiene Considerations | | le in accordance with good industrial hygiene and safety ice. Wash hands before breaks and at the end of workday. |
| Engineering measures | | only in areas with appropriate exhaust ventilation. Provide opriate exhaust ventilation at machinery. |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|---------------------|-----------|---------------------------|------------------------|---------|
| Nickel antimony | 1 mg/m3 | PEL: | as Ni | OSHA Z1 |
| yellow rutile (C.I. | | | | |
| Pigment Yellow 53) | | | | |
| | 0.2 mg/m3 | Time Weighted Average | Inhalable fraction. as | ACGIH |
| | | (TWA): | Ni | |
| | 0.5 mg/m3 | Time Weighted Average | as Sb | ACGIH |
| | | (TWA): | | |
| | 0.5 mg/m3 | PEL: | as Sb | OSHA Z1 |
| | 0.5 mg/m3 | Time Weighted Average | as Sb | MX OEL |
| | | (TWA): | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | _ | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | as Ti | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | as Ti | MX OEL |
| | _ | (STEL): | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color : Solid : pellets : WHITE Evaporation rate Specific Gravity Bulk density

Not applicableNot determinedNot established

4/7

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET NEW BLUE WHITE

Version Number 1.0 Revision Date 01/31/2008

| Odour Melting point/range Boiling Point: Water solubility | : N : N | ery faint ot determined ot applicable soluble | Vapour pressure Vapour density pH | | Not applicable Not applicable Not applicable |
|--|------------|--|---|------|--|
| | 1(|). STABILITY AND RE | EACTIVITY | | |
| Stability | : | Stable. | | | |
| Hazardous Polymerization | : | Will not occur. | | | |
| Conditions to avoid | : | Keep away from oxidized decomposition, do not o | 0 0 1 | ne. | To avoid thermal |
| Incompatible Materials | : | Incompatible with stron | g acids and oxidizing ag | gent | S. |
| Hazardous decomposition products | : | Carbon dioxide (CO2), (NOx), other hazardous | | | e |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|--|------------------|---------------------|
| 8007-18-9 | Nickel antimony yellow rutile (C.I. Pigment Yellow 53) | Irritant | Eyes, Skin. |
| | | sensitizer | Skin. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|-------------------------------|------|------|-----|
| 8007-18-9 | Nickel antimony yellow rutile | no | 1 | no |
| | (C.I. Pigment Yellow 53) | | | |
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

PolvOne

Page 4 of 7 Print Date 12/3/2011

PolyOne

MATERIAL SAFETY DATA SHEET **NEW BLUE WHITE**

Version Number 1.0 Revision Date 01/31/2008 Page 5 of 7 Print Date 12/3/2011

2 - The component is reasonably anticipated to be a human carcinogen.

<u>Additional Health Hazard Information:</u> Nickel antimony yellow rutile (C.I. Pigment Yellow 53) 8007-18-9 Skin sensitizer "nickel itch", with pulmonary, brain, liver, kidney and muscle effects.

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| | |
| | |

PolvOne

MATERIAL SAFETY DATA SHEET **NEW BLUE WHITE**

Version Number 1.0 Revision Date 01/31/2008 Page 6 of 7 Print Date 12/3/2011

Not applicable

California Proposition:WARNING! This product contains a chemical known to the State of
California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

| NICKEL COMPOUNDSANTIMONY COMPOUNDS 8007-18-9 0.10 - 1.00 | Chemical Name | CAS-No. | Weight % |
|--|------------------------------------|-----------|-------------|
| | NICKEL COMPOUNDSANTIMONY COMPOUNDS | 8007-18-9 | 0.10 - 1.00 |

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name | CAS-No. | Weight % | NPRI ID# |
|---|-----------|-------------|----------|
| Aluminum oxide | 1344-28-1 | 0.10 - 1.00 | 13 |
| Nickel antimony yellow rutile (C.I. Pigment | 8007-18-9 | 0.10 - 1.00 | 168 |
| Yellow 53) | | | |
| | | 0.10 - 1.00 | 17 |

| WHMIS Classification : | WHMIS | Classification | : | D2A |
|------------------------|-------|----------------|---|-----|
|------------------------|-------|----------------|---|-----|

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

| Australia AICS | : | Listed |
|-------------------|---|--------|
| China IECS | : | Listed |
| Europe EINECS | : | Listed |
| Japan ENCS | : | Listed |
| Korea KECI | : | Listed |
| Philippines PICCS | : | Listed |

PolyOne

MATERIAL SAFETY DATA SHEET NEW BLUE WHITE

Version Number 1.0 Revision Date 01/31/2008 Page 7 of 7 Print Date 12/3/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.