MATERIAL SAFETY DATA SHEET MIDNIGHT BLUE 2758C

Version Number 1.0 Revision Date 07/07/2009

Page 1 of 6 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MIDNIGHT BLUE 2758C
Product code	:	CC10108445
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET MIDNIGHT BLUE 2758C

Version Number 1.0 Revision Date 07/07/2009 Page 2 of 6 Print Date 1/8/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	Ę	5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	•	not applicable
Lower explosion limit	÷	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET MIDNIGHT BLUE 2758C

Version Number 1.0 Revision Date 07/07/2009 Page 3 of 6 Print Date 1/8/2012

8.]	EXPOSURE	CONTROLS/PERSON	AL PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	tective equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-shi	ields	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations			good industrial hygiene an re breaks and at the end of	
Engineering measures		leat only in areas with app ppropriate exhaust ventila	ropriate exhaust ventilatio tion at machinery.	n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction	
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Averag (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Li (STEL):	mit	MX OEL
	9. PHYSI(CAL AND CHEMICAL	PROPERTIES	·
Form	: solid	L Ev		ot applicable
1 OI III	: pelle	ets Sp	pecific Gravity : N	lot determined
Appearance	: GRE			ot established
Appearance Colour			apour pressure : n	ot applicable
Appearance Colour Odour	: very			ot applicable
Appearance Colour Odour Melting point/range	: Not	determined Va	apour density : n	
Appearance Colour Odour Melting point/range Boiling Point:	: Not of : not a	determined Va upplicable pH	apour density : n	ot applicable
Appearance Colour Odour Melting point/range Boiling Point:	: Not	determined Va upplicable pH	apour density : n	
Appearance Colour Odour Melting point/range Boiling Point:	: Not o : not a : insol	determined Va upplicable pH	apour density : n H : n	
Appearance Colour Odour Melting point/range	: Not a : not a : insol	determined Va applicable pH uble	apour density : n H : n	
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: Not a : not a : insol 10. § : S	determined Va pplicable pH uble STABILITY AND REAC	apour density : n H : n	

PolyOne.

MATERIAL SAFETY DATA SHEET *MIDNIGHT BLUE 2758C*

ersion Number 1.0 evision Date 07/07/200	9			Page 4 of 6 Print Date <i>1/8/2012</i>
Incompatible Materials	s : Inco	ompatible w	vith strong acids and o	oxidizing agents.
Hazardous decomposit products				oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOX	ICOLOGI	CAL INFORMATIO	DN
This mixture has not be health data for the indiv				are effects listed are based on existing
<u>Toxicity Overview</u> This product contains t	he following com	ponents whi	ich in their pure form	have the following characteristics:
CAS-No.	Chemical 1	Name	Effect	Target Organ
1317-65-3	Calcium carbona	ate	Irritant	Eyes, Skin.
			Systemic effects	Eyes, Skin, Respiratory system.
	12. EC	OLOGICA	AL INFORMATION	1
Persistence and degrad	ability : Not	readily bio	degradable.	
Environmental Toxicit	y : Che	-	not readily available a	as they are bound within the
Bioaccumulation Poten		micals are more matrix		as they are bound within the
Additional advice	: no c	lata availab	le	
	13. DI	SPOSAL C	CONSIDERATIONS	
Product	pos gen clas	sible recycli erator of wa sification, t	ing is preferred to dis aste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagin	mat tran	erial has the sportation a	e responsibility for pr	e. The generator of waste oper waste classification, lance with applicable federal, s.
	14. TI	RANSPOR	T INFORMATION	
U.S. DOT Classificatio	on : Not	regulated f	or transportation.	
ICAO/IATA	: Ref	er to specifi	ic regulation.	

PolyOne.

MATERIAL SAFETY DATA SHEET MIDNIGHT BLUE 2758C

Version Number 1.0 Revision Date 07/07/2009 Page 5 of 6 Print Date 1/8/2012

	15. RI	EGULATOR	Y INFORMAT	TION		
US Regulations:						
OSHA Status	: Cla	assified as ha	zardous based or	n components.		
TSCA Status		ll component SCA Inventor		are listed on or e	xempt from the	
US. EPA CERCLA Hazardous	Substan	ces (40 CFR	302)			
not applicable						
California Proposition 65	: No	ot applicable				
SARA Title III Section 302 Ext	remelv l	Hazardous Su	Ibstance			
SARA THE III Section 502 Ext	I CHICI Y I	riazaruous St	lostanee			
Unless specific chemicals are id	lentified					
			ction, this produ	ct is Not Applica	ble under this regi	ulat
SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u>	xic Chen lentified	nicals: under this se	ction, this produ	ct is Not Applica	ble under this regu	
Unless specific chemicals are id Canadian Regulations:	xic Chen lentified	nicals: under this se	-	ct is Not Applica		
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	xic Chen lentified	nicals: under this se	ction, this produ	ct is Not Applica	ble under this regu	
Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic Chen lentified se Inven : No : A Su	nicals: under this sentory (NPRI) ot controlled. Il component	ction, this produ CAS-No. 147-14-8	ct is Not Applica Weight percent 5.00 - 10.00	ble under this regu	
Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name <u>Phthalocyanine blue</u> WHMIS Classification DSL National Inventories:	xic Chen lentified .se Inven : No : A Su : Lis	nicals: under this se ntory (NPRI) ot controlled. Il component ibstances List	ction, this produ CAS-No. 147-14-8	ct is Not Applica Weight percent 5.00 - 10.00	ble under this regu	
Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS	xic Chen lentified .se Inven : No : A Su : Lis	nicals: under this se ntory (NPRI) ot controlled. Il component ibstances List	ction, this produ CAS-No. 147-14-8	ct is Not Applica Weight percent 5.00 - 10.00	ble under this regu	

PolyOne

MATERIAL SAFETY DATA SHEET MIDNIGHT BLUE 2758C

Version Number 1.0 Revision Date 07/07/2009 Page 6 of 6 Print Date 1/8/2012

Europe EINECS:ListedJapan ENCS:ListedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.