### MATERIAL SAFETY DATA SHEET TRANS GREEN

Version Number 1.0 Revision Date 02/14/2008

Page 1 of 6 Print Date 12/3/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS GREEN
Product code	:	CC10108504
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

## MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0 Revision Date 02/14/2008 Page 2 of 6 Print Date 12/3/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	::	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

**POLYONE CORPORATION** 

PolyOne.

## MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0 Revision Date 02/14/2008

.

Page 3 of 6 Print Date 12/3/2011

8.1	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respiratory protect	ctive equipment normally	required.		
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: P	: Protective gloves				
Skin and body protection	: L	: Long sleeved clothing				
Additional Protective Measures	: S	: Safety shoes				
General Hygiene Considerations		Handle in accordance with go ractice. Wash hands before				
Engineering measures		leat only in areas with appropriate exhaust ventilatio		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average		MX OEL		
		(TWA):				
	20 mg/m3	Short Term Exposure Limi (STEL):	t	MX OEL		
	9. PHYSI	CAL AND CHEMICAL PH	OPERTIES			
E.	0.1			1. 1.1		
Form	: Solid			applicable determined		
Annoaranco	: pelle : GRF	-	2	established		
	: Very		•	applicable		
Color				applicable		
Color Odour	: Not			applicable		
Color Odour Melting point/range		1	: Not			
Color Odour Melting point/range Boiling Point:	: Not	applicable pH luble	: Not			
Color Odour Melting point/range Boiling Point:	: Not : Inso	applicable pH				
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: Not : Inso 10. \$	applicable pH luble				
Color Odour Melting point/range Boiling Point: Water solubility	: Not : Inso 10.5 : S	applicable pH luble				

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRANS GREEN**

			Page 4 of 6 Print Date <i>12/3/2011</i>	
Incompatible Materials	s : Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposit products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMATIO	DN	
	een evaluated as a whole for vidual components which co		are effects listed are based on existing	
<u>Toxicity Overview</u> This product contains t	the following components w	hich in their pure form	have the following characteristics:	
CAS-No.	Chemical Name	Effect	Target Organ	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory system.	
		CAL INFORMATION	т	
Persistence and degrad Environmental Toxicit Bioaccumulation Poter Additional advice	y : Chemicals are polymer matr ntial : Chemicals are polymer matr : No data availa	e not readily available a ix. e not readily available a ix.	as they are bound within the as they are bound within the	
Product Contaminated packagin	possible recyc generator of v classification, applicable fec ng : Recycling is p material has t transportation	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>		
	14 TRANSPO	<b>RT INFORMATION</b>		
	14. IKANSI ().	KI INFORMATION		
U.S. DOT Classificatio	on : Not regulated	for transportation.		
ICAO/IATA (air)	: Refer to speci	ific regulation.		

PolyOne.

## MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0 Revision Date 02/14/2008 Page 5 of 6 Print Date 12/3/2011

			ION	
US Regulations:				
OSHA Status	: Classified	d as hazardous based or	n components.	
TSCA Status	: All comp TSCA Inv	ponents of this product ventory.	are listed on or exe	mpt from the
US. EPA CERCLA Hazardous	Substances (40	) CFR 302)		
Not applicable				
California Proposition 65	: Not appli	cable		
SARA Title III Section 302 Ex	tremely Hazard	lous Substance		
SARA Title III Section 302 Ex Unless specific chemicals are i	-		ct is Not Applicable	e under this regula
	-		ct is Not Applicable	e under this regula
	-		ct is Not Applicable	e under this regula
Unless specific chemicals are i	dentified under		ct is Not Applicable	e under this regula
	dentified under		ct is Not Applicable	e under this regula
Unless specific chemicals are i	dentified under	this section, this produc		
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i	dentified under	this section, this produc		
Unless specific chemicals are i SARA Title III Section 313 To	dentified under	this section, this produc		
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i	dentified under oxic Chemicals: dentified under	this section, this product		
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u>	dentified under oxic Chemicals: dentified under	this section, this product this section, this product this section, this product NPRI)	ct is Not Applicable	e under this regula
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele	dentified under oxic Chemicals: dentified under	this section, this product this section, this product this section, this product NPRI)	ct is Not Applicable	e under this regula

PolyOne

## MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0 Revision Date 02/14/2008 Page 6 of 6 Print Date 12/3/2011

		16. OTHER INFORMATION	
Philippines PICCS	:	Listed	
Korea KECI	:	Listed	
Japan ENCS	:	Not determined	
Europe EINECS	:	Not determined	
China IECS	:	Listed	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.