PolvOne

## MATERIAL SAFETY DATA SHEET **PEA GREEN 2**

Version Number 1.0 Revision Date 02/20/2008 Page 1 of 6 Print Date 12/4/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	PEA GREEN 2		
Product code	:	CC10108861		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-	25973-55-1	1 - 5
bis(1,1-dimethylpropyl)-		
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-	52829-07-9	1 - 5
piperidinyl) ester		
Chromium (III) oxide	1308-38-9	1 - 5

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **PEA GREEN 2**

Version Number 1.0 Revision Date 02/20/2008 Page 2 of 6 Print Date 12/4/2011

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	15 of this MSD5 for proper disposal methods.



# MATERIAL SAFETY DATA SHEET **PEA GREEN 2**

			Print	Page Date 12/4/
Handling		ake measures to prevent the bunch in areas with appropriate experiences wi		harge. Heat
Storage		eep containers dry and tightly nd contamination. Keep in a d		e absorption
8.]	EXPOSURE	CONTROLS/PERSONAL F	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before bro		
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				_
Components	Value	Exposure time	Exposure type	List:
	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH
Components		Time Weighted Average		ACGIH
Components	0.5 mg/m3 0.5 mg/m3	Time Weighted Average (TWA):	as Cr as Cr	ACGIH
Components Chromium (III) oxide Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : pelle : GRE : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specifi EN Bulk du faint Vapour determined Vapour applicable pH	as Cr as Cr PERTIES ration rate : No c Gravity : No ensity : No r pressure : No r density : No	
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specifi EN Bulk du faint Vapour determined Vapour applicable pH	as Cr as Cr PERTIES ration rate : No c Gravity : No ensity : No r pressure : No r density : No : No	ACGIH OSHA Z t applicable t determined t established t applicable t applicable
Components Chromium (III) oxide Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : pelle : GRE : Very : Not d : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specifi EN Bulk de faint Vapour determined Vapour applicable pH uble	as Cr as Cr PERTIES ration rate : No c Gravity : No ensity : No r pressure : No r density : No : No	ACGIH OSHA Z t applicable t determined t established t applicable t applicable
*	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : pelle : GRE : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor ts Specifi EN Bulk de faint Vapour determined Vapour applicable pH uble	as Cr as Cr PERTIES ration rate : No c Gravity : No ensity : No r pressure : No r density : No : No	ACGIH OSHA Z t applicable t determined t established t applicable t applicable
Components Chromium (III) oxide Chromium (III) oxide Chromium (III) oxide Color Odour Melting point/range Boiling Point: Water solubility Stability	0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : pelle : GRE : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specifi EN Bulk du faint Vapour determined Vapour applicable pH uble STABILITY AND REACTIV table.	as Cr as Cr PERTIES ration rate : No c Gravity : No ensity : No r pressure : No r density : No : No	ACGIE OSHA Z t applicable t determined t applicable t applicable t applicable



## MATERIAL SAFETY DATA SHEET **PEA GREEN 2**

Version Number 1.0 Revision Date 02/20/2008		Page 4 of 6 Print Date 12/4/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25973-55-1	Phenol, 2-(2H- benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	Systemic effects	Kidney, Liver, reproductive system.
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Irritant	Eyes.
1308-38-9	Chromium (III) oxide	Irritant	Eyes, Skin.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Oral LD50 Dermal LD50	3,700 mg/kg > 3,100 mg/kg	rat rabbit

#### Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.



# MATERIAL SAFETY DATA SHEET PEA GREEN 2

Version Number 1.0 Page 5 of 6 Print Date 12/4/2011 Revision Date 02/20/2008 Additional advice : No data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste Contaminated packaging : material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

## MATERIAL SAFETY DATA SHEET **PEA GREEN 2**

Version Number 1.0 Revision Date 02/20/2008 Page 6 of 6 Print Date 12/4/2011

SARA Title III Section 313 Toxic Chemicals:

U	nless specific chemicals are identified under this section, this	s product is Not Ap	plicable under this	regulation
	Chemical Name	CAS-No.	Weight %	
	CHROMIUM III COMPOUNDS	1308-38-9	1.00 - 5.00	

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Chromium (III) oxide	1308-38-9	1.00 - 5.00	69
		1.00 - 5.00	
	•	•	

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

:

CAS-No.	
1308-38-9	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determine	d
Korea KECI	: Listed	
Philippines PICCS	: Listed	

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.