MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008

Page 1 of 6 Print Date 12/21/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DARK BLUE PMS 303
Product code	:	CC10109346
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	tes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Particulates, like other inert materials can be mechanically irritating.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008 Page 2 of 6 Print Date 12/21/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008 Page 3 of 6 Print Date 12/21/2011

ð. .	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection		lo personal respiratory protect usty conditions occur wear ap		
Eye/Face Protection	: S	afety glasses		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations	th	Vash hands and face before br ne product. Handle in accorda afety practice for diagnostics.		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	9. PHYSI	CAL AND CHEMICAL PRO	OPERTIES	
				t applicable
Form	· Solid	l Evan	oration rate · No	
Form Appearance	: Solic : flake	1		
Form Appearance Color	: Solic : flake : BLU	s Speci	fic Gravity : No	t determined t determined
Appearance Color Odour	: flake : BLU : Very	E Specie E Bulk of faint Vapor	fic Gravity:Nodensity:Nour pressure:No	t determined t determined t determined
Appearance Color Odour Melting point/range	: flake : BLU : Very : Grea	s Specie E Bulk of faint Vapor ter than 130 °C Vapor	fic Gravity:Nodensity:Nour pressure:Nour density:No	t determined t determined t determined t determined
Appearance Color Odour Melting point/range Boiling Point:	: flake : BLU : Very : Grea : Not a	s Specia E Bulk of faint Vapor ter than 130 °C Vapor applicable pH	fic Gravity:Nodensity:Nour pressure:Nour density:No	t determined t determined t determined
Appearance Color Odour Melting point/range	: flake : BLU : Very : Grea	s Specia E Bulk of faint Vapor ter than 130 °C Vapor applicable pH	fic Gravity:Nodensity:Nour pressure:Nour density:No	t determined t determined t determined t determined
Appearance Color Odour Melting point/range Boiling Point:	: flake : BLU : Very : Grea : Not a : Insol	s Specia E Bulk of faint Vapor ter than 130 °C Vapor applicable pH	fic Gravity : No density : No ur pressure : No ur density : No : No	t determined t determined t determined t determined
Appearance Color Odour Melting point/range Boiling Point:	: flake : BLU : Very : Grea : Not a : Insol	s Specia E Bulk faint Vapor ter than 130 °C Vapor applicable pH uble	fic Gravity : No density : No ur pressure : No ur density : No : No	t determined t determined t determined t determined

MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008

Page 4 of 6 Print Date 12/21/2011

Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Not inherently biodegradable.
Additional advice	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne

MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008 Page 5 of 6 Print Date 12/21/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Propositior 65	n : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 T	

PolyOne

MATERIAL SAFETY DATA SHEET **DARK BLUE PMS 303**

Version Number 1.0 Revision Date 03/12/2008

_

Page 6 of 6 Print Date 12/21/2011

Unless specific chemicals are id	denti	fied under this section, this product is Not Applicable under this regulation	
Canadian Regulations:			
National Pollutant Relea	ase Ir	iventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2A	
WHMIS Ingredient Disc	closu	re List	
CAS-No. 128-80-3 1333-86-4			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.