MATERIAL SAFETY DATA SHEET HC JADE / RAVEN

Version Number 1.0 Revision Date 03/13/2008

Page 1 of 6 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : Product Stewardship (770) 271-5902 **Emergency telephone** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : HC JADE / RAVEN CC10109730 Product code : Chemical Name Mixture : CAS-No. Mixture : Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact			
: Resin particles, like other inert materials, can be mechanically irritating.			
: May be harmful if swallowed.			
: Resin particles, like other inert materials, are mechanically irritating to eyes.			
: Experience shows no unusual dermatitis hazard from routine handling.			
: Refer to Section 11 for Toxicological Information.			
: None known.			

PolyOne.

MATERIAL SAFETY DATA SHEET **HC JADE / RAVEN**

Version Number 1.0 Revision Date 03/13/2008 Page 2 of 6 Print Date 1/3/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET HC JADE / RAVEN

Version Number 1.0 Revision Date 03/13/2008 Page 3 of 6 Print Date 1/3/2012

8.]	EXPOSURE	CONTROLS/PERSO	NAL PROTECTIO	N	
Respiratory protection	: N	lo personal respiratory p	otective equipment	normally	required.
Eye/Face Protection	: S	afety glasses with side-sl	hields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with ractice. Wash hands bef			
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)					
Components	Value	Exposure time	Exposure	e type	List:
Carbon black	3.5 mg/m3	Time Weighted Avera (TWA):	nge		ACGIH
	3.5 mg/m3	PEL:			OSHA Z1
	3.5 mg/m3	Time Weighted Avera (TWA):	age		MX OEL
	7 mg/m3	Short Term Exposure I (STEL):	Limit		MX OEL
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES		
Form	: Solic	I I	Evaporation rate	: Not	applicable
Appearance	: pelle		Specific Gravity		determined
Color	: BLA		Bulk density	: Not	established
Odour			apour pressure		applicable
Melting point/range			apour density		applicable
Boiling Point: Water solubility			ЭΗ	: Not	applicable
Water solubility	: Insol	uule			
	10. 8	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid	· K	eep away from oxidizing	a agents and open fly	ame To a	woid thermal

MATERIAL SAFETY DATA SHEET HC JADE / RAVEN

Version Number 1.0 Revision Date 03/13/2008 Page 4 of 6 Print Date 1/3/2012

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available

PolyOne.

MATERIAL SAFETY DATA SHEET **HC JADE / RAVEN**

Version Number 1.0 Revision Date 03/13/2008 Page 5 of 6 Print Date 1/3/2012

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 T	oxic Chemicals:

PolyOne.

MATERIAL SAFETY DATA SHEET HC JADE / RAVEN

Version Number 1.0 Revision Date 03/13/2008 Page 6 of 6 Print Date 1/3/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
Canadian Regulations:						
National Pollutant Release Inventory (NPRI)						
Not applicable						
WHMIS Classification : D2A						
WHMIS Ingredient Disclos	osu	re List				
CAS-No. 1333-86-4						
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Not determined				
		16. OTHER INFORMATION	T			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.