PolvOne

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008 Page 1 of 6 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV MARINE BLUE ABS HM
Product code	:	CC10109912
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-	25973-55-1	5 - 10
bis(1,1-dimethylpropyl)-		
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-	52829-07-9	5 - 10
piperidinyl) ester		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

to
g.

PolyOne.

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008 Page 2 of 6 Print Date 1/3/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008

Storage	:	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPO	SUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility

_

: pellets
: BLUE
: Very faint
: Not determined
: Not applicable
: Insoluble

: Solid

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH

Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

	10. STABILITY AND REACTIVITY	
ability	: Stable.	
azardous Polymerization	: Will not occur.	
onditions to avoid	: Keep away from oxidizing agents and open flame. To avoid therma decomposition, do not overheat.	.1
compatible Materials	: Incompatible with strong acids and oxidizing agents.	
azardous decomposition	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	
azardous decomposition	: Carbon dioxide (CO2), carbon monoxide (CO), o	oxides of nitrogen

PolvOne.

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008

Page 4 of 6 Print Date 1/3/2012

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25973-55-1	Phenol, 2-(2H-	Systemic effects	Kidney, Liver, reproductive
	benzotriazol-2-yl)-4,6-		system.
	bis(1,1-dimethylpropyl)-		
52829-07-9	Decanedioic acid,	Irritant	Eyes.
	bis(2,2,6,6-tetramethyl-4-		
	piperidinyl) ester		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Oral LD50 Dermal LD50	3,700 mg/kg > 3,100 mg/kg	rat rabbit

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008

Page 5 of 6 Print Date 1/3/2012

	14. TRANS	PORT INFORMATI	ON	
U.S. DOT Classification	: Not regula	ated for transportation.		
ICAO/IATA (air)	: Refer to sp	pecific regulation.		
IMO / IMDG (maritime)	: Refer to sp	pecific regulation.		
	15. REGULA	TORY INFORMAT	ION	
US Regulations:				
OSHA Status	: Classified	as hazardous based on	components.	
TSCA Status	: All compo TSCA Inv	onents of this product a entory.	are listed on or exe	empt from the
US. EPA CERCLA Hazardo	us Substances (40	CFR 302)		
Not applicable				
California Proposition 65	n : Not applic	able		
05				
SARA Title III Section 302 I	Extremely Hazardo	ous Substance		
Unless specific chemicals are	e identified under t	his section, this produc	ct is Not Applicabl	le under this reg
SARA Title III Section 313	Foxic Chemicals:			
Unless specific chemicals are	e identified under t	his section, this produc	ct is Not Applicabl	le under this reg
Canadian Regulations:				
	lesse Inventory (N	PRI)		
National Pollutant Re				
National Pollutant Re Chemical Name	lease inventory (iv	,	Weight %	NPRI ID#
	lease inventory (14	CAS-No. 147-14-8	Weight % 1.00 - 5.00	NPRI ID# 71
Chemical Name		CAS-No.		

PolyOne

MATERIAL SAFETY DATA SHEET UV MARINE BLUE ABS HM

Version Number 1.0 Revision Date 03/27/2008 Page 6 of 6 Print Date 1/3/2012

WHMIS Classification :	D2B			
WHMIS Ingredient Disclosure List				
CAS-No. 147-14-8 1328-53-6 DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS :	Listed			
China IECS :	Listed			
Europe EINECS :	Listed			
Japan ENCS :	Not determined			
Korea KECI :	Listed			
Philippines PICCS :	Listed			
	16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.