## MATERIAL SAFETY DATA SHEET **PG 85178.01 PU PE**

Version Number 1.0 Revision Date 04/04/2008

Page 1 of 6 Print Date 1/3/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone: |     | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--------------------------------|-----|---|
| Product name                   | : 1 | PG 85178.01 PU PE   |
| Product code                   | : ( | CC10110097  |
| Chemical Name                  | : 1 | Mixture   |
| CAS-No.                        | : 1 | Mixture   |
| Product Use                    | : 1 | Industrial Applications   |

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5    |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Ingestion, Skin contact   |
|---|---|
| Acute exposure                                |   |
| Inhalation                                    | : Resin particles, like other inert materials, can be mechanically irritating.      |
| Ingestion                                     | : May be harmful if swallowed.  |
| Eyes  | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.              |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                                |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 85178.01 PU PE**

Version Number 1.0 Revision Date 04/04/2008 Page 2 of 6 Print Date 1/3/2012

|                                     |      | 4. FIRST AID MEASURES   |
|-------------------------------------|------|---|
| Inhalation                          | :    | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.               |
| Ingestion                           | :    | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes                                | :    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin                                | :    | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|                                     |      | 5. FIRE-FIGHTING MEASURES   |
| Flash point                         | :    | Not applicable  |
| Flammable Limits                    |      |   |
| Upper explosion limit               |      | Not applicable  |
| Lower explosion limit               | :    | Not applicable  |
| Autoignition temperature            | •    | Not applicable  |
| Suitable extinguishing media        | :    | Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures | :    | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                    |
| Unusual Fire/Explosion<br>Hazards   | :    | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
|                                     | 6. A | CCIDENTAL RELEASE MEASURES  |
| Personal precautions                | :    | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions           | :    | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up             | :    | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|                                     |      | 7. HANDLING AND STORAGE   |
| Handling                            | :    | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.   |
| Storage                             | :    | Keep containers dry and tightly closed to avoid moisture absorption   |

PolyOne.

## MATERIAL SAFETY DATA SHEET PG 85178.01 PU PE

Version Number 1.0 Revision Date 04/04/2008 Page 3 of 6 Print Date 1/3/2012

| 8.1                                | LAPUSUKE           | CONTROLS/PERSON   | AL PROTECTION          |                  |
|------------------------------------|--------------------|---|------------------------|------------------|
| Respiratory protection             | : N                | lo personal respiratory pro-                                | tective equipment norm | ally required.   |
| Eye/Face Protection                | : S                | afety glasses with side-shi                                 | elds                   |                  |
| Hand protection                    | : P                | rotective gloves  |                        |                  |
| Skin and body protection           | : L                | ong sleeved clothing  |                        |                  |
| Additional Protective<br>Measures  | : S                | afety shoes   |                        |                  |
| General Hygiene<br>Considerations  |                    | landle in accordance with gractice. Wash hands befor        |                        |                  |
| Engineering measures               |                    | leat only in areas with appr<br>ppropriate exhaust ventilat |                        | tion. Provide    |
| Exposure limit(s)                  |                    |   |                        |                  |
| Components                         | Value              | Exposure time   | Exposure type          | e List:          |
| Titanium dioxide                   | 10 mg/m3           | Time Weighted Averag<br>(TWA):                              | e                      | ACGIH            |
|                                    | 15 mg/m3           | PEL:  | Total dust.            | OSHA Z1          |
|                                    | 10 mg/m3           | Time Weighted Averag<br>(TWA):                              | e as Ti                | MX OEL           |
|                                    | 20 mg/m3           | Short Term Exposure Lin<br>(STEL):                          | nit as Ti              | MX OEL           |
|                                    |                    |   |                        |                  |
|                                    | 9. PHYSIC          | CAL AND CHEMICAL I  | PROPERTIES             |                  |
| Form                               | : Solic            | ł Ev  | aporation rate :       | Not applicable   |
| Appearance                         | : pelle            |   | ecific Gravity :       | Not determined   |
| Color                              | : YEL              |   | lk density :           | Not established  |
| Odour                              |                    |   | pour pressure :        | Not applicable   |
| Melting point/range                |                    |   | pour density :         | Not applicable   |
| Boiling Point:<br>Water solubility | : Not a<br>: Insol | applicable pH   | ı :                    | Not applicable   |
| water solubility                   | . 111501           | luble   |                        |                  |
|                                    | 10. 8              | STABILITY AND REAC  | TIVITY                 |                  |
| Stability                          | : S                | table.  |                        |                  |
| Hazardous Polymerization           | n : V              | Vill not occur.   |                        |                  |
| Conditions to avoid                | : K                | keep away from oxidizing a                                  | agents and open flame. | To avoid thermal |

## MATERIAL SAFETY DATA SHEET **PG 85178.01 PU PE**

Version Number 1.0 Revision Date 04/04/2008 Page 4 of 6 Print Date 1/3/2012

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ        |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

|  | CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|--|------------|------------------|------|------|-----|
|  | 13463-67-7 | Titanium dioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | Not readily biodegradable.   |   |
|-------------------------------|--|---|
| Environmental Toxicity        | Chemicals are not readily available as they are bound within the polymer matrix.   |   |
| Bioaccumulation Potential     | Chemicals are not readily available as they are bound within the polymer matrix.   |   |
| Additional advice             | No data available  |   |
|                               | 3. DISPOSAL CONSIDERATIONS   |   |
| Product                       | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The | 9 |

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 85178.01 PU PE**

| sion Number 1.0<br>/ision Date 04/04/2008 | Page 5 of<br>Print Date 1/3/20   |
|---|--|
|   |  |
|   | generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |
| Contaminated packaging                    | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
|   | 14. TRANSPORT INFORMATION  |
| U.S. DOT Classification                   |  |
| U.S. DOT Classification                   | : Not regulated for transportation.  |
| ICAO/IATA (air)                           | : Refer to specific regulation.  |
| IMO / IMDG (maritime)                     | : Refer to specific regulation.  |
|   | 15. REGULATORY INFORMATION   |
| US Regulations:                           |  |
| OSHA Status                               | : Classified as hazardous based on components.   |
| TSCA Status                               | : All components of this product are listed on or exempt from the TSCA Inventory.  |
| US. EPA CERCLA Hazardou                   | s Substances (40 CFR 302)  |
| Not applicable                            |  |
|   |  |
| California Proposition<br>65              | : Not applicable   |
| SARA Title III Section 302 E              | stremely Hazardous Substance   |
| Unless specific chemicals are             | identified under this section, this product is Not Applicable under this regulation  |
| SARA Title III Section 313 T              | oxic Chemicals:  |
| Unless specific chemicals are             | identified under this section, this product is Not Applicable under this regulation  |
|   |  |
| Canadian Regulations:                     |  |

PolyOne

Page 6 of 6

Print Date 1/3/2012

## POLYONE CORPORATION

### MATERIAL SAFETY DATA SHEET PG 85178.01 PU PE

| Version Number 1.0<br>Revision Date 04/04/2008 |
|--|
| National Pollutant Release Inventory (NPRI)    |
| National Pollutant Release Inventory (NPRI)    |

Not applicable WHMIS Classification : D2A DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS Listed : **Europe EINECS** Listed : Japan ENCS Listed : Korea KECI Listed : **Philippines PICCS** : Listed **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.