MATERIAL SAFETY DATA SHEET 107800 NP PC FR MB

Version Number 1.0 Revision Date 05/01/2008 Page 1 of 5 Print Date <u>1/3/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	107800 NP PC FR MB
Product code	:	CC10110342
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
ľ	č		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET 107800 NP PC FR MB

Version Number 1.0 Revision Date 05/01/2008 Page 2 of 5 Print Date 1/3/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elemmehle Limite		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature		Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET 107800 NP PC FR MB

Version Number 1.0 Revision Date 05/01/2008 Page 3 of 5 Print Date 1/3/2012

8 FY	POSURE CONTROLS/PERSONA	L PROTECTION			
Respiratory protection	: No personal respiratory prot	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shie	Safety glasses with side-shields			
Hand protection	: Protective gloves	Protective gloves			
Skin and body protection	: Long sleeved clothing	Long sleeved clothing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations		ood industrial hygiene and safety e breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
	us components above regulatory thre	•			
9 Form Appearance Color Odour Melting point/range Boiling Point:	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Sp. : NO PIGMENT Bu : Very faint Va : Not determined Va : Not applicable pH	PROPERTIES aporation rate : Not applicable cecific Gravity : Not determined lk density : Not established pour pressure : Not applicable pour density : Not applicable			
9 Form Appearance Color Odour Melting point/range Boiling Point:	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Spanner : NO PIGMENT Bu : Very faint Va : Not determined Va	PROPERTIES aporation rate : Not applicable ccific Gravity : Not determined lk density : Not established pour pressure : Not applicable pour density : Not applicable			
9 Form Appearance Color Odour Melting point/range Boiling Point:	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Sp. : NO PIGMENT Bu : Very faint Va : Not determined Va : Not applicable pH	PROPERTIES aporation rate ecific Gravity Ik density pour pressure pour density : Not applicable : Not applicable : Not applicable : Not applicable			
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Spanner : NO PIGMENT Bu : Very faint Va : Not determined Va : Not applicable pH : Insoluble PH	PROPERTIES aporation rate ecific Gravity Ik density pour pressure pour density : Not applicable : Not applicable : Not applicable : Not applicable			
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Sp. : NO PIGMENT Bu : Very faint Va : Not determined Va : Not applicable pH : Insoluble 10. STABILITY AND REACC	PROPERTIES aporation rate ecific Gravity Ik density pour pressure pour density : Not applicable : Not applicable : Not applicable : Not applicable			
9 Form Appearance Color Odour Melting point/range	. PHYSICAL AND CHEMICAL H : Solid Ev. : pellets Spain : NO PIGMENT Bu : Very faint Va : Not determined Va : Not applicable pH : Insoluble 10. STABILITY AND REAC : Stable. : Will not occur.	PROPERTIES aporation rate : Not applicable ecific Gravity : Not determined lk density : Not established pour pressure : Not applicable pour density : Not applicable : Not applicable TIVITY gents and open flame. To avoid thermal			
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	. PHYSICAL AND CHEMICAL F : Solid Evant Strand S	PROPERTIES aporation rate : Not applicable ecific Gravity : Not determined lk density : Not established pour pressure : Not applicable pour density : Not applicable i Not applicable TIVITY gents and open flame. To avoid thermal teat.			

PolyOne

MATERIAL SAFETY DATA SHEET 107800 NP PC FR MB

Version Number 1.0 Revision Date 05/01/2008 Page 4 of 5 Print Date 1/3/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET 107800 NP PC FR MB

Version Number 1.0 Revision Date 05/01/2008 Page 5 of 5 Print Date 1/3/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

:	Listed
:	Listed
	: : : :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.