PolvOne

MATERIAL SAFETY DATA SHEET **PLATINUM**

Version Number 1.0 Revision Date 04/08/2008

Page 1 of 7 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PLATINUM
Product code	:	CC10110396
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5
Calcium carbonate	1317-65-3	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



Version Number 1.0 Revision Date 04/08/2008 Page 2 of 7 Print Date 1/3/2012

PolyOne.

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET **PLATINUM**

Version Number 1.0 Revision Date 04/08/2008	Page 3 of 7 Print Date 1/3/2012	
Storage :	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection :	No personal respiratory protective equipment normally required.	
Eye/Face Protection :	Safety glasses with side-shields	
Hand protection :	Protective gloves	
Skin and body protection :	Long sleeved clothing	
Additional Protective : Measures	Safety shoes	
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Silica, amorphous,	0.8 mg/m3	Time Weighted Average		Z3
fumed, crystal-free		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES



MATERIAL SAFETY DATA SHEET **PLATINUM**

Version Number 1.0 Revision Date 04/08/2008			Page 4 of 7 Print Date 1/3/2012
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid pellets GREY Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open f o not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	g agents.
Hazardous decomposition products		CO2), carbon monoxide (CO rdous materials, and smoke	· ·

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112945-52-5	Silica, amorphous, fumed,	Irritant	Eyes, Respiratory system.
	crystal-free		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
112945-52-5	Silica, amorphous, fumed,	Oral LD50	3,160 mg/kg	rat
	crystal-free			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
--	---------	---------------	------	------	-----

PolyOne.

MATERIAL SAFETY DATA SHEET **PLATINUM**

sion Date 04/08/2008				int Date 1/3
13463-67-7 Titani	um dioxide	no	2B	no
IARC Carcinogen Classificatio 1 - The component is carcinog 2A - The component is probab 2B - The component is possibl NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonab	enic to humans. ly carcinogenic to humans y carcinogenic to humans hs: b be a human carcinogen.			
	12. ECOLOGICAL I	NFORMATION		
Persistence and degradability	: Not readily biodeg	adable.		
Environmental Toxicity	: Chemicals are not a polymer matrix.	eadily available as	they are bound	within the
Bioaccumulation Potential	: Chemicals are not a polymer matrix.	readily available as	they are bound	within the
Additional advice	: No data available			
	13. DISPOSAL CON	SIDERATIONS		
Product Contaminated packaging	 Like most thermop possible recycling i generator of waste classification, trans applicable federal, Recycling is prefer material has the res transportation and o state/provincial and 	is preferred to dispo- material has the res- portation and dispo- state/provincial and red when possible. ponsibility for pro- disposal in accorda	osal or incinerat sponsibility for p osal in accordand d local regulatio The generator oper waste classif	ion. The proper waste ce with ns. of waste fication,
	ľ	C		
	14. TRANSPORT IN	NFURMATION		
U.S. DOT Classification	: Not regulated for tr	ansportation.		
ICAO/IATA (air)	: Refer to specific re	gulation.		
IMO / IMDG (maritime)	: Refer to specific re	gulation.		
	15. REGULATORY	INFORMATION		
US Regulations:				
OSHA Status	: Classified as hazard			

PolyOne

MATERIAL SAFETY DATA SHEET PLATINUM

Version Number 1.0 Revision Date 04/08/2008	P Print Date
TSCA Status	: All components of this product are listed on or exempt from th TSCA Inventory.
US. EPA CERCLA Hazardou	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this
SARA Title III Section 313 T	xic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this
Canadian Regulations:	
National Pollutant Rele	ase Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2A
WHMIS Ingredient Di	closure List
CAS-No.	
112945-52-5	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed

Page 6 of 7 Print Date 1/3/2012

Unl is Not Applicable under this regulation

Unl is Not Applicable under this regulation

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

MATERIAL SAFETY DATA SHEET **PLATINUM**

POLYONE CORPORATION

Version Number 1.0

Revision Date 04/08/2008

Page 7 of 7 Print Date 1/3/2012

Korea KECI : Listed

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.