PolvOne

MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

Version Number 1.0 Revision Date 04/22/2008

Page 1 of 7 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	PG 110509.00 RD PE
Product code	CC10110894
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

Version Number 1.0 Revision Date 04/22/2008 Page 2 of 7 Print Date 1/3/2012

Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat			



MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

Version Number 1.0 Page 3 of 7 Print Date 1/3/2012 Revision Date 04/22/2008 only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields : Hand protection Protective gloves : Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures General Hygiene Handle in accordance with good industrial hygiene and safety : Considerations practice. Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Silica, amorphous	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

PolvOne

MATERIAL SAFETY DATA SHEET PG 110509.00 RD PE

Version Number 1.0 Revision Date 04/22/2008

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: SolidEvaporation rate: Not applicable: pelletsSpecific Gravity: Not determined: PINKBulk density: Not established: Very faintVapour pressure: Not applicable: Not determinedVapour density: Not applicable: Not applicablepH: Not applicable: InsolubleInsoluble: Not applicable
water solubility	
	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

products

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral	15,000	mouserat
		LD50Oral	mg/kg22,500	
		LD50	mg/kg	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

sion Date 04/22/2008			Pri	nt Date 1/3
13463-67-7 Titan	ium dioxide	no	2B	no
IARC Carcinogen Classificati 1 - The component is carcinog 2A - The component is probab 2B - The component is possible NTP Carcinogen Classification 1 - The component is known the 2 - The component is reasonable	enic to humans. bly carcinogenic to humans ly carcinogenic to humans. ns: o be a human carcinogen.			
	12. ECOLOGICAL I	NFORMATION		
Persistence and degradability	: Not readily biodegr	adable.		
Environmental Toxicity	: Chemicals are not r polymer matrix.	eadily available as	s they are bound v	within the
Bioaccumulation Potential	: Chemicals are not r polymer matrix.	eadily available as	they are bound w	within the
Additional advice	: No data available			
	13. DISPOSAL CON	SIDERATIONS		
Product Contaminated packaging	 Like most thermopl possible recycling i generator of waster classification, trans applicable federal, s Recycling is preferr 	s preferred to disp material has the re portation and disp state/provincial an	osal or incinerations sponsibility for p osal in accordance d local regulation	on. The roper waste e with is.
	material has the res transportation and c state/provincial and	ponsibility for pro lisposal in accorda	per waste classifi	cation,
	14. TRANSPORT IN	FORMATION		
U.S. DOT Classification	: Not regulated for tr	ansportation.		
ICAO/IATA (air)	: Refer to specific reg	gulation.		
IMO / IMDG (maritime)	: Refer to specific reg	gulation.		
	15. REGULATORY I	NFORMATION		
US Regulations:				

'olyOne

MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

Version Number 1.0 Revision Date 04/22/2008 Page 6 of 7 Print Date 1/3/2012

All components of this product are listed on or exempt from the **TSCA Status** : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 7631-86-9 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed Europe EINECS • Listed Japan ENCS Not determined :

MATERIAL SAFETY DATA SHEET **PG 110509.00 RD PE**

Version Number 1.0 Revision Date 04/22/2008

Korea KECI : Listed

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 7 of 7 Print Date 1/3/2012