PolvOne

MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

Version Number 1.0 Revision Date 04/30/2008 Page 1 of 7 Print Date 1/3/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone: | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------|---|---|
| Product name | : | BLUE/WHITE |
| Product code | : | CC10110908 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 0.1 - 1 |
| Calcium carbonate | 1317-65-3 | 10 - 30 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|----------------------------|---|--|--|
| Acute exposure | | | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. | | |
| Ingestion | : May be harmful if swallowed. | | |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |

MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

Version Number 1.0 Revision Date 04/30/2008 Page 2 of 7 Print Date 1/3/2012

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat |

PolyOne.



MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

| Version Number 1.0 Revision Date 04/30/2008 | | Page 3 of 7 Print Date 1/3/2012 |
|--|----|---|
| Storage | : | only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |
| 8. EXPO | SU | RE CONTROLS/PERSONAL PROTECTION |
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Eye/Face Protection | : | Safety glasses with side-shields |
| Hand protection | : | Protective gloves |
| Skin and body protection | : | Long sleeved clothing |
| Additional Protective Measures | : | Safety shoes |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|-----------|---------------------------|------------------------|---------|
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | | MX OEL |
| | | (STEL): | | |
| Silica, amorphous | 0.8 mg/m3 | Time Weighted Average | | Z3 |
| | | (TWA): | | |
| | 10 mg/m3 | Time Weighted Average | Inhalable particulate. | MX OEL |
| | | (TWA): | | |
| | 3 mg/m3 | Time Weighted Average | Respirable dust. | MX OEL |
| | | (TWA): | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | as Ti | MX OEL |
| | | (TWA): | | |
| | 20 mg/m3 | Short Term Exposure Limit | as Ti | MX OEL |
| | _ | (STEL): | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

| Version Number 1.0 Revision Date 04/30/2008 | | | Page 4 of 7 Print Date <i>1/3/2012</i> |
|---|--|---|--|
| Form Appearance Color Odour Melting point/range Boiling Point: Water solubility | Solid pellets WHITE Very faint Not determined Not applicable Insoluble | Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH | Not establishedNot applicable |
| | 10. STABILITY AN | D REACTIVITY | |
| Stability | : Stable. | | |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | : Keep away from o decomposition, do | oxidizing agents and open f o not overheat. | lame. To avoid thermal |
| Incompatible Materials | : Incompatible with | strong acids and oxidizing | g agents. |
| Hazardous decomposition products | | CO2), carbon monoxide (CO rdous materials, and smoke | |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-------------------|------------------|---------------------------|
| 7631-86-9 | Silica, amorphous | Irritant | Eyes, Respiratory system. |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory |
| | | | system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|-----------|-------------------|----------|-------------|----------|
| 7631-86-9 | Silica, amorphous | Oral | 15,000 | mouserat |
| | | LD50Oral | mg/kg22,500 | |
| | | LD50 | mg/kg | |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|---------|---------------|------|------|-----|
| | | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

| 13463-67-7 Titani | um dioxide | | 2B | |
|---|--|--|--|--|
| IARC Carcinogen Classification 1 - The component is carcinoge 2A - The component is probab 2B - The component is possibly NTP Carcinogen Classification | ons: enic to humans. ly carcinogenic to human y carcinogenic to humans | | | no |
| The component is known to The component is reasonab | be a human carcinogen. ly anticipated to be a hum | nan carcinogen. | | |
| D | 12. ECOLOGICAL | | | |
| Persistence and degradability Environmental Toxicity | Not readily biodeg Chemicals are not polymer matrix. | | s they are bound v | vithin the |
| Bioaccumulation Potential | : Chemicals are not polymer matrix. | readily available as | s they are bound w | within the |
| Additional advice | : No data available | | | |
| | 13. DISPOSAL COM | SIDERATIONS | | |
| Product Contaminated packaging | Like most thermop possible recycling generator of waste classification, trans applicable federal, Recycling is prefer material has the re- transportation and | is preferred to disp material has the re sportation and disp state/provincial an rred when possible sponsibility for pro disposal in accorda | osal or incinerations sponsibility for pro- osal in accordance d local regulation . The generator of oper waste classificance with applicable | on. The roper waste e with s. f waste cation, |
| | state/provincial and | d local regulations. | | |
| | 14. TRANSPORT I | NFORMATION | | |
| U.S. DOT Classification | : Not regulated for t | ransportation. | | |
| ICAO/IATA (air) | : Refer to specific re | - | | |
| IMO / IMDG (maritime) | : Refer to specific re | egulation. | | |
| | 15. REGULATORY | INFORMATION | | |
| | | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET BLUE/WHITE

| Revision Date 04/30/2008 | |
|--------------------------|--|

Page 6 of 7 Print Date 1/3/2012

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

| National Pollutant Release Inventory (NPRI) | | | |
|---|-----------|-------------|----------|
| Chemical Name | CAS-No. | Weight % | NPRI ID# |
| Aluminum oxide | 1344-28-1 | 0.10 - 1.00 | |

| | WHMIS Classification | : | D2A |
|--------|----------------------|---|---|
| | DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| Nation | al Inventories: | | |
| | Australia AICS | : | Listed |
| | China IECS | : | Listed |
| | Europe EINECS | : | Listed |
| | Japan ENCS | : | Listed |
| | Korea KECI | : | Listed |
| | Philippines PICCS | : | Listed |
| | | | |

PolyOne

MATERIAL SAFETY DATA SHEET **BLUE/WHITE**

Version Number 1.0 Revision Date 04/30/2008 Page 7 of 7 Print Date 1/3/2012

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.