PolyOne

# MATERIAL SAFETY DATA SHEET **RED**

#### Version Number 1.0 Revision Date 05/06/2008

Page 1 of 6 Print Date 1/3/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposur or accident).
Product name	:	RED
Product code	:	CC10111194
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight %
Formamide, N,N'-1,6-hexanediylbis[N-	124172-53-8	5 - 10
(2,2,6,6-tetramethyl-4-piperidinyl)-		

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



# MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 05/06/2008 Page 2 of 6 Print Date 1/3/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **RED**

			Print Date 1/3/
Storage		y and tightly closed to avo . Keep in a dry, cool place	
8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTIO	ON
Respiratory protection	: No personal respir	atory protective equipment	t normally required.
Eye/Face Protection	: Safety glasses with	n side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hy nds before breaks and at th	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	PHYSICAL AND CHEN	MICAL PROPERTIES	
9.	PHYSICAL AND CHEM		
9. Form	: Solid	Evaporation rate	: Not applicable
9. Form Appearance	: Solid : pellets	Evaporation rate Specific Gravity	: Not determined
9. Form Appearance Color	: Solid : pellets : RED	Evaporation rate Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not established</li></ul>
9. Form Appearance Color Odour	: Solid : pellets : RED : Very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANSISTED Set 10. STABILITY ANSISTED Set 10. STABILITY ANSISTED Set 10. STABILITY ANSISTED Set 10. STABILITY AND SET 10. STABILITY SET 10. STABILITY AND SET 10. STABILITY AND SET 10. STABILITY SET 10.	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b> xidizing agents and open f	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b> xidizing agents and open f	: Not determined : Not established : Not applicable : Not applicable : Not applicable

olvOn<u>e</u>

# MATERIAL SAFETY DATA SHEET **RED**

### Version Number 1.0

Revision Date 05/06/2008

Page 4 of 6 Print Date 1/3/2012

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
124172-53-8	Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	Irritant	Eyes.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
124172-53-8	Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	LC50 Oral LD50	> 5.0 mg/l > 2,000 mg/kg	rat rat

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **RED**

ision Date 05/06/2008	Print Date 1/3/2
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regul
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regul
Canadian Regulations:	
National Pollutant Rele	ase Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2B
DSL	: All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:	

P<u>olyOne</u>

# MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0	
Revision Date 05/06/2008	

Page 6 of 6 Print Date 1/3/2012

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.