<u>PolvOne</u>

MATERIAL SAFETY DATA SHEET **YELLOW PP**

Version Number 1.0 Revision Date 06/13/2008 Page 1 of 6 Print Date 1/4/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	YELLOW PP
Product code	CC10111944
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Decanedioic acid, methyl 1,2,2,6,6-	82919-37-7	1 - 5
pentamethyl-4-piperidinyl ester		
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl)	41556-26-7	10 - 30
sebacate		
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

: Inhalation, Skin contact, Ingestion
: Inhalation of airborne droplets may cause irritation of the respiratory tract.
: May be harmful if swallowed.
: Irritating to eyes and respiratory system.
: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **YELLOW PP**

Version Number 1.0 Revision Date 06/13/2008 Page 2 of 6 Print Date 1/4/2012

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significa exposure.	ıt
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.	eye
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Greater than 200 °F (93 °C)	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses of the soil. Should not be released into the environment.	r
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MS for proper disposal methods.	DS
	7. HANDLING AND STORAGE	

PolyOne.

MATERIAL SAFETY DATA SHEET **YELLOW PP**

ision Date 06/13/2008				Page Print Date 1/4/
Handling	: H	leat only in areas with ap	propriate exhaust ventila	tion.
Storage		Leep containers dry and ti nd contamination. Store		isture absorption
8.]	EXPOSURE	CONTROLS/PERSON	AL PROTECTION	
Respiratory protection	: U	Inder normal handling co	nditions a respirator may	not be required.
Eye/Face Protection	: S	afety glasses with side-sh	ields	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		Iandle in accordance with ractice. Wash hands before		
Engineering measures		leat only in areas with app ppropriate exhaust ventila		tion. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	e List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z
	10 mg/m3	Time Weighted Avera (TWA):	ge as Ti	MX OEI
	20 mg/m3	Short Term Exposure L (STEL):	imit as Ti	MX OEI
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES	
F		1 ~	· · · · · · · · · · · · · · · · · · ·	NT. / . / 11 ¹ 1
Form	: liqui : Visc		vaporation rate : pecific Gravity :	Not established Not determined
Appearance Color			ulk density :	Not applicable
Odour			apour pressure :	Not determined
Melting point/range			apour density :	Not determined
Boiling Point:			Н :	Not applicable
Water solubility	: Imm			
	10. 5	STABILITY AND REA	CTIVITY	
Stability	: S	table.		

PolyOne

MATERIAL SAFETY DATA SHEET **YELLOW PP**

Version Number 1.0 Revision Date 06/13/2008		Page 4 of 6 Print Date 1/4/2012
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
82919-37-7	Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4- piperidinyl ester	Irritant	Skin.
41556-26-7	Bis (1,2,2,6,6- pentamethyl-4-piperidinyl) sebacate	sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
41556-26-7	Bis (1,2,2,6,6- pentamethyl-4-piperidinyl) sebacate	Oral LD50	> 2,000 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

PolyOne.

MATERIAL SAFETY DATA SHEET **YELLOW PP**

Version Number 1.0 Revision Date 06/13/2008 Page 5 of 6 Print Date 1/4/2012

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET YELLOW PP

Revision Date 06/13/2008 Print Date 1/4/201	Version Number 1.0	Page 6 of 6
	Revision Date 06/13/2008	Print Date 1/4/2012

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name			CAS-No.	Weight %	NPRI ID#
Phenol, nonyl-, phosphite (3:1)		26523-78-4	1.00 - 5.00	
WHMIS Classification	:	D2A			
DSL	:	Inventories or an product is on the	re exempt. Howev e Canadian Non-I	oduct are listed on ver, at least one co Domestic Substand ed by regulations.	omponent of th ces List (NDS
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.