PolvOne

MATERIAL SAFETY DATA SHEET PG 112493.00 BU PP

Version Number 1.0 Revision Date 06/19/2008

Page 1 of 7 Print Date 1/4/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 112493.00 BU PP
Product code :	CC10112493
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	10 - 30
Cobalt titanate green spinel (C.I. Pigment Green 50)	68186-85-6	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

Version Number 1.0 Revision Date 06/19/2008 Page 2 of 7 Print Date 1/4/2012

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

ion Number 1.0 sion Date 06/19/2008				Prin	Page t Date 1/4
	0	only in areas with appropri	ate exhaust ventilat	ion	
Storage		Keep containers dry and tind contamination. Keep		d moisture	e absorption
8. 1	EXPOSURE	E CONTROLS/PERSON	AL PROTECTIO	N	
Respiratory protection	: 1	No personal respiratory pro-	otective equipment	normally 1	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields		
Hand protection	: F	Protective gloves			
Skin and body protection	: I	long sleeved clothing			
Additional Protective Measures	: 5	afety shoes			
General Hygiene Considerations		Handle in accordance with practice. Wash hands before			
Engineering measures	 Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. 				
Exposure limit(s)					
Components	Value	Exposure time	Exposure	type	List:
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	0.02 mg/m3	Time Weighted Avera (TWA):			ACGIH
Cobalt titanate green	0.02	Time Weighted Avera	Average as Co		ACGIH
spinel (C.I. Pigment Green 50)	mg/m3	(TWA):			
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES		
Form	: Soli	d E	vaporation rate	: Not	applicable
Appearance	: pelle	ets S	pecific Gravity		determined
Color	: BLU		ulk density		established
Odour			apour pressure		applicable
Melting point/range			apour density		applicable
Boiling Point:		applicable p	H	: Not	applicable
Water solubility	: Inso	luble			
	10. 5	STABILITY AND REA	CTIVITY		
Stability	: S	stable.			
Stability					

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

Version Number 1.0 Revision Date 06/19/2008		Page 4 of 7 Print Date <i>1/4/2012</i>
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1345-16-0	Cobalt aluminate blue	Irritant	Eyes, Skin, Respiratory	
	spinel (C.I. Pigment Blue		system.	
	28)			
		sensitizer	Skin.	
68186-85-6	Cobalt titanate green	Irritant	Eyes, Skin.	
	spinel (C.I. Pigment Green			
	50)			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1345-16-0	Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	no	2B	no
68186-85-6	Cobalt titanate green spinel (C.I. Pigment Green 50)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability : Not readily

Environmental Toxicity

: Not readily biodegradable.

: Chemicals are not readily available as they are bound within the

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

Version Number 1.0 Revision Date 06/19/2008 Page 5 of 7 Print Date 1/4/2012

		polymer matrix.		
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	:	No data available		
	1	3. DISPOSAL CONSIDERATIONS		
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	1	4. TRANSPORT INFORMATION		
U.S. DOT Classification	:	Not regulated for transportation.		
ICAO/IATA (air)	D/IATA (air) : Refer to specific regulation.			
IMO / IMDG (maritime)	:	Refer to specific regulation.		
	15	REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	Not applicable		

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

Version Number 1.0 Revision Date 06/19/2008 Page 6 of 7 Print Date 1/4/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %	
COBALT COMPOUNDSCOBALT COMPOUNDS,	1345-16-0	10.00 - 30.00	
INORGANICCOBALT COMPOUNDS, ORGANIC			
COBALT COMPOUNDSCOBALT COMPOUNDS,	68186-85-6	30.00 - 60.00	
INORGANICCOBALT COMPOUNDS, ORGANIC			

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Cobalt aluminate blue spinel (C.I. Pigment Blue	1345-16-0	10.00 - 30.00	
28) Cobalt titanate green spinel (C.I. Pigment Green	68186-85-6	30.00 - 60.00	
50)			

WHMIS Classification : D2A

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET **PG 112493.00 BU PP**

Version Number 1.0 Revision Date 06/19/2008 Page 7 of 7 Print Date 1/4/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.