MATERIAL SAFETY DATA SHEET BODY SHOP GREEN

Version Number 1.2 Revision Date 03/19/2014

Page 1 of 5 Print Date 3/22/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|--|
| Product name | : | BODY SHOP GREEN |
| Product code | : | CC10115276 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|--|
| Acute exposure | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Particulates, like other inert materials can be mechanically irritating. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

PolyOne.

MATERIAL SAFETY DATA SHEET **BODY SHOP GREEN**

Version Number 1.2 Revision Date 03/19/2014 Page 2 of 5 Print Date 3/22/2014

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIREFIGHTING MEASURES |
| Flash point | : | not applicable |
| Flammable Limits | | |
| Upper explosion limit | | not applicable |
| Lower explosion limit | : | not applicable |
| Auto-ignition temperature | ÷ | Not relevant |
| Suitable extinguishing media | : | Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |

PolyOne.

MATERIAL SAFETY DATA SHEET **BODY SHOP GREEN**

Version Number 1.2 Revision Date 03/19/2014 Page 3 of 5 Print Date 3/22/2014

| 0. EAF | POSURE CONTROLS/PER | RSONAL PROTECTION |
|--|--|--|
| Respiratory protection | | ry protective equipment normally required. In wear appropriate respiratory protection. |
| Eye/Face Protection | : Safety glasses | |
| Hand protection | : Protective gloves | |
| Skin and body protection | : Long sleeved clothing | g |
| Additional Protective Measures | : Safety shoes | |
| General Hygiene Considerations | | before breaks and immediately after handling in accordance with good industrial hygiene ar ignostics. |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | |
| Exposure limit(s) | | |
| | | |
| | | |
| There are no known hazardou | s components above regulate | ory thresholds in this product. |
| There are no known hazardou | s components above regulate | bry thresholds in this product. |
| | · · | |
| | s components above regulate | |
| There are no known hazardou 9. Form | · · | CAL PROPERTIES Evapouration rate : Not applicable |
| 9. Form | PHYSICAL AND CHEMI | CAL PROPERTIES |
| 9. | PHYSICAL AND CHEMI : solid | CAL PROPERTIES Evapouration rate : Not applicable |
| 9. Form Appearance | PHYSICAL AND CHEMI : solid : flakes : GREEN | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine |
| 9. Form Appearance Colour Odour | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine |
| 9. Form Appearance Colour Odour Melting point/range | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine Vapour density : Not determine |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND 1 | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND 1 | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable REACTIVITY |
| 9. Form Appearance Colour | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND I : The product is stable : Will not occur. | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable REACTIVITY |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND I : The product is stable : Will not occur. : To avoid thermal dec | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable REACTIVITY if stored and handled as prescribed. |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid | PHYSICAL AND CHEMI : solid : flakes : GREEN : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND I : The product is stable : Will not occur. : To avoid thermal dec : Incompatible with str | CAL PROPERTIES Evapouration rate : Not applicable Specific Gravity : Not determine Bulk density : Not determine Vapour pressure : not determine Vapour density : Not determine pH : not applicable REACTIVITY if stored and handled as prescribed. omposition, do not overheat. ong acids and oxidizing agents. e), carbon monoxide (CO), oxides of nitrogen |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **BODY SHOP GREEN**

Version Number 1.2 Revision Date 03/19/2014 Page 4 of 5 Print Date 3/22/2014

There are no known hazardous components above regulatory thresholds in this product.

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|--|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Not inherently biodegradable. |
| Additional advice | : Chemicals are not readily available as they are bound within the polymer matrix. |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Refer to specific regulation. |
| ICAO/IATA | : Refer to specific regulation. |
| IMO/IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| | |

MATERIAL SAFETY DATA SHEET BODY SHOP GREEN

Version Number 1.2 Revision Date 03/19/2014 Page 5 of 5 Print Date 3/22/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

| WHMIS Classification | : | Not controlled. |
|----------------------|---|--|
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |

National Inventories:

| Australia AICS | : Listed |
|-------------------|------------------|
| China IECS | : Listed |
| Europe EINECS | : Listed |
| Japan ENCS | : Not determined |
| Korea KECI | : Listed |
| Philippines PICCS | : Listed |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.