PolvOne

MATERIAL SAFETY DATA SHEET AMBER PET

Version Number 1.1 Revision Date 08/11/2009

Page 1 of 7 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AMBER PET
Product code	:	CC10118396
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
[2,3'-Bis[[(2-	64696-98-6	5 - 10
hydroxyphenyl)methylene]amino]but-2-		
enedinitrilato(2-)-N2,N3,O2,O3]nickel		
Bis (2-ethylhexyl) adipate	103-23-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **AMBER PET**

Version Number 1.1 Revision Date 08/11/2009 Page 2 of 7 Print Date 1/8/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET AMBER PET

Version Number 1.1				
Revision Date	08/11/2009			

Storage		y and tightly closed to avoid Store in a cool dry place.	d moisture absorption
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTIO	N
Respiratory protection	: Under normal hand	lling conditions a respirator	may not be required.
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hyg nds before breaks and at the	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
-	. PHYSICAL AND CHEN	MICAL PROPERTIES	
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEN iliquid viscous, liquid BROWN very faint not applicable not applicable immiscible 	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Not determined Not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid BROWN very faint not applicable not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid viscous, liquid BROWN very faint not applicable not applicable immiscible 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 liquid viscous, liquid BROWN very faint not applicable not applicable immiscible 10. STABILITY ANI	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid viscous, liquid BROWN very faint not applicable not applicable immiscible 10. STABILITY ANI Stable Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not applicable Not determined Not determined Not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid BROWN very faint not applicable not applicable immiscible 10. STABILITY ANI Stable Will not occur. Keep away from ox 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not applicable Not determined Not determined Not applicable

MATERIAL SAFETY DATA SHEET AMBER PET

Version Number 1.1

Revision Date 08/11/2009

Page 4 of 7 Print Date 1/8/2012

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
64696-98-6	[2,3'-Bis[[(2- hydroxyphenyl)methylene]amino]but-2- enedinitrilato(2-)- N2,N3,O2,O3]nickel	sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
103-23-1	Bis (2-ethylhexyl) adipate	Oral LD50Oral LD50Oral LD50	9,100 mg/kg15,000 mg/kg5,600 mg/kg	ratmouserat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
64696-98-6	[2,3'-Bis[[(2- hydroxyphenyl)methylene]am ino]but-2-enedinitrilato(2-)- N2,N3,O2,O3]nickel	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-enedinitrilato(2-)-N2,N3,O2,O3]nickel 64696-98-6 Skin sensitizer ''nickel itch'', with pulmonary, brain, liver, kidney and muscle effects.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **AMBER PET**

ion Number 1.1 sion Date 08/11/2009	Page 5 Print Date 1/8/
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	 Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 Ex	remely Hazardous Substance

PolyOne

MATERIAL SAFETY DATA SHEET AMBER PET

Version Number 1.1				
Revision Date	08/11/2009			

Page 6 of 7 Print Date 1/8/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation
Chemical Name
CAS-No.
Weight percent

NICKEL COMPOUNDS	64696-98-6	5.00 - 10.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
[2,3'-Bis[[(2-	64696-98-6	5.00 - 10.00	
hydroxyphenyl)methylene]amino]but-2-			
enedinitrilato(2-)-N2,N3,O2,O3]nickel			
Bis (2-ethylhexyl) adipate	103-23-1	10.00 - 30.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
128-80-3	
103-23-1	

DSL

: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined	b
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Listed	
Korea KECI	: Listed	
Philippines PICCS	: Not determined	d

16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET AMBER PET

Version Number 1.1 Revision Date 08/11/2009 Page 7 of 7 Print Date 1/8/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.