MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009 Page 1 of 8 Print Date 1/7/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSLUCENT PEARL BLACK
Product code	:	CC10121483
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009 Page 2 of 8 Print Date 1/7/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: 1	No personal respiratory protective equipment normally required.
Eye/Face Protection	: \$	Safety glasses with side-shields
Hand protection	: F	Protective gloves
Skin and body protection	: I	Long sleeved clothing
Additional Protective Measures	: S	Safety shoes
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

PolyOne

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009 Page 4 of 8 Print Date 1/7/2012

Components	Value	Exposure time	Exposure type	List:
Aluminum	1 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	5 mg/m3	Recommended exposure limit (REL):	Welding fume or pyrophoric powder. as Al	NIOSH
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	15 mg/m3	Time Weighted Average (TWA):	Total dust. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Respirable dust. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Fume. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Welding fume.	MX OEL
	10 mg/m3	Time Weighted Average (TWA):	Dust.	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder.	MX OEL
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility

Solid
pellets
BLACK
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009

Page 5 of 8 Print Date 1/7/2012

	10	. STABILITY AND REACTIVITY	1
Stability	:	Stable.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory
			system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

PolvOne

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009 Page 6 of 8 Print Date 1/7/2012

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

ion Number 1.1 sion Date 05/18/2009				Page Print Date 1/7
US Regulations:				
OSHA Status	: Classified as	s hazardous based on	components.	
TSCA Status	: All compon TSCA Inven	ents of this product a ntory.	are listed on or	exempt from the
US. EPA CERCLA Hazardo	ous Substances (40 Cl	FR 302)		
Not applicable				
California Propositio 65		! This product conta	ins a chemical	known to the State
SARA Title III Section 302	Extremely Hazardous	s Substance		
Unlage encoifie chemicals of	e identified under thi	s section, this produc	t is Not Appli	cable under this regu
-		, , , ,		
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF	Toxic Chemicals: re identified under this		No. W	-
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations:	Toxic Chemicals: re identified under this R DUST)	s section, this produc CAS- 7429-9	No. W	cable under this regu
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations: National Pollutant Re Chemical Name	Toxic Chemicals: re identified under this	s section, this produc CAS- 7429-9 RI) CAS-No.	No. W 00-5 1. Weight %	cable under this regu /eight % 00 - 5.00 NPRI ID#
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations: National Pollutant Ref	Toxic Chemicals: re identified under this R DUST)	s section, this produc CAS- 7429-9 RI)	No. W 10-5 1.	cable under this regulation /eight % 00 - 5.00 NPRI ID# 0
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations: National Pollutant Ro Chemical Name Aluminum Phthalocyanine blue	Toxic Chemicals: re identified under this R DUST) elease Inventory (NPI	s section, this produc CAS- 7429-9 RI) CAS-No. 7429-90-5	No. W 00-5 1. Weight % 1.00 - 5.0	cable under this regulation /eight % 00 - 5.00 NPRI ID# 0
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations: National Pollutant Re Chemical Name Aluminum Phthalocyanine blue WHMIS Classificati	Toxic Chemicals: re identified under this R DUST) elease Inventory (NPF	s section, this produc CAS- 7429-9 RI) CAS-No. 7429-90-5	No. W 00-5 1. Weight % 1.00 - 5.0	cable under this regulation /eight % 00 - 5.00 NPRI ID# 0
SARA Title III Section 313 Unless specific chemicals an Chemical Name ALUMINUM (FUME OF Canadian Regulations: National Pollutant Ro Chemical Name Aluminum Phthalocyanine blue	Toxic Chemicals: re identified under this R DUST) elease Inventory (NPF	s section, this produc CAS- 7429-9 RI) CAS-No. 7429-90-5	No. W 00-5 1. Weight % 1.00 - 5.0	cable under this regulation /eight % 00 - 5.00 NPRI ID# 0

PolyOne

MATERIAL SAFETY DATA SHEET TRANSLUCENT PEARL BLACK

Version Number 1.1 Revision Date 05/18/2009 Page 8 of 8 Print Date 1/7/2012

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.