## MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

Version Number 1.0 Revision Date 05/15/2009 Page 1 of 6 Print Date 1/7/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ZOO BLUE YOUTH
Product code	:	CC10121838
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

Version Number 1.0 Revision Date 05/15/2009 Page 2 of 6 Print Date 1/7/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up		Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

Version Number 1.0 Revision Date 05/15/2009 Page 3 of 6 Print Date 1/7/2012

Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): AC   15 mg/m3 PEL: Total dust. OSF	у.
Hand protection   : Protective gloves     Skin and body protection   : Long sleeved clothing     Additional Protective   : Safety shoes     Measures   : Safety shoes     General Hygiene   : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.     Engineering measures   : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.     Exposure limit(s)   :     Components   Value   Exposure time   Exposure type   L     Titanium dioxide   10 mg/m3   Time Weighted Average   AC     (TWA):   :   15 mg/m3   PEL:   Total dust.   OSH	у.
Skin and body protection   : Long sleeved clothing     Additional Protective   : Safety shoes     Measures   : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.     General Hygiene   : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.     Engineering measures   : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.     Exposure limit(s)   : May a the exposure time is the exposure type is the exposure is the exposure is the exposure type is the exposure is the exposure is the exposure type is the exposure is the exposure is the exposure type is the exposure is the exposure is the exposure type is the exposure is the exposu	у.
Additional Protective   : Safety shoes     Measures   : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.     Engineering measures   : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.     Exposure limit(s)   : Exposure time   : Exposure type     Itanium dioxide   10 mg/m3   Time Weighted Average (TWA):     15 mg/m3   PEL:   Total dust.   OSH	у.
Measures	у.
Considerations   practice. Wash hands before breaks and at the end of workday.     Engineering measures   : Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.     Exposure limit(s)   :     Components   Value   Exposure time   Exposure type   L     Titanium dioxide   10 mg/m3   Time Weighted Average (TWA):   AC     15 mg/m3   PEL:   Total dust.   OSH     10 mg/m3   Time Weighted Average   Total dust.   OSH	у.
appropriate exhaust ventilation at machinery.     Exposure limit(s)   Exposure lime   Exposure type   L     Components   Value   Exposure time   Exposure type   L     Titanium dioxide   10 mg/m3   Time Weighted Average (TWA):   AC     15 mg/m3   PEL:   Total dust.   OSH     10 mg/m3   Time Weighted Average   Total dust.   OSH	de
Components   Value   Exposure time   Exposure type   L     Titanium dioxide   10 mg/m3   Time Weighted Average (TWA):   AC     15 mg/m3   PEL:   Total dust.   OSH     10 mg/m3   Time Weighted Average (TOTAL dust.)   OSH	
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): AC   15 mg/m3 PEL: Total dust. OSH   10 mg/m3 Time Weighted Average Total dust. OSH	
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): AC   15 mg/m3 PEL: Total dust. OSH   10 mg/m3 Time Weighted Average Total dust. OSH	List:
15 mg/m3     PEL:     Total dust.     OSF       10 mg/m3     Time Weighted Average     Total dust.     OSH	CGIH
10 mg/m3 Time Weighted Average Total dust. OSH	
	HA Z1
	HA Z1A
10 mg/m3 Time Weighted Average as Ti MX (TWA):	X OEL
20 mg/m3 Short Term Exposure Limit as Ti MX (STEL):	X OEL
9. PHYSICAL AND CHEMICAL PROPERTIES	
Form : Solid Evaporation rate : Not applica	
Appearance : pellets Specific Gravity : Not determ	
Color: BLUEBulk density: Not establiOdour: Very faintVapour pressure: Not applica	
Odour: Very faintVapour pressure: Not applicaMelting point/range: Not determinedVapour density: Not applica	cable
Boiling Point: : Not applicable pH : Not applicable	
Water solubility : Insoluble	cable
	cable
10. STABILITY AND REACTIVITY	cable

3/6

PolyOne

### MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

Version Number 1.0Page 4 of 0Revision Date 05/15/2009Print Date 1/7/2012					
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.					
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
11. TOXICOLOGICAL INFORMATION					
This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.					

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

			T
Additional advice	:	No data available	
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Persistence and degradability	:	Not readily biodegradable.	

#### **13. DISPOSAL CONSIDERATIONS**

PolyOne.

## MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

ersion Number 1.0 Page 5 of 6 evision Date 05/15/2009 Print Date 1/7/2012						
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.						
14. TRANSPORT INFORMATION						
U.S. DOT Classification : Not regulated for transportation.						
ICAO/IATA (air)	: Refer to specific regulation.					
IMO / IMDG (maritime)   : Refer to specific regulation.						
15. REGULATORY INFORMATION						
US Regulations:						
OSHA Status	: Classified as hazardous based on components.					
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)					
Not applicable						
California Proposition : Not applicable 65						
SARA Title III Section 302 I	SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313	SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:						

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET **ZOO BLUE YOUTH**

POLYONE CORPORATION

Version Number 1.0 Revision Date 05/15/2009				Page 6 of 6 Print Date 1/7/2012
	Release Inventory (NPRI)			
Chemical Name		CAS-No.	Weight % 1.00 - 5.00	NPRI ID#
Phthalocyanine blue		147-14-8	1.00 - 5.00	
WHMIS Classific	cation : D2A			
WHMIS Ingredier	nt Disclosure List			
CAS-No.				
147-14-8				
				<b>D</b>
DSL		its of this product st (DSL) or are ex	are on the Canadia	n Domestic
		· · /	1	
National Inventories:				
Australia AICS	: Listed			
China IECS	: Listed			
	<b>X</b> * 4 <b>1</b>			
Europe EINECS	: Listed			
Japan ENCS	: Listed			
Korea KECI	: Listed			
Philippines PICC	S : Listed			
	16. OTHER	INFORMATION	N	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.