MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 05/27/2009

Page 1 of 6 Print Date 1/7/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	RED
Product code	CC10122036
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET RED

Version Number 1.0 Revision Date 05/27/2009

Page 2 of 6 Print Date 1/7/2012

Inhalation	: Move to fresh air in case of accidental inhalation of fumes overheating or combustion. When symptoms persist or in doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When sy persist or in all cases of doubt seek medical advice.	mptoms
Eyes	: Rinse immediately with plenty of water, also under the eye least 15 minutes. If eye irritation persists, seek medical at	
Skin	: Wash off with soap and plenty of water. If skin irritation p seek medical attention.	persists
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used i	n positive
Procedures	pressure mode should be worn to prevent inhalation of airl	
	contaminants.	
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of a	nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possi	ole.
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such	i as
r oneonar provadione	impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product	should not
Environmental precautions	be allowed to enter drains, water courses or the soil.	should not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all n plastic, cardboard or metal containers for disposal. Refer 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic char only in areas with appropriate exhaust ventilation.	ge. Heat
Storage	: Keep containers dry and tightly closed to avoid moisture a	bsorption



MATERIAL SAFETY DATA SHEET RED

Version Number 1.0 Revision Date 05/27/2009

Page 3 of 6 Print Date 1/7/2012

ð	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before br		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
			as Ti	MX OEL
	10 mg/m3	Time Weighted Average (TWA):	45 11	
	10 mg/m3 20 mg/m3		as Ti	
	20 mg/m3	(TWA): Short Term Exposure Limit	as Ti	MX OEL
	20 mg/m3 9. PHYSIC	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti DPERTIES	MX OEL
Form	20 mg/m3 9. PHYSIC : Solic	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti PERTIES ration rate : Not	MX OEL
Appearance	20 mg/m3 9. PHYSIC : Solic : pelle	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapo ts Specif	as Ti DPERTIES ration rate : Not ic Gravity : Not	MX OEL
Appearance Color	20 mg/m3 9. PHYSIC : Solic : pelle : RED	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapo ts Specif Bulk d	as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not	MX OEL t applicable t determined t established
Appearance Color Odour	20 mg/m3 9. PHYSIC : Solic : pelle : RED : Very	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapo ts Specif b Bulk d r faint Vapou	as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not r pressure : Not	MX OEL applicable determined established applicable
Appearance Color Odour Melting point/range	20 mg/m3 9. PHYSIC : Solid : pelle : RED : Very : Not of	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapo ts Specif b Bulk d faint Vapou determined Vapou	as Ti DPERTIES ration rate : Not ensity : Not r pressure : Not r density : Not	MX OEL applicable determined testablished applicable tapplicable
Appearance Color Odour	20 mg/m3 9. PHYSIC : Solid : pelle : RED : Very : Not of	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapo ts Specif b Bulk d tfaint Vapou determined Vapou applicable pH	as Ti DPERTIES ration rate : Not ensity : Not r pressure : Not r density : Not	MX OEL applicable determined established applicable
Appearance Color Odour Melting point/range Boiling Point:	20 mg/m3 9. PHYSIC : Solic : pelle : RED : Very : Not a : Insol	(TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapo ts Specif b Bulk d tfaint Vapou determined Vapou applicable pH	as Ti DPERTIES ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not : Not	MX OEL applicable determined testablished applicable tapplicable



MATERIAL SAFETY DATA SHEET

ion Number 1.0				Page 4
sion Date 05/27/20	009		Prin	nt Date 1/7/
Conditions to avoid		om oxidizing agents ar n, do not overheat.	nd open flame. To a	avoid therma
Incompatible Materi	als : Incompatible	with strong acids and	oxidizing agents.	
Hazardous decompos products		de (CO2), carbon mono hazardous materials, ar		
	11. TOXICOLOG	ICAL INFORMATIO	ON	
<u>Toxicity Overview</u> This product contain	s the following components w	hich in their pure form	have the following	characterist
CAS-No.	Chemical Name	Effect	Target (Organ
13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target (Respiratory syste	
13463-67-7 Carcinogenicity This product contain data:	Titanium dioxide	Systemic effects	Respiratory syste	em. Ig carcinogen
13463-67-7 Carcinogenicity This product contain	Titanium dioxide	Systemic effects	Respiratory syste	em.
13463-67-7 Carcinogenicity This product contain data: CAS-No. 13463-67-7 IARC Carcinogen Cl 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is	Titanium dioxide s the following components w Chemical Name Titanium dioxide lassifications: s carcinogenic to humans. is probably carcinogenic to hu is possibly carcinogenic to hu ssifications: s known to be a human carcino	Systemic effects which, in their pure form OSHA no umans. umans.	Respiratory syste	em. 1g carcinoger NTP
13463-67-7 Carcinogenicity This product contain data: CAS-No. 13463-67-7 IARC Carcinogen Cl 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is	Titanium dioxide s the following components w Chemical Name Titanium dioxide lassifications: s carcinogenic to humans. is probably carcinogenic to humans. is possibly carcinogenic to humans.	Systemic effects which, in their pure form OSHA no umans. umans.	Respiratory syste	em. g carcinogen NTP

Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	

13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET **RED**

sion Number 1.0 rision Date 05/27/2009	Page 5 of Print Date 1/7/201
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Propositior 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	oxic Chemicals:
	identified under this section, this product is Not Applicable under this regulation
Unless specific chemicals are	identified under tills section, tills product is root repricable under tills regulativ

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 05/27/2009		Page 6 of 6 Print Date 1/7/2012
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.