MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009 Page 1 of 6 Print Date <u>1/8/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YAKIMA RED CC 2
Product code	:	CC10123086
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009 Page 2 of 6 Print Date 1/8/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit		not applicable
Lower explosion limit	÷	not applicable
Autoignition temperature		not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009 Page 3 of 6 Print Date 1/8/2012

8. EXF	POSUI	RE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
9.	PHYS	SICAL AND CHEMICAL PROPERTIES		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: so : pe : Rl : ve : No : no			
Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : Rl : ve : Ne : nc : in	lidEvaporation rate: Not applicableelletsSpecific Gravity: Not determinedEDBulk density: Not establishedery faintVapour pressure: not applicableot determinedVapour density: not applicableot applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	: so : pe : Rl : ve : Ne : nc : in	lidEvaporation rate: Not applicableelletsSpecific Gravity: Not determinedEDBulk density: Not establishederry faintVapour pressure: not applicableot determinedVapour density: not applicableot applicablepH: not applicablesoluble::		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: so : pe : Rl : ve : Ne : nc : in	lidEvaporation rate:Not applicableelletsSpecific Gravity:Not determinedEDBulk density:Not establishedrry faintVapour pressure:not applicableot determinedVapour density:not applicableot applicablepH:not applicablesoluble.STABILITY AND REACTIVITY.		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: so : pe : Rl : ve : Ne : nc : in	lid Evaporation rate : Not applicable ellets Specific Gravity : Not determined ED Bulk density : Not established ery faint Vapour pressure : not applicable bit determined Vapour density : not applicable bit determined pH : not applicable soluble . . Stable . .		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: so : pe : Rl : ve : Ne : nc : in	lid Evaporation rate : Not applicable ellets Specific Gravity : Not determined ED Bulk density : Not established ery faint Vapour pressure : not applicable ot determined Vapour density : not applicable ot determined pH : not applicable ot applicable pH : not applicable soluble Stable . Will not occur. Keep away from oxidizing agents and open flame. To avoid thermal		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: so : pe : Rl : ve : Ne : nc : in	lid Evaporation rate : Not applicable ellets Specific Gravity : Not determined ED Bulk density : Not established rry faint Vapour pressure : not applicable ot determined Vapour density : not applicable ot determined pH : not applicable ot applicable pH : not applicable soluble Stable . Stable Will not occur. . Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. .		

PolyOne.

MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009 Page 4 of 6 Print Date 1/8/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

4/6

MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009

Page 5 of 6 Print Date 1/8/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Chemical Name CAS-No. Weight percent

ZINC COMPOUNDS	1314-98-3	10.00 - 30.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc sulfide	1314-98-3	10.00 - 30.00	

WHMIS Classification : Not controlled.

DSL

All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed

Europe EINECS : Listed Japan ENCS : Listed

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

5/6

PolyOne

MATERIAL SAFETY DATA SHEET YAKIMA RED CC 2

Version Number 1.1 Revision Date 06/29/2009

Page 6 of 6 Print Date 1/8/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.