PolyOne

MATERIAL SAFETY DATA SHEET 1895C PINK PP

Version Number 1.0 Revision Date 07/01/2009 Page 1 of 6 Print Date 1/8/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	1895C PINK PP			
Product code	:	CC10123111			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **1895C PINK PP**

Version Number 1.0 Revision Date 07/01/2009 Page 2 of 6 Print Date 1/8/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Elementela Lincita		
Flammable Limits Upper explosion limit		not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **1895C PINK PP**

Version Number 1.0					
Revision Date 07/01/2009					

Page 3 of 6 Print Date 1/8/2012

8.]	EXPOSURE	CONTROLS/PERSO	NAL PROTEC	TION			
Respiratory protection	: N	lo personal respiratory p	rotective equipn	nent normally	required.		
Eye/Face Protection	: Safety glasses with side-shields						
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	Long sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		Iandle in accordance wit ractice. Wash hands bef	0		•		
Engineering measures		leat only in areas with ap ppropriate exhaust venti			Provide		
Exposure limit(s)							
Components	Value	Exposure time	Exp	osure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Aver					
		(TWA):	8-		ACGIH		
	15 mg/m3	PEL:	То	Total dust.			
	10 mg/m3	Time Weighted Aver (TWA):	age To	Total dust.			
	10 mg/m3	Time Weighted Aver (TWA):	age	as Ti			
	20 mg/m3	Short Term Exposure I (STEL):	Limit	as Ti			
	9. PHYSI	CAL AND CHEMICAI	PROPERTIE	S			
Form	: solid		Evaporation rate		applicable		
Appearance Colour	: pelle : PINI		Specific Gravity : Not determined Bulk density : Not established				
Odour			Bulk density				
Melting point/range			Vapour pressure : not applicable Vapour density : not applicable				
Boiling Point:			oH		applicable		
Water solubility	: insol			. 100	applicable		
	10. 5	STABILITY AND REA	CTIVITY				
	a	table					
Stability	: S	luoie					

3/6



MATERIAL SAFETY DATA SHEET

sion Number 1.0 vision Date 07/01/20	009			Prir	Page 4 (nt Date 1/8/2)
Conditions to avoid			om oxidizing agents ar n, do not overheat.	nd open flame. To	avoid thermal
Incompatible Materi	ials	: Incompatible	with strong acids and	oxidizing agents.	
Hazardous decompo products	osition		de (CO2), carbon mono hazardous materials, a		
	1	1. TOXICOLOG	ICAL INFORMATI	ON	
CAS-No.		hemical Name	Effect	Target	Organ
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system	em.
Carcinogenicity			Systemic effects		
Carcinogenicity This product contain	ns the follow	ring components w	hich, in their pure form	n, have the followir	ng carcinogenic
Carcinogenicity This product contain data:	as the follow				
Carcinogenicity This product contain data: CAS-No. 13463-67-7 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component i	as the follow Titanium Classification s carcinoger t is probably t is possibly assifications s known to b	ring components w Chemical Name m dioxide ns: nic to humans. v carcinogenic to hu carcinogenic to hu carcinogenic to hu : be a human carcino	hich, in their pure form OSHA no umans. umans.	n, have the followir	ng carcinogenic
Carcinogenicity This product contain data: CAS-No. 13463-67-7 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component i	as the follow Titanium Classification s carcinoger t is probably t is possibly assifications s known to b	ring components w <u>Chemical Name</u> <u>m dioxide</u> is: nic to humans. v carcinogenic to hu carcinogenic to hu carcinogenic to hu ; be a human carcino v anticipated to be a	hich, in their pure form OSHA no umans. umans. ogen.	n, have the followir IARC 2B	ng carcinogenic
Carcinogenicity This product contain data: CAS-No. 13463-67-7 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component i	Titanium Classification s carcinoger t is probably t is possibly assifications s known to s reasonably	ring components w <u>Chemical Name</u> <u>m dioxide</u> is: nic to humans. v carcinogenic to hu carcinogenic to hu carcinogenic to hu ; be a human carcino v anticipated to be a	hich, in their pure form OSHA no umans. umans. ogen. a human carcinogen. CAL INFORMATION	n, have the followir IARC 2B	ng carcinogeni

: Chemicals are not readily available as they are bound within the **Bioaccumulation Potential** polymer matrix.

polymer matrix.

Additional advice : no data available

13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET **1895C PINK PP**

sion Number 1.0 rision Date 07/01/2009	Page 5 of Print Date 1/8/20
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulati
SARA Title III Section 313 T	oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulati

PolyOne

MATERIAL SAFETY DATA SHEET 1895C PINK PP

Version Number 1.0 Revision Date 07/01/2009					P Print Date	age 6 of 6 1/8/2012
National Pollutant Releas	se Ir	ventory (NPRI)				
Chemical Name			CAS-No.	Weight percent	NPRI ID	#
Aluminum oxide			1344-28-1	0.10 - 1.00		
WHMIS Classification	:	All component	s of this product (DSL) or are exe	are on the Canadia empt.	an Domestic	
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER I	NFORMATION	I		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.