MATERIAL SAFETY DATA SHEET 182C PINK PP

Version Number 1.0 Revision Date 07/01/2009

Page 1 of 6 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Product Stewardship (770) 271-5902 Telephone : **Emergency telephone** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : 182C PINK PP CC10123113 Product code : Chemical Name Mixture : CAS-No. Mixture : Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent	
Titanium dioxide	13463-67-7	10 - 30	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 182C PINK PP

Version Number 1.0 Revision Date 07/01/2009 Page 2 of 6 Print Date 1/8/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET 182C PINK PP

Version Number 1.0 Revision Date 07/01/2009

_

_

Page 3 of 6 Print Date 1/8/2012

8.]	EXPOSURE	E CONTROLS/PERSO	NAL P	ROTECTION			
Respiratory protection	: N	No personal respiratory p	rotectiv	e equipment nor	nally 1	required.	
Eye/Face Protection	: Safety glasses with side-shields						
Hand protection	: P	: Protective gloves					
Skin and body protection	: L	: Long sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		Handle in accordance wit ractice. Wash hands bef					
Engineering measures		Ieat only in areas with appropriate exhaust venti			ation.	Provide	
Exposure limit(s)							
Components	Value	Exposure time		Exposure typ	be .	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average				ACGIH	
	15	(TWA): PEL:		Total dust.		OSUA 71	
	15 mg/m3 10 mg/m3	Time Weighted Aver	0.00	Total dust. Total dust.		OSHA Z1 OSHA Z1A	
	10 mg/m3	(TWA):	age	i otar dust.		USIIA LIA	
	10 mg/m3			as Ti		MX OEL	
	20 mg/m3	Short Term Exposure I (STEL):	Limit	as Ti		MX OEL	
	9. PHYSI	CAL AND CHEMICA	L PRO	PERTIES			
Form	: solid			ation rate :		applicable	
Appearance	: pelle	ets	Specific	c Gravity :	Not	determined	
Colour	: PIN		Bulk de			established	
Odour			Vapour pressure : not applicable				
Melting point/range			Vapour density : not applicable				
Boiling Point:			pН	:	not	applicable	
Water solubility	: insol	luble					
	10. 9	STABILITY AND REA	CTIV	ITY			
	: S	table					
Stability							



MATERIAL SAFETY DATA SHEET

vision Date 07/01/20	009			Prir	Page 4 t Date 1/8/2
Conditions to avoid			n oxidizing agents an do not overheat.	d open flame. To a	avoid thermal
Incompatible Materi	als : Ii	compatible wi	th strong acids and o	xidizing agents.	
Hazardous decompo products			(CO2), carbon mono zardous materials, an		
	11. TO	XICOLOGIC	CAL INFORMATIO	DN	
-		-	ch in their pure form	-	
CAS-No. 13463-67-7	Chemica Titanium diox		Effect Systemic effects	Target Respiratory system	
Carcinogenicity					
data:		-	ch, in their pure form		
This product contain		cal Name	ch, in their pure form OSHA no	have the followin	g carcinogenio NTP no
This product contain data: CAS-No. 13463-67-7 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component i	Chemi Titanium diox lassifications: s carcinogenic to l is probably carcin is possibly carcin assifications: s known to be a hu	cal Name tide numans. nogenic to hum ogenic to hum uman carcinoge	OSHA no nans. ans.	IARC	NTP
This product contain data: CAS-No. 13463-67-7 IARC Carcinogen C 1 - The component i 2A - The component 2B - The component NTP Carcinogen Cla	Chemi Titanium diox lassifications: s carcinogenic to l is probably carcin is possibly carcin assifications: s known to be a hu	cal Name tide numans. nogenic to hum ogenic to hum uman carcinoge	OSHA no nans. ans.	IARC	NTP

reisistence and degradability	•	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available

13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET **182C PINK PP**

rsion Number 1.0 vision Date 07/01/2009 Product Contaminated packaging	 Page 5 c Print Date 1/8/20 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	 possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	 possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	kic Chemicals:
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	

PolyOne

MATERIAL SAFETY DATA SHEET 182C PINK PP

Version Number 1.0 Revision Date 07/01/2009				Page 6 of 6 Print Date 1/8/2012
National Pollutant Release I	Inventory (NPRI)			
Chemical Name		CAS-No.	Weight percent	NPRI ID#
Aluminum oxide		1344-28-1	0.10 - 1.00	
WHMIS Classification :	D2A			
DSL :		of this product a (DSL) or are exe	re on the Canadiar mpt.	n Domestic
National Inventories:				
Australia AICS :	Listed			
China IECS :	Listed			
Europe EINECS :	Listed			
Japan ENCS :	Listed			
Korea KECI :	Listed			
Philippines PICCS :	Listed			
	16. OTHER IN	FORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.