## MATERIAL SAFETY DATA SHEET **SMOKE BLUE**

Version Number 1.0 Revision Date 07/14/2009 Page 1 of 7 Print Date 1/8/2012

## 1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SMOKE BLUE
Product code	:	CC10123555
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon black	1333-86-4	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **SMOKE BLUE**

Version Number 1.0 Revision Date 07/14/2009 Page 2 of 7 Print Date 1/8/2012

Inhalation		
	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	::	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	•	(NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/7



# MATERIAL SAFETY DATA SHEET **SMOKE BLUE**

Version Number 1.0 Revision Date 07/14/2009

\_\_\_\_

\_

\_

Page 3 of 7 Print Date 1/8/2012

8. ]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respiratory protective equipment normally required. Safety glasses with side-shields				
Eye/Face Protection	: S					
Hand protection	: P	Protective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		landle in accordance with goo ractice. Wash hands before b				
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		n. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH		
Carbon black	3.5 mg/m3 3.5 mg/m3			ACGIH NIOSH		
		(TWA): Recommended exposure				
	3.5 mg/m3	(TWA): Recommended exposure limit (REL): Recommended exposure		NIOSH		
	3.5 mg/m3 0.1 mg/m3	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL):		NIOSH		
	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average		NIOSH NIOSH OSHA Z1		
	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average		NIOSH NIOSH OSHA Z1 OSHA Z1A		
	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit		NIOSH NIOSH OSHA Z1 OSHA Z1A MX OEL		
	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR	OPERTIES	NIOSH NIOSH OSHA Z1 OSHA Z1A MX OEL MX OEL		
Form	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC : solid	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR	OPERTIES	Iot applicable		
Form	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC : solid : pelle	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR Evaports	OPERTIES Dration rate : N fic Gravity : N	Iot applicable		
Form Appearance Colour	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC : solid : pelle : BLU	(TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR Evaports Speci E Bulk	OPERTIES Diration rate : N fic Gravity : N density : N	Iot applicable lot established		
Form Appearance Colour Ddour	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC : solid : pelle : BLU : very	(TWA):   Recommended exposure   limit (REL):   Recommended exposure   limit (REL):   PEL:   Time Weighted Average   (TWA):   Time Weighted Average   (TWA):   Short Term Exposure Limit   (STEL):   CAL AND CHEMICAL PR   L Evaports   Speci   E Bulk   faint Vapo	OPERTIES Diration rate : N fic Gravity : N density : N ur pressure : no	Iot applicable lot established ot applicable		
Carbon black	3.5 mg/m3 0.1 mg/m3 3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 7 mg/m3 9. PHYSIC : solid : pelle : BLU : very : Not of	(TWA):   Recommended exposure   limit (REL):   Recommended exposure   limit (REL):   PEL:   Time Weighted Average   (TWA):   Time Weighted Average   (TWA):   Short Term Exposure Limit   (STEL):   CAL AND CHEMICAL PR   L Evaports   Speci   E Bulk   faint Vapo	OPERTIES   Dration rate : N   fic Gravity : N   density : N   ur pressure : n   ur density : n	Iot applicable lot established		

## MATERIAL SAFETY DATA SHEET **SMOKE BLUE**

Version Number 1.0 Revision Date 07/14/2009		Page 4 of Print Date 1/8/201	
Stability	:	Stable	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

Γ	CAS-No.	Chemical Name	OSHA	IARC	NTP
	1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

<u>PolvOne</u>

#### MATERIAL SAFETY DATA SHEET SMOKE BLUE

Version Number 1.0 Revision Date 07/14/2009 Page 5 of 7 Print Date 1/8/2012

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

PolyOne.

# MATERIAL SAFETY DATA SHEET **SMOKE BLUE**

Version Number 1.0	Page 6 of 7
Revision Date 07/14/2009	Print Date 1/8/2012
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sul	bstances (40 CFR 302)
not applicable	
California Proposition : 65	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extrem	nely Hazardous Substance
Unless specific chemicals are iden	tified under this section, this product is Not Applicable under this regulation
1	
SARA Title III Section 313 Toxic	
Unless specific chemicals are iden	tified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
not applicable	
WHMIS Classification :	D2A
WHMIS Ingredient Disclos	ure List
CAS-No.	
1333-86-4	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Not determined
China IECS :	Listed
Europe EINECS :	
-	
Japan ENCS :	Not determined
	1

7/7

## POLYONE CORPORATION

#### MATERIAL SAFETY DATA SHEET SMOKE BLUE

Version Number 1.0 Revision Date 07/14/2009

Philippines PICCS

Korea KECI

: Not determined

: Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 7 of 7 Print Date 1/8/2012