## MATERIAL SAFETY DATA SHEET TRITAN 4/C YAHOO PURPLE

Version Number 1.0 Revision Date 07/16/2009 Page 1 of 5 Print Date 1/8/2012

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	TRITAN 4/C YAHOO PURPLE
Product code :	CC10123658
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
emonic exposure	
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRITAN 4/C YAHOO PURPLE**

Version Number 1.0 Revision Date 07/16/2009 Page 2 of 5 Print Date 1/8/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit		not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	÷	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **TRITAN 4/C YAHOO PURPLE**

Version Number 1.0 Revision Date 07/16/2009 Page 3 of 5 Print Date 1/8/2012

9 EV	TOSUDE CONTROLS	DEDSONAL DROTECTION		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	: No personal resp	iratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses wi	th side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clo	thing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		ance with good industrial hygiene and safety ands before breaks and at the end of workday.		
Engineering measures		s with appropriate exhaust ventilation. Provide ust ventilation at machinery.		
There are no known hazardo		ulatory thresholds in this product.		
9 Form	<b>PHYSICAL AND CHI</b> : solid	EMICAL PROPERTIES Evaporation rate : Not applicable		
There are no known hazardo	9. PHYSICAL AND CHI	EMICAL PROPERTIES		
There are no known hazardo 9 Form Appearance Colour Odour	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable		
There are no known hazardo 9 Form Appearance Colour Odour Melting point/range	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable		
There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable		
There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	EMICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable : Not determined Bulk density : Not established Vapour pressure Vapour density pH: Not applicable icable : not applicable icable		
There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	EMICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable : Not determined Bulk density : Not established Vapour pressure Vapour density pH: Not applicable icable : not applicable icable		
There are no known hazardo 9 Form Appearance Colour Odour	<ul> <li><b>PHYSICAL AND CHI</b></li> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY A</b>	EMICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable : Not determined Bulk density : Not established Vapour pressure Vapour density pH: Not applicable icable : not applicable icable		
There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li><b>PHYSICAL AND CHI</b> <ol> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ol> </li> <li><b>10. STABILITY A</b></li> <li>Stable</li> <li>Will not occur.</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         ND REACTIVITY          oxidizing agents and open flame. To avoid thermal		
There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li><b>PHYSICAL AND CHI</b> <ol> <li>solid</li> <li>pellets</li> <li>PURPLE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ol> </li> <li><b>10. STABILITY A</b></li> <li>Stable</li> <li>Will not occur.</li> <li>Keep away from decomposition, d</li> </ul>	EMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         ND REACTIVITY          oxidizing agents and open flame. To avoid thermal		

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET TRITAN 4/C YAHOO PURPLE

Version Number 1.0 Revision Date 07/16/2009 Page 4 of 5 Print Date 1/8/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

## MATERIAL SAFETY DATA SHEET TRITAN 4/C YAHOO PURPLE

Version Number 1.0 Revision Date 07/16/2009 Page 5 of 5 Print Date 1/8/2012

California Proposition 65	:	Not applicable			
SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are id	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Not determined			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.