PolyOne

MATERIAL SAFETY DATA SHEET TRANS GREEN

Version Number 1.0 Revision Date 08/18/2009 Page 1 of 6 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS GREEN
Product code	:	CC10123883
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Acrylic Ester	Not Available	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0 Revision Date 08/18/2009 Page 2 of 6 Print Date 1/8/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **TRANS GREEN**

Version Number 1.0					
Revision Date	08/18/2009				

Page 3 of 6 Print Date 1/8/2012

8. EXI	POSURE	CONTROLS/PERSONAL PROTECTION	
Respiratory protection		personal respiratory protective equipment normally required.	
Eye/Face Protection		fety glasses with side-shields	
Hand protection	: Pro	otective gloves	
Skin and body protection	: Lo	ng sleeved clothing	
Additional Protective Measures	: Sa	fety shoes	
General Hygiene Considerations		ndle in accordance with good industrial hygiene and safety actice. Wash hands before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
9.	PHYSIC	AL AND CHEMICAL PROPERTIES	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pellets : GREE : very f	Evaporation rate:Not applicableSpecific Gravity:Not determinedSNBulk density:Not establishedaintVapour pressure:not applicableeterminedVapour density:not applicableplicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pellets : GREE : very f : Not de : not ap : insolu	Evaporation rate:Not applicableSpecific Gravity:Not determinedSNBulk density:Not establishedaintVapour pressure:not applicableeterminedVapour density:not applicableplicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pellets : GREE : very fa : Not de : not ap : insolu 10. ST	Evaporation rate : Not applicable Specific Gravity : Not determined N Bulk density : Not established aint Vapour pressure : not applicable etermined Vapour density : not applicable plicable pH : not applicable ble	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: solid : pellets : GREE : very f : Not de : not ap : insolu 10. ST : Sta	Evaporation rate: Not applicableSSpecific Gravity: Not determinedNBulk density: Not establishedaintVapour pressure: not applicableeterminedVapour density: not applicableplicablepH: not applicablebleSS	
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pellets : GREE : very fi : Not de : not ap : insolu 10. S T : Sta : Wi : Wi	Evaporation rate : Not applicable Specific Gravity : Not determined N Bulk density : Not established aint Vapour pressure : not applicable etermined Vapour density : not applicable plicable pH : not applicable ble : : not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: solid : pellets : GREE : very fi : Not da : not ap : insolu 10. ST : Sta : Wi : Ke dea	Evaporation rate : Not applicable Specific Gravity : Not determined SN Bulk density : Not established aint Vapour pressure : not applicable etermined Vapour density : not applicable plicable pH : not applicable ble rot applicable : TABILITY AND REACTIVITY : : able : : ible : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: solid : pellets : GREE : very f : Not de : not ap : insolu 10. ST : Sta : Wi : Ke dea : Inc : Ca	Evaporation rate:Not applicableSSpecific Gravity:Not determinedCNBulk density:Not establishedaintVapour pressure:not applicableeterminedVapour density:not applicableplicablepH:not applicableble:not applicableIble:not applicableIl not occur.:::ep away from oxidizing agents and open flame.To avoid thermal composition, do not overheat.:	

PolyOne

MATERIAL SAFETY DATA SHEET TRANS GREEN

Version Number 1.0				
Revision Date	08/18/2009			

Page 4 of 6 Print Date 1/8/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
Not Available	Miscellaneous Acrylic Ester	sensitizer	Skin.
		Irritant	Eyes, Skin.

 Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. no data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
 polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. no data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
 polymer matrix. no data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
 possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
material has the responsibility for proper waste classification,
transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Refer to specific regulation.
: Refer to specific regulation.
15. REGULATORY INFORMATION
: Classified as hazardous based on components.
: : 1

PolvOne

MATERIAL SAFETY DATA SHEET TRANS GREEN

Version Number 1.0 Revision Date 08/18/2009 Page 5 of 6 Print Date 1/8/2012

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine blue	147-14-8	0.10 - 1.00	
Phthalocyanine green	1328-53-6	0.10 - 1.00	

WHMIS Classification DSL	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

MATERIAL SAFETY DATA SHEET TRANS GREEN

Version Number 1.0 Revision Date 08/18/2009

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

