MATERIAL SAFETY DATA SHEET **TRANSPARENT BLUE**

Version Number 1.1 Revision Date 08/13/2009 Page 1 of 6 Print Date <u>1/8/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSPARENT BLUE
Product code	:	CC10123966
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5
Bis (2-ethylhexyl) adipate	103-23-1	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSPARENT BLUE**

Version Number 1.1 Revision Date 08/13/2009 Page 2 of 6 Print Date 1/8/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSPARENT BLUE**

Version Number 1.1 Revision Date 08/13/2009 Page 3 of 6 Print Date 1/8/2012

8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: U	nder normal handling condition	ons a respirator may not b	e required.
Eye/Face Protection	: S	afety glasses with side-shields	;	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before by		
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous, fumed, crystal-free	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	(TWA): Time Weighted Average (TWA):	Respirable dust.	MX OEL
		Time Weighted Average (TWA):		MX OEL
		Time Weighted Average		MX OEL
	9. PHYSIC	Time Weighted Average (TWA): CAL AND CHEMICAL PRO	DPERTIES	established
Appearance	9. PHYSIC : liquid : visco	Time Weighted Average (TWA): CAL AND CHEMICAL PR(d Evapo ous, liquid Specif	OPERTIES ration rate : Not of ic Gravity	established determined
Form Appearance Colour	9. PHYSIC : liquid : visco : BLU	Time Weighted Average (TWA): CAL AND CHEMICAL PR(d Evapo ous, liquid Specif E Bulk c	OPERTIES ration rate : Not of the second secon	established determined applicable
Appearance Colour Odour	9. PHYSIC : liquid : visco : BLU : very	Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo ous, liquid Specif E Bulk o faint Vapou	OPERTIES ration rate : Not of the second secon	established determined applicable determined
Appearance Colour Odour Melting point/range	9. PHYSIC : liquid : visco : BLU : very : not a	Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo bus, liquid Specif E Bulk c faint Vapou pplicable Vapou	OPERTIES oration rate : Not of the second seco	established determined applicable determined determined
Appearance Colour Odour	9. PHYSIC : liquid : visco : BLU : very : not a	Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo bus, liquid Specif E Bulk c faint Vapou pplicable Vapou pplicable pH	OPERTIES oration rate : Not of the second seco	established determined applicable determined
Appearance Colour Odour Melting point/range Boiling Point:	9. PHYSIC : liquid : visco : BLU : very : not a : not a : immi	Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo bus, liquid Specif E Bulk c faint Vapou pplicable Vapou pplicable pH	DPERTIES ration rate : Not of the second secon	established determined applicable determined determined
Appearance Colour Odour Melting point/range Boiling Point:	9. PHYSIC : liquid : visco : BLU : very : not a : immi 10. S	Time Weighted Average (TWA): CAL AND CHEMICAL PR(d Evapo ous, liquid Specif E Bulk c faint Vapou pplicable Vapou pplicable pH scible	DPERTIES ration rate : Not of the second secon	established determined applicable determined determined

PolyOne

Page 4 of 6

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **TRANSPARENT BLUE**

Revision Date 08/13/2009		Print Date 1/8/2012	2
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

Version Number 1.1

This product contains the following components which in their pure form have the following characteristics:

	CAS-No.	Chemical Name	Effect	Target Organ
11	12945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
112945-52-5	Silica, amorphous, fumed, crystal-free	Oral LD50	3,160 mg/kg	rat
103-23-1	Bis (2-ethylhexyl) adipate	Oral LD50Oral LD50Oral LD50	9,100 mg/kg15,000 mg/kg5,600 mg/kg	ratmouserat

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	:	Does not bioaccumulate.
Additional advice	:	no data available

13. DISPOSAL CONSIDERATIONS

Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

MATERIAL SAFETY DATA SHEET TRANSPARENT BLUE

Version Number 1.1 Revision Date 08/13/2009 Page 5 of 6 Print Date 1/8/2012

U.S. DOT Classification	· N	lot regulated for t	ransportation		
		-	-		
ICAO/IATA	: 1	lot regulated for t	ransportation.		
IMO / IMDG (maritime)	: 1	lot regulated for t	ransportation.		
	15. I	REGULATORY	INFORMAT	TION	
US Regulations:					
OSHA Status	: (lassified as hazar	dous based or	n components.	
TSCA Status		All components o SCA Inventory.	f this product	are listed on or exe	empt from the
US. EPA CERCLA Hazardo	us Substa	nces (40 CFR 302	2)		
not applicable					
65					
SARA Title III Section 302 I	Extremely	Hazardous Subs	tance		
Unless specific chemicals are	e identifie	d under this secti	on, this produ	ct is Not Applicabl	e under this regul
SARA Title III Section 313	Foxic Che	micals:			
Unless specific chemicals are	e identifie	d under this secti	on, this produ	ct is Not Applicabl	e under this regul
Canadian Regulations:					
National Pollutant Re	lease Invo	entory (NPRI)			
Chemical Name			CAS-No.	Weight	NPRI ID#
			103-23-1	percent 30.00 - 60.00	
Bis (2-ethylhexyl) adipate					

PolyOne

MATERIAL SAFETY DATA SHEET TRANSPARENT BLUE

Australia AICS		Listed	
China IECS Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Korea KECI	:	Listed	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.