MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009

Page 1 of 7 Print Date 1/9/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	BLACK
Product code :	CC10125144
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon black	1333-86-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009 Page 2 of 7 Print Date 1/9/2012

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after signific exposure.	ant
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. irritation persists, seek medical attention.	If eye
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	s
	5. FIRE-FIGHTING MEASURES	
Flash point	: Greater than 200 °F (93 °C)	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible. 	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses the soil. Should not be released into the environment.	or
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this M for proper disposal methods.	SDS
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion



MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009

_

Page 3 of 7 Print Date 1/9/2012

		nd contamination. Store in a	cool dry place.		
0 1		CONTROLS/PERSONAL			
0.1	LAPUSUKE	CONTROLS/PERSONAL	FROIECTION		
Respiratory protection	: U	nder normal handling condit	ions a respirator may no	t be required.	
Eye/Face Protection	ection : Safety glasses with side-shields				
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance with goo ractice. Wash hands before b			
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		. Provide	
Exposure limit(s)	X7.1		E	1	
Components	Value	Exposure time	Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH	
	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH	
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH	
	3.5 mg/m3	PEL:		OSHA Z1	
	3.5 mg/m3	Time Weighted Average		OSHA Z1A	
	5.5 mg/m5				
	3.5 mg/m3	(TWA): Time Weighted Average		MX OEL	
	-	(TWA):		MX OEL MX OEL	
	3.5 mg/m3 7 mg/m3	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit			
Form	3.5 mg/m3 7 mg/m3 9. PHYSIC	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR	OPERTIES	MX OEL	
	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquio	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap	OPERTIES oration rate : No	MX OEL	
Appearance	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquid : visco	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap pus, liquid Spec	OPERTIES oration rate : No fic Gravity : No	MX OEL	
Appearance Colour	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquid : visco : BLA	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap bus, liquid Spec. CK Bulk	OPERTIES oration rate : No ific Gravity : No density : No	MX OEL ot established ot determined ot applicable	
Appearance Colour Odour	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquid : visco : BLA : very	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap pus, liquid Spec CK Bulk faint Vapo	OPERTIES oration rate : No ific Gravity : No density : No our pressure : No	MX OEL Dt established tot determined tot applicable bt determined	
Form Appearance Colour Odour Melting point/range Boiling Point:	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquid : visco : BLA : very : not a	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap pus, liquid Spec CK Bulk faint Vapo pplicable Vapo	OPERTIES oration rate : No offic Gravity : No density : No our pressure : No our density : No our density : No	MX OEL bt established bt determined bt applicable bt determined bt determined	
Appearance Colour Odour	3.5 mg/m3 7 mg/m3 9. PHYSIC : liquid : visco : BLA : very : not a	(TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evap pous, liquid Spec CK Bulk faint Vapo pplicable PH	OPERTIES oration rate : No offic Gravity : No density : No our pressure : No our density : No our density : No	MX OEL ot established ot determined ot applicable ot determined	

MATERIAL SAFETY DATA SHEET **BLACK**

Version Number	er 1.0
Revision Date	09/18/2009

Page 4 of 7 Print Date 1/9/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No. Chemical Name		OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

<u>PolvOne</u>

MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009

Page 5 of 7 Print Date 1/9/2012

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009 Page 6 of 7 Print Date 1/9/2012

	TSCA Inventory	<i>.</i>			
US. EPA CERCLA Hazardous Subs	stances (40 CFR 3	302)			
not applicable					
California Proposition : 65	WARNING! Th California to cau	uis product contain use cancer.	s a chemical know	wn to the Stat	e of
SARA Title III Section 302 Extreme	ely Hazardous Su	bstance			
Unless specific chemicals are identi	fied under this sec	ction, this product	is Not Applicable	under this re	gulatior
L		1	11		-
SARA Title III Section 313 Toxic C Unless specific chemicals are identi Canadian Regulations:		ction, this product	is Not Applicable	under this re	gulatior
-					
National Pollutant Release In Chemical Name	ventory (NPRI)	CAS-No.	Weight	NPRI ID#]
Phenol, nonyl-, phosphite (3:1)		26523-78-4	percent		-
Filehol, honyi-, phosphile (5.1)		20323-78-4	1.00 - 5.00 1.00 - 5.00		
			1.00 - 5.00]
WHMIS Classification : WHMIS Ingredient Disclosu CAS-No. 1333-86-4 DSL :	All components	of this product are (DSL) or are exem		Domestic	
National Inventories:		(2.5.2) of eac chem	r ··		
Australia AICS :	Not determined				
China IECS :	Not determined				
Europe EINECS :	Not determined				
	6/	7			

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 09/18/2009

Korea KECI

Page 7 of 7 Print Date 1/9/2012

Japan ENCS : Not determined

: Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.