PolvOne

MATERIAL SAFETY DATA SHEET BLACK/GRAY UV

Version Number 1.0 Revision Date 10/09/2009

Page 1 of 7 Print Date 1/9/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	BLACK/GRAY UV
Product code :	CC10125830
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	5 - 10
Carbon black	1333-86-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK/GRAY UV**

Version Number 1.0 Revision Date 10/09/2009 Page 2 of 7 Print Date 1/9/2012

Medical Conditions		None known.
Aggravated by Exposure:	•	
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	•	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET BLACK/GRAY UV

Version Number 1.0 Revision Date 10/09/2009		Page 3 of 7 Print Date 1/9/2012
Handling Storage	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
9 EVD(or	
8. EXPC	JSU.	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range
- : solid
 : pellets
 : BLACK
 : very faint
 : Not determined
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable



MATERIAL SAFETY DATA SHEET BLACK/GRAY UV

Version Number 1.0 Revision Date 10/09/2009 Page 4 of 7 Print Date 1/9/2012

Boiling Point: Water solubility	: not applicable : insoluble	e pH	: not applicable
	10. STABIL	ITY AND REACTIVITY	
Stability	: Stable		
Hazardous Polymerization	: Will not o	ccur.	
Conditions to avoid	-	y from oxidizing agents and ition, do not overheat.	open flame. To avoid thermal
Incompatible Materials	: Incompati	ble with strong acids and ox	idizing agents.
Hazardous decomposition products		oxide (CO2), carbon monox her hazardous materials, and	ide (CO), oxides of nitrogen smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Irritant	Eyes, Skin, Respiratory system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK/GRAY UV**

Version Number 1.0 Revision Date 10/09/2009 Page 5 of 7 Print Date 1/9/2012

1333-86-4	Carbor	n black	no	2B	no
IARC Carcinoger	n Classification	ns:			
1 - The component					
		y carcinogenic to hu			
2B - The compon	ent is possibly	carcinogenic to hu	mans.		
	nt is known to	be a human carcino	ogen. a human carcinogen.		
response observe exposure. Howev	1333-86-4 Ca ed in the refer ver, the IARC	arcinogenicity: Ma renced rat studies i C evaluation in Mo	any inhalation toxicol is species specific and nograph Volume 65, i	does not correla issued in April 19	te to human 96 concluded
Carbon black response observe exposure. Howev "There is sufficient this evaluation, a overall evaluation listing only perta not been listed and and Health Adm criteria document	1333-86-4 Ca ed in the refer ver, the IARC ent evidence i along with the on is that "Ca ains to airbor s a carcinoger inistration (Co at on carbon 1	arcinogenicity: Ma renced rat studies i C evaluation in Mo in experimental an eir evaluation of in rbon Black is poss ne, unbound carbo n by the National T OSHA). The Natior black recommends	is species specific and	does not correla issued in April 19 genicity of carbon carcinogenicity i umans (Group 2 espirable size. Ca NTP) or the Occu ational Safety an ck with PAH (po	te to human 196 concluded 1 black''. Base 1 humans, IA B). The IARC 1 arbon Black h 1 upational Safe d Health (NIC
Carbon black response observe exposure. Howev "There is sufficient this evaluation, a overall evaluation listing only perta not been listed and and Health Adm criteria document	1333-86-4 Ca ed in the refer ver, the IARC ent evidence i along with the on is that "Ca ains to airbor s a carcinoger inistration (Co at on carbon 1	arcinogenicity: Ma renced rat studies i C evaluation in Mor in experimental an eir evaluation of in rbon Black is possi ne, unbound carbo n by the National T OSHA). The Natior black recommends han 0.1% be consid	is species specific and nograph Volume 65, j imals for the carcinog adequate evidence of ibly carcinogenic to h on black particles of r Foxicology Program (nal Institute of Occup s that only carbon bla	does not correla issued in April 19 genicity of carbon carcinogenicity i umans (Group 2 espirable size. Ca NTP) or the Occ ational Safety an ck with PAH (po gens.	te to human 196 concluded 1 black''. Base 1 humans, IA B). The IARC 1 arbon Black h 1 upational Safe d Health (NIC

Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK/GRAY UV**

-

Version Number 1.0 Revision Date 10/09/2009	Page 6 of 7 Print Date <i>1/9/</i> 2012		
U.S. DOT Classification :	Not regulated for transportation.		
ICAO/IATA :	Refer to specific regulation.		
IMO/IMDG (maritime) :	Refer to specific regulation.		
15. REGULATORY INFORMATION			
US Regulations:			
OSHA Status :	Classified as hazardous based on components.		
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)		
not applicable			
California Proposition : 65	WARNING! This product contains a chemical known to the State of California to cause cancer.		
SARA Title III Section 302 Extrem	ely Hazardous Substance		
Unless specific chemicals are ident	ified under this section, this product is Not Applicable under this regulation		
SARA Title III Section 313 Toxic	Chemicals:		
Unless specific chemicals are ident	ified under this section, this product is Not Applicable under this regulation		
Canadian Regulations:			
National Pollutant Release I	nventory (NPRI)		
not applicable			
WHMIS Classification :	D2A		
WHMIS Ingredient Disclose	are List		
CAS-No. 1333-86-4			
DSL :	All components of this product are on the Canadian Domestic		

PolyOne

MATERIAL SAFETY DATA SHEET BLACK/GRAY UV

Version Number 1.0 Revision Date 10/09/2009

ersion Number 1.0			age 7 of 7	
Revision Date 10/09/2009		Print Date	1/9/2012	_
	Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS :	Listed			
China IECS :	Listed			
Europe EINECS :	Listed			
Japan ENCS :	Not determined			
Korea KECI :	Not determined			
Philippines PICCS :	Not determined			
16. OTHER INFORMATION				-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.