## MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

Version Number 1.0 Revision Date 10/28/2009 Page 1 of 6 Print Date <u>1/9/2012</u>

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BAOTHR 126139
Product code	:	CC10126139
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
2-Butenedioic acid (2Z)-	110-16-7	1 - 5
2,2,4-Trimethylpentane	540-84-1	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

Version Number 1.0 Revision Date 10/28/2009 Page 2 of 6 Print Date 1/9/2012

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



# MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

	0	nly in areas with appropriate	exhaust ventilation.		
Storage		Keep containers dry and tightl nd contamination. Keep in a		re absorption	
8.1	EXPOSURE	C CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shield	s		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
2,2,4- Trimethylpentane	300 ppm	Time Weighted Average (TWA):		ACGIH	
			OPERTIES		
	9. PHYSI	CAL AND CHEMICAL PR			
		CAL AND CHEMICAL PR			
Form	: solid	Evap	oration rate : No	ot applicable	
Form Appearance	: solid : pelle	Evap Evap	oration rate : No fic Gravity : No	ot determined	
Form Appearance Colour	: solid : pelle : NO	Evap Ets Spec PIGMENT Bulk	oration rate : No ific Gravity : No density : No	ot determined ot established	
Form Appearance Colour Odour	: solid : pelle : NO : very	Evap Ets Spec PIGMENT Bulk faint Vapo	oration rate : No ific Gravity : No density : No our pressure : no	ot determined ot established ot applicable	
Form Appearance Colour	: solid : pelle : NO : very : Not	Evap Ets Spec PIGMENT Bulk faint Vapo	oration rate : No ific Gravity : No density : No our pressure : no our density : no	ot determined ot established	
Form Appearance Colour Odour Melting point/range	: solid : pelle : NO : very : Not	E Evap ets Spec PIGMENT Bulk faint Vapo determined Vapo upplicable pH	oration rate : No ific Gravity : No density : No our pressure : no our density : no	ot determined ot established ot applicable ot applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : NO : very : Not : not a : insol	E Evap ets Spec PIGMENT Bulk faint Vapo determined Vapo upplicable pH	oration rate : No ific Gravity : No density : No our pressure : no our density : no : no	ot determined ot established ot applicable ot applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : NO ) : very : Not ( : not a : insol	Evap Ets Spec PIGMENT Bulk faint Vapo determined Vapo pplicable pH uble	oration rate : No ific Gravity : No density : No our pressure : no our density : no : no	ot determined ot established ot applicable ot applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pelle : NO ) : very : Not ( : not a : insol <b>10. \$</b> : S	E Evap ets Spec PIGMENT Bulk faint Vapo determined Vapo upplicable pH uble	oration rate : No ific Gravity : No density : No our pressure : no our density : no : no	ot determined ot established ot applicable ot applicable	

PolyOne.

## MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

#### Version Number 1.0 Revision Date 10/28/2009

Page 4 of 6 Print Date 1/9/2012

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
110-16-7	2-Butenedioic acid (2Z)-	Irritant	Eyes, Respiratory system,
			Skin.
540-84-1	2,2,4-Trimethylpentane	Irritant	Eyes, Skin.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
110-16-7	2-Butenedioic acid (2Z)-	Oral LD50Oral LD50 Dermal LD50	708 mg/kg2,400 mg/kg 1,560 mg/kg	ratmouse rabbit

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,

PolyOne

# MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

Version Number 1.0 Revision Date 10/28/2009 Page 5 of 6 Print Date 1/9/2012

state/provincial and local regulations.				
		14. TRANSPORT INFORMATION		
U.S. DOT Classification	:	Not regulated for transportation.		
ICAO/IATA	:	Refer to specific regulation.		
IMO/IMDG (maritime)	:	Refer to specific regulation.		
	1:	5. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	RQ for
			Mixture/Product
2,2,4-	540-84-1	1,000 lbs	4,000 LB
Trimethylpentane			

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2B

PolyOne

## MATERIAL SAFETY DATA SHEET **BAOTHR 126139**

Version Number 1.0 Revision Date 10/28/2009

\_

Page 6 of 6 Print Date 1/9/2012

WHMIS Ingredient Disclosure List

CAS-No. 110-16-7		
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.