PolvOne

MATERIAL SAFETY DATA SHEET EIA BROWN

Version Number 1.0 Revision Date 10/29/2009 Page 1 of 7 Print Date 1/9/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EIA BROWN
Product code	:	CC10126266
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Triphenyl phosphate	115-86-6	1 - 5
Iron oxide	1309-37-1	10 - 30
Rutile, antimony chromium buff	68186-90-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **EIA BROWN**

Version Number 1.0 Revision Date 10/29/2009 Page 2 of 7 Print Date 1/9/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET **EIA BROWN**

Version Number 1.0 Revision Date 10/29/2009		Page 3 of 7 Print Date 1/9/2012
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOS	U	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET EIA BROWN

Version Number 1.0

Page 4 of 7 Print Date 1/9/2012

Revision Date 10/29/2009

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Triphenyl phosphate	3 mg/m3	Time Weighted Average (TWA):		ACGIH
	3 mg/m3	PEL:		OSHA Z1
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
	6 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range **Boiling Point:** Water solubility

: pellets : TAN : very faint : Not determined : not applicable : insoluble

: solid

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

: Not applicable Not determined : : Not established : not applicable : not applicable : not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.

PolvOne

MATERIAL SAFETY DATA SHEET EIA BROWN

Version Number 1.0

Revision Date 10/29/2009

Page 5 of 7 Print Date 1/9/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
115-86-6	Triphenyl phosphate	Systemic effects	Respiratory system, blood and
			blood forming system, central
			nervous system (CNS).
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory
	chromium buff		system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Che	mical Name	Route	Value	Species
115-86-6	Triphenyl	phosphate	Oral LD50 Dermal LD50	3,500 mg/kg > 7,900 mg/kg	rat rabbit
]	2. ECOLOGIC	AL INFORMATIO	ON	
Persistence and degrad	lability :	Not readily bio	degradable.		
Environmental Toxicit	y :	Chemicals are polymer matrix	not readily availab	le as they are boun	d within the
Bioaccumulation Potential : Chemicals are not readily available as they are bound with polymer matrix.					d within the
Additional advice	:	no data availab	le		
	-	13. DISPOSAL O	CONSIDERATIO	NS	
Product	:	possible recycl generator of wa classification, t	moplastic plastics t ing is preferred to a aste material has th ransportation and a ral, state/provincia	disposal or incinera e responsibility for disposal in accorda	ation. The proper waste nce with
			C 1 1 .	ble. The generator	

PolyOne.

MATERIAL SAFETY DATA SHEET EIA BROWN

Version Number 1.0 Revision Date 10/29/2009 Page 6 of 7 Print Date 1/9/2012

	1	4. TRANSPOR	T INFOR	MATION	N		
U.S. DOT Classification	:	Not regulated f	or transpo	rtation.			
ICAO/IATA	:	Refer to specifi	c regulation	on.			
IMO/IMDG (maritime)	:	Refer to specifi	c regulation	on.			
	15	5. REGULATOR	RY INFO	RMATIO	N		
US Regulations:							
OSHA Status	:	Classified as ha	zardous b	ased on co	omponen	ts.	
TSCA Status	:	All component TSCA Inventor		roduct are	e listed or	or exen	npt from the
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR	302)				
not applicable							
			1 /				
SARA Title III Section 302	Extrem	ery Hazardous Si	ubstance				
Unless specific chemicals are	e identi	fied under this se	ection, this	s product i	is Not Ap	plicable	under this regu
SARA Title III Section 313	Toxic (Chemicals:					
		fied under this se	ection. this	s product i	is Not Ap	plicable	under this regu
Unless specific chemicals are	e identi			T		Weight	
Unless specific chemicals are Chemical Name				CAS-No			*
	UNDS	CHROMIUM II		CAS-No 68186-90		10.00 -	*
Chemical Name CHROMIUM III COMPO	UNDS	CHROMIUM II					*
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMO Canadian Regulations: National Pollutant Re	UNDS NY CO	CHROMIUM II MPOUNDS	I	68186-90)-3	10.00 -	30.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON Canadian Regulations:	OUNDS NY CO lease In	CHROMIUM II MPOUNDS		68186-90		10.00 -	*

PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET EIA BROWN

Version Number 1.0 Revision Date 10/29/2009

Page 7 of 7 Print Date 1/9/2012

WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 1309-37-1 68186-90-3 115-86-6 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed Europe EINECS : Listed Japan ENCS Not determined : Korea KECI : Listed **Philippines PICCS** : Listed **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.