PolvOne

MATERIAL SAFETY DATA SHEET 2330200-10 JPMBQ UV WHITE

Version Number 1.1 Revision Date 12/08/2009 Page 1 of 7 Print Date 1/10/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	2330200-10 JPMBQ UV WHITE
Product code	:	CC10127269
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-	52829-07-9	10 - 30
piperidinyl) ester		
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **2330200-10 JPMBQ UV WHITE**

Version Number 1.1 Revision Date 12/08/2009 Page 2 of 7 Print Date 1/10/2012

Medical Conditions		None known.
Aggravated by Exposure:	·	
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	-	pressure mode should be worn to prevent inhalation of airborne
Universal Eine /Englasian		contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as
		impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **2330200-10 JPMBQ UV WHITE**

Version Number 1.1 Revision Date 12/08/2009

_

Page 3 of 7 Print Date 1/10/2012

		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally required.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)


Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

PolyOne

MATERIAL SAFETY DATA SHEET 2330200-10 JPMBQ UV WHITE

Version Number 1.1 Revision Date 12/08/2009



Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets WHITE very faint Not determined not applicable insoluble 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	:	Not applicable Not determined Not established not applicable not applicable not applicable
	10. STABILITY A	ND REACTIVITY		

:	Stable
:	Will not occur.
:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
:	Incompatible with strong acids and oxidizing agents.
:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	::

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Irritant	Eyes.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Oral LD50 Dermal LD50	3,700 mg/kg > 3,100 mg/kg	rat rabbit

Carcinogenicity

PolyOne.

MATERIAL SAFETY DATA SHEET 2330200-10 JPMBQ UV WHITE

Version Number 1.1 Revision Date 12/08/2009 Page 5 of 7 Print Date 1/10/2012

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: no data available		
	13. DISPOSAL CONSIDERATIONS		
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA	: Refer to specific regulation.		
IMO/IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		

PolyOne.

MATERIAL SAFETY DATA SHEET **2330200-10 JPMBQ UV WHITE**

sion Number 1.1 ision Date 12/08/2009			Р	Page e 2rint Date 1/10/
US Regulations:				
OSHA Status	: Classified a	as hazardous based on	components.	
TSCA Status	: All comport TSCA Inve	nents of this product a ntory.	are listed on or exe	mpt from the
US. EPA CERCLA Hazardo	us Substances (40 C	CFR 302)		
not applicable				
California Proposition 65	n : Not applica	ble		
SARA Title III Section 302 I	Extremely Hazardou	is Substance		
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Foxic Chemicals:	-		
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: National Pollutant Re	Foxic Chemicals: e identified under th	is section, this produc PRI)	et is Not Applicable	e under this regul
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations:	Foxic Chemicals: e identified under th	is section, this produc		
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name	Foxic Chemicals: e identified under th lease Inventory (NP	is section, this produc PRI) CAS-No.	Weight percent 0.10 - 1.00	e under this regul
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name <u>Aluminum oxide</u> WHMIS Classification	Foxic Chemicals: e identified under th lease Inventory (NP	is section, this product PRI) CAS-No. 1344-28-1	Weight percent 0.10 - 1.00	e under this regul
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Re Chemical Name Aluminum oxide WHMIS Classification DSL	Foxic Chemicals: e identified under th lease Inventory (NP	is section, this product PRI) CAS-No. 1344-28-1	Weight percent 0.10 - 1.00	e under this regul
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name <u>Aluminum oxide</u> WHMIS Classification DSL National Inventories:	Foxic Chemicals: e identified under th lease Inventory (NP on : D2A : All compor Substances	is section, this product PRI) CAS-No. 1344-28-1	Weight percent 0.10 - 1.00	e under this regul
SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name <u>Aluminum oxide</u> WHMIS Classification DSL National Inventories: Australia AICS	Foxic Chemicals: e identified under th lease Inventory (NP on : D2A : All compos Substances : Listed	is section, this product PRI) CAS-No. 1344-28-1	Weight percent 0.10 - 1.00	e under this regul

PolyOne.

MATERIAL SAFETY DATA SHEET 2330200-10 JPMBQ UV WHITE

Version Number 1.1 Revision Date 12/08/2009 Page 7 of 7 Print Date 1/10/2012

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.