## MATERIAL SAFETY DATA SHEET AO COPPER LT BEIGE PP

Version Number 1.2 Revision Date 03/30/2014

Product Use

Page 1 of 8 Print Date 4/9/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AO COPPER LT BEIGE PP
Product code	:	CC10127351
Chemical Name	:	Mixture
CAS-No.	:	Mixture

# : Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Benzenepropanoic acid, 3,5-bis(1,1-	32687-78-8	5 - 10
dimethylethyl)-4-hydroxy-,2-[3-[3,5-bis(1,1-		
dimethylethyl)-4-hydroxyphenyl]-1-		
oxopropyl]hydrazide		
Calcium carbonate	1317-65-3	1 - 5
Rutile, antimony chromium buff	68186-90-3	1 - 5
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

#### Acute exposure

Inhalation

: Resin particles, like other inert materials, can be mechanically irritating.

PolyOne.

# MATERIAL SAFETY DATA SHEET **AO COPPER LT BEIGE PP**

sion Date 03/30/2014	Page 2 Print Date 4/9/
Ingestion Eyes	<ul> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating t eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion	<ul><li>contaminants.</li><li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li></ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.

PolyOne.

# MATERIAL SAFETY DATA SHEET **AO COPPER LT BEIGE PP**

Version Number 1.2 Revision Date 03/30/2014 Page 3 of 8 Print Date 4/9/2014

Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EX	POSUI	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally required.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)			

PolyOne.

## MATERIAL SAFETY DATA SHEET AO COPPER LT BEIGE PP

Version Number 1.2 Revision Date 03/30/2014 Page 4 of 8 Print Date 4/9/2014

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
Zinc stearate	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	10 mg/m3	Time Weighted Average (TWA):		ACGIH

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : solid : pellets

Specific Gravity

Evapouration rate : Not applicable : Not determined

POLYONE CORF	PORATION

### **MATERIAL SAFETY DATA SHEET** AO COPPER LT BEIGE PP

: TAN

: very faint

Version Number 1.2 Revision Date 03/30/2014

Colour

Odour

Melting point/range Boiling Point: Water solubility	: n	Jot determined ot applicable nsoluble	Vapour density pH	:	not applicable not applicable
	1	0. STABILITY AND R	EACTIVITY		
Stability	:	The product is stable in	f stored and handled as	s presc	cribed.
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidi decomposition, do not	001	lame.	To avoid thermal
Incompatible Materials	:	Incompatible with stro	ng acids and oxidizing	g agen	ts.
Hazardous decomposition products	:	Carbon dioxide (CO2) (NOx), other hazardou			e

Bulk density

Vapour pressure

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 


This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
32687-78-8	Benzenepropanoic acid,	Chronic effects	Liver.
	3,5-bis(1,1-		
	dimethylethyl)-4-hydroxy-		
	,2-[3-[3,5-bis(1,1-		
	dimethylethyl)-4-		
	hydroxyphenyl]-1-		
	oxopropyl]hydrazide		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.
68186-90-3	Rutile, antimony	Irritant	Eyes, Skin, Respiratory
	chromium buff		system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory
			system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No. Chemical Name Route Value Species



not applicable

PolyOne

:



PolyOne.

## MATERIAL SAFETY DATA SHEET AO COPPER LT BEIGE PP

#### Version Number 1.2 Revision Date 03/30/2014

Page 6 of 8 Print Date 4/9/2014

32687-78-8	Benzenepropanoic acid, 3,5-bis(1,1- dimethylethyl)-4-hydroxy- ,2-[3-[3,5-bis(1,1- dimethylethyl)-4- bydrowyrhenyll 1	Oral LD50	> 7,000 mg/kg	rat
	hydroxyphenyl]-1- oxopropyl]hydrazide			
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: no data available	
	13. DISPOSAL CONSIDERATIONS	T
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	

PolyOne.

# MATERIAL SAFETY DATA SHEET AO COPPER LT BEIGE PP

Version Number 1.2 Revision Date 03/30/2014 Page 7 of 8 Print Date 4/9/2014

	14	I. TRANSPORT	INFOR	MATIO	N		
U.S. DOT Classification	:	Not regulated for	transpo	rtation.			
ICAO/IATA	:	Refer to specific	regulatio	on.			
IMO/IMDG (maritime)	:	Refer to specific	regulatio	on.			
	15.	REGULATORY	Y INFO	RMATI	ON		
US Deculational							
US Regulations:							
OSHA Status	:	Classified as haz	ardous b	ased on	componen	ts.	
TSCA Status	:	All components TSCA Inventory		roduct a	re listed or	n or exer	npt from the
US. EPA CERCLA Hazardo	us Subs	tances (40 CFR 3	02)				
not applicable							
California Propositio 65	n :	Not applicable					
SARA Title III Section 302 l	Extreme	lv Hazardous Sub	ostance				
		-					
Unless specific chemicals are	e identif	ied under this sec	tion, this	s product	is Not Ap	plicable	under this regula
SARA Title III Section 313	Foxic C	hemicals:					
	e identif	ied under this sec	tion, this	s product	is Not Ap	plicable	under this regula
Unless specific chemicals are				CAS-N		0	percent
Chemical Name	-			68186-9	90-3	1.00 -	5.00
Chemical Name CHROMIUM III COMPO		CHROMIUM III		00100 /			
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON	NY			00100 /			
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU	NY				1	1.00	5.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON	NY			557-05-	1	1.00 -	5.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU	NY				1	1.00 -	5.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU ZINC COMPOUNDS Canadian Regulations:	NY UM COI	MPOUNDS			1	1.00 -	5.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU ZINC COMPOUNDS	NY UM COI	MPOUNDS	CAS-N	557-05-			5.00
Chemical Name CHROMIUM III COMPO COMPOUNDSANTIMON COMPOUNDSCHROMIU ZINC COMPOUNDS Canadian Regulations: National Pollutant Re	NY UM COI	MPOUNDS	CAS-N	557-05-	1 Weigh percen	t	

PolyOne

## MATERIAL SAFETY DATA SHEET AO COPPER LT BEIGE PP

Version Number 1.2 Revision Date 03/30/2014 Page 8 of 8 Print Date 4/9/2014

inc stearate		557-05-1		1.00 - 5.00				
WHMIS Classification	:	D2A						
WHMIS Ingredient Discl	ost	re List						
CAS-No. 68186-90-3 557-05-1								
DSL	:		All components of this product are on the Canadian Domestic ubstances List (DSL) or are exempt.					
ional Inventories:								
Australia AICS	:	Not determined						
China IECS	:	Not determined						
Europe EINECS	:	Listed						
Japan ENCS	:	Not determined						
Korea KECI	:	Not determined						
Philippines PICCS	:	Not determined						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.