PolvOne

### MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 7 Print Date 3/20/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone<br>number | : | 1 (440) 930-1000 or 1 (866) POLYONE<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|--|
| Product name                               | : | METALIC RED CLSMITH PE   |
| Product code                               | : | CC10129174   |
| Chemical Name                              | : | Mixture  |
| CAS-No.                                    | : | Mixture  |
| Product Use                                | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components        | CAS-No.    | Weight percent |
|-------------------|------------|----------------|
| Iron oxide        | 1309-37-1  | 1 - 5          |
| Silica, amorphous | 7631-86-9  | 1 - 5          |
| Zinc stearate     | 557-05-1   | 1 - 5          |
| Mica              | 12001-26-2 | 5 - 10         |

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact   |
|---------------------|---|
| Acute exposure      |   |
| Inhalation          | : Resin particles, like other inert materials, can be mechanically irritating.      |
| Ingestion           | : May be harmful if swallowed.  |
| Eyes                | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin                | : Experience shows no unusual dermatitis hazard from routine handling.              |

PolyOne.

# MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/20/2014

| Medical Conditions<br>Aggravated by Exposure:   | :    | None known.   |
|---|------|---|
|   |      | 4. FIRST AID MEASURES   |
| Inhalation  | :    | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice. |
| Ingestion   | :    | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes  | :    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.                          |
| Skin  | :    | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|   |      | 5. FIREFIGHTING MEASURES  |
| Flash point   | :    | not applicable  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Auto-ignition temperature<br>Suitable extinguishing media | ::   | not applicable<br>not applicable<br>not applicable<br>Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures   | :    | Fullface self-contained breathing apparatus (SCBA) used in positive<br>pressure mode should be worn to prevent inhalation of airborne<br>contaminants.                |
| Unusual Fire/Explosion<br>Hazards   | :    | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
|   | 6. A | CCIDENTAL RELEASE MEASURES  |
| Personal precautions  | :    | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions   | :    | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up   | :    | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.   |
|   |      | 7. HANDLING AND STORAGE   |

PolyOne.

# MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

| sion Number 1.1<br>/ision Date_03/13/2014 |      | Page 3 o<br>Print Date 3/20/20   |
|---|------|--|
| Handling                                  | :    | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.    |
| Storage                                   | :    | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Keep in a dry, cool place.       |
| 8. EX                                     | POSU | RE CONTROLS/PERSONAL PROTECTION  |
| Respiratory protection                    | :    | No personal respiratory protective equipment normally required.  |
| Eye/Face Protection                       | :    | Safety glasses with side-shields   |
| Hand protection                           | :    | Protective gloves  |
| Skin and body protection                  | :    | Long sleeved clothing  |
| Additional Protective<br>Measures         | :    | Safety shoes   |
| General Hygiene<br>Considerations         | :    | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures                      | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.             |
| Exposure limit(s)                         |      |  |

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 7 Print Date 3/20/2014

| Components        | Value     | Exposure time                     | Exposure type          | List:    |
|-------------------|-----------|-----------------------------------|------------------------|----------|
| Iron oxide        | 10 mg/m3  | PEL:                              | Fume.                  | OSHA Z1  |
|                   | 5 mg/m3   | Time Weighted Average (TWA):      | as Fe                  | MX OEL   |
|                   | 10 mg/m3  | Short Term Exposure Limit (STEL): | as Fe                  | MX OEL   |
|                   | 5 mg/m3   | Time Weighted Average (TWA):      | Respirable fraction.   | ACGIH    |
| Mica              | 3 mg/m3   | Time Weighted Average (TWA):      | Respirable fraction.   | ACGIH    |
|                   | 3 mg/m3   | Recommended exposure limit (REL): | Respirable.            | NIOSH    |
|                   | 3 mg/m3   | Time Weighted Average (TWA):      | Respirable dust.       | OSHA Z1A |
|                   | 3 mg/m3   | Time Weighted Average (TWA):      |                        | MX OEL   |
| Silica, amorphous | 6 mg/m3   | Recommended exposure limit (REL): |                        | NIOSH    |
|                   | 0.8 mg/m3 | Time Weighted Average (TWA):      |                        | Z3       |
|                   | 10 mg/m3  | Time Weighted Average (TWA):      | Inhalable particulate. | MX OEL   |
|                   | 3 mg/m3   | Time Weighted Average (TWA):      | Respirable dust.       | MX OEL   |
| Zinc stearate     | 5 mg/m3   | Recommended exposure limit (REL): | Respirable.            | NIOSH    |
|                   | 10 mg/m3  | Recommended exposure limit (REL): | Total                  | NIOSH    |
|                   | 5 mg/m3   | PEL:                              | Respirable fraction.   | OSHA Z1  |
|                   | 15 mg/m3  | PEL:                              | Total dust.            | OSHA Z1  |
|                   | 5 mg/m3   | Time Weighted Average (TWA):      | Respirable fraction.   | OSHA Z1A |
|                   | 10 mg/m3  | Time Weighted Average (TWA):      | Total dust.            | OSHA Z1A |
|                   | 10 mg/m3  | Time Weighted Average (TWA):      |                        | MX OEL   |
|                   | 20 mg/m3  | Short Term Exposure Limit (STEL): |                        | MX OEL   |
|                   | 10 mg/m3  | Time Weighted Average (TWA):      |                        | ACGIH    |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: : solid
: pellets
: RED
: very faint
: Not determined
: not applicable

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

PolvOne

## **MATERIAL SAFETY DATA SHEET** METALIC RED CLSMITH PE

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 7 Print Date 3/20/2014

|                                  | 10. STABILITY AND REACTIVITY   |
|----------------------------------|--|
| Stability                        | : The product is stable if stored and handled as prescribed.   |
| Hazardous Polymerization         | : Will not occur.  |
| Conditions to avoid              | : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
| Incompatible Materials           | : Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name     | Effect           | Target Organ              |
|------------|-------------------|------------------|---------------------------|
| 1309-37-1  | Iron oxide        | Systemic effects | Respiratory system.       |
| 7631-86-9  | Silica, amorphous | Irritant         | Eyes, Respiratory system. |
| 557-05-1   | Zinc stearate     | Systemic effects | Eyes, Skin, Respiratory   |
|            |                   |                  | system.                   |
| 12001-26-2 | Mica              | Systemic effects | Respiratory system.       |

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

|                          | 12. ECOLO                   | GICAL INFORMAT                    | ION                 |               |
|--------------------------|-----------------------------|-----------------------------------|---------------------|---------------|
| Persistence and degradat | oility : Not readil         | y biodegradable.                  |                     |               |
| Environmental Toxicity   | : Chemicals<br>polymer n    | are not readily availa<br>natrix. | ble as they are bou | nd within the |
| Bioaccumulation Potenti  | al : Chemicals<br>polymer n | are not readily availanatrix.     | ble as they are bou | nd within the |
| Additional advice        | : no data av                | ailable                           |                     |               |

PolyOne.

# MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

| Version Number 1.1<br>Revision Date 03/13/2014    | Page 6 of 7<br>Print Date <i>3/20/2014</i>  |
|---|---|
|   |   |
| Product   | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging                            | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.  |
|   | 14. TRANSPORT INFORMATION   |
| U.S. DOT Classification                           | : Not regulated for transportation.   |
| ICAO/IATA   | : Refer to specific regulation.   |
| IMO/IMDG (maritime)                               | : Refer to specific regulation.   |
|   | 15. REGULATORY INFORMATION  |
| US Regulations:                                   |   |
| OSHA Status                                       | : Classified as hazardous based on components.  |
| TSCA Status                                       | : All components of this product are listed on or exempt from the TSCA Inventory.   |
| US. EPA CERCLA Hazardous                          | Substances (40 CFR 302)   |
| not applicable                                    |   |
|   |   |
| California Proposition<br>65                      | : Not applicable  |
| SARA Title III Section 302 Ex                     | remely Hazardous Substance  |
| Unless specific chemicals are id                  | lentified under this section, this product is Not Applicable under this regulation  |
| SARA Title III Section 313 To                     | xic Chemicals:  |
| Unless specific chemicals are id<br>Chemical Name | lentified under this section, this product is Not Applicable under this regulation         CAS-No.       Weight percent   |
|   |   |

PolvOne

## MATERIAL SAFETY DATA SHEET METALIC RED CLSMITH PE

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/20/2014

| Chemical Name  | CAS-No.  | Weight percent |
|----------------|----------|----------------|
| ZINC COMPOUNDS | 557-05-1 | 1.00 - 5.00    |

Canadian Regulations:

| Chemical Name        |   |                 | CAS-No.                               | Weight                      | NPRI ID#   |
|----------------------|---|-----------------|---------------------------------------|-----------------------------|------------|
|                      |   |                 |                                       | percent                     |            |
| Zinc stearate        |   |                 | 557-05-1                              | 1.00 - 5.00                 |            |
|                      |   |                 |                                       |                             |            |
| WHMIS Classification | : | Not controlled. |                                       |                             |            |
| DSL                  | : |                 | s of this product<br>(DSL) or are exe | are on the Canadia<br>empt. | n Domestic |
| ational Inventories: |   |                 |                                       |                             |            |
| Australia AICS       | : | Listed          |                                       |                             |            |
| China IECS           | : | Listed          |                                       |                             |            |
| Europe EINECS        | : | Listed          |                                       |                             |            |
| Japan ENCS           | : | Not determined  |                                       |                             |            |
| Korea KECI           | : | Listed          |                                       |                             |            |
| Philippines PICCS    | : | Listed          |                                       |                             |            |

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.