PolyOne

### POLYONE CORPORATION

### MATERIAL SAFETY DATA SHEET *MISPPH 129178*

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/20/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
		, ,		
Product name	:	MISPPH 129178		
Product code	:	CC10129178		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Cellulose	9004-34-6	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## POLYONE CORPORATION

### MATERIAL SAFETY DATA SHEET *MISPPH 129178*

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/20/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET *MISPPH 129178*

Revision Date 03/13/2014	

Page 3 of 6 Print Date 3/20/2014

torage :		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8.	EXPOSURE	CONTROLS/PERSONAL I	PROTECTION			
Respiratory protection	: N	to personal respiratory protecti	ve equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	rotective gloves				
Skin and body protection	and body protection : Long sleeved clothing					
Additional Protective : Measures		Safety shoes				
General Hygiene Considerations		Iandle in accordance with good ractice. Wash hands before brown				
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Cellulose	10 mg/m3	Time Weighted Average (TWA):	L VI	ACGIH		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average (TWA):		MX OEL		
	20			MV OFI		

	9. PHYSICAL AND CH	EMICAL PROPERTIES	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	: Not established
	10. STABILITY A	ND REACTIVITY	

POLYONE CORPORATION

PolyOne.

## MATERIAL SAFETY DATA SHEET **MISPPH 129178**

sion Date 03/13/2	014			Pr	Page / /int Date 3/20	
			om oxidizing agents n, do not overheat.	and open flame.	Γo avoid therma	
Incompatible Materials : Incomp			with strong acids an	d oxidizing agents		
Hazardous decompo products			le (CO2), carbon mo hazardous materials,			
	11. T	OXICOLOG	ICAL INFORMAT	TION		
This mixture has not health data for the ir <u>Toxicity Overview</u> This product contair	ndividual compor	nents which co	omprise the mixture.			
CAS-No.	Chemi	cal Name	Effect	Targ	et Organ	
9004-34-6	Cellulose			Eyes, Skin.	Eyes, Skin. Eyes, Skin, Respiratory	
CAS-No.	Chami	Chemical Name Cellulose				
9004-34-6		cal Name	RouteLC50Oral LD50	Value > 5800 mg/m3 > 5 gm/kg	Species rat rat	
		cal Name	LC50		rat	
	Cellulose		LC50 Oral LD50	> 5800 mg/m3 > 5 gm/kg > 2 gm/kg	rat rat	
	Cellulose		LC50 Oral LD50 Dermal LD50	> 5800 mg/m3 > 5 gm/kg > 2 gm/kg	rat rat	
9004-34-6	Cellulose 12. radability : city :	<b>ECOLOGIC</b> Not readily bi	LC50 Oral LD50 Dermal LD50 CAL INFORMATIC odegradable.	> 5800 mg/m3 > 5 gm/kg > 2 gm/kg	rat rat rabbit	
9004-34-6 Persistence and degr	Cellulose 12. radability : city : tential :	ECOLOGIC Not readily bi Chemicals are polymer matri	LC50 Oral LD50 Dermal LD50 CAL INFORMATIC odegradable. e not readily availabl ix.	> 5800 mg/m3 > 5 gm/kg > 2 gm/kg <b>DN</b> e as they are bound	rat rat rabbit d within the	
9004-34-6 Persistence and degr Environmental Toxi	Cellulose 12. radability : city : tential :	<b>ECOLOGIC</b> Not readily bi Chemicals are polymer matri Chemicals are	LC50 Oral LD50 Dermal LD50 CAL INFORMATIC odegradable. e not readily availabl ix. e not readily availabl ix.	> 5800 mg/m3 > 5 gm/kg > 2 gm/kg <b>DN</b> e as they are bound	rat rat rabbit d within the	
9004-34-6 Persistence and degr Environmental Toxi Bioaccumulation Po	Cellulose 12. radability : city : tential : :	ECOLOGIC Not readily bi Chemicals are polymer matri Chemicals are polymer matri no data availa	LC50 Oral LD50 Dermal LD50 CAL INFORMATIC odegradable. e not readily availabl ix. e not readily availabl ix.	<ul> <li>&gt; 5800 mg/m3</li> <li>&gt; 5 gm/kg</li> <li>&gt; 2 gm/kg</li> <li>&gt; 2 m/kg</li> &lt;</ul>	rat rat rabbit d within the	

PolyOne.

## POLYONE CORPORATION

# MATERIAL SAFETY DATA SHEET **MISPPH 129178**

ion Number 1.1 sion Date 03/13/2014	Page 5 Print Date 3/20/2
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
not applicable	
California Propositio 65	on : Not applicable
SARA Title III Section 302	Extremely Hazardous Substance
<b>T 1 · C 1 · 1</b>	
Unless specific chemicals ar	e identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313	
SARA Title III Section 313	
SARA Title III Section 313	Toxic Chemicals:
SARA Title III Section 313 Unless specific chemicals ar Canadian Regulations:	Toxic Chemicals:
SARA Title III Section 313 Unless specific chemicals ar Canadian Regulations:	Toxic Chemicals: re identified under this section, this product is Not Applicable under this regula

POLYONE CORPORATION



### MATERIAL SAFETY DATA SHEET *MISPPH 129178*

Version Number 1.1 Revision Date 03/13/2014	Page 6 of 6 Print Date 3/20/2014
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Listed
Korea KECI	: Listed
Philippines PICCS	: Listed
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.